



## Network Functions Virtualisation (NFV) Release 4; Testing; API Conformance Testing Specification

Document Preview

ETSI GS NFV-TST 010 V4.4.1 (2024-08)

<https://standards.iteh.ai/catalog/standards/etsi/300d16f3-949c-433f-87bc-4b907d6aaa05/etsi-gs-nfv-tst-010-v4-4-1-2024-08>

### *Disclaimer*

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.  
It does not necessarily represent the views of the entire ETSI membership.

---

**Reference**

---

RGS/NFV-TST010ed441

---

---

**Keywords**

---

API, conformance, NFV, testing

---

**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

---

The present document can be downloaded from the  
ETSI [Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#).

Users should be aware that the present document may be revised or have its status changed,  
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to  
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our  
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

---

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.  
All rights reserved.

# Contents

|   |           |
|---|-----------|
| Intellectual Property Rights .....  | 5         |
| Foreword.....   | 5         |
| Modal verbs terminology.....  | 5         |
| Introduction .....  | 5         |
| 1 Scope .....   | 6         |
| 2 References .....  | 6         |
| 2.1 Normative references .....  | 6         |
| 2.2 Informative references.....   | 7         |
| 3 Definition of terms, symbols and abbreviations.....                                       | 7         |
| 3.1 Terms.....  | 7         |
| 3.2 Symbols.....  | 7         |
| 3.3 Abbreviations .....   | 7         |
| 4 Methodology .....   | 8         |
| 4.1 General .....   | 8         |
| 4.2 System Under Test (SUT) .....   | 8         |
| 4.3 Test configurations .....   | 8         |
| 4.3.1 General.....  | 8         |
| 4.3.2 Config_prod_VE.....   | 9         |
| 4.3.3 Config_prod_VNFM .....  | 10        |
| 4.3.4 Config_prod_NFVO .....  | 10        |
| 4.3.5 Config_prod_VNFM_GRANT .....  | 11        |
| 4.3.6 Config_prod_Notif_Endpoint .....  | 11        |
| 4.3.7 Config_prod_NFV-MANO .....  | 12        |
| 4.4 Void.....   | 12        |
| 4.5 Generic Test Description.....   | 12        |
| 4.5.1 General.....  | 12        |
| 4.5.2 Test Description format .....   | 13        |
| 4.5.3 Scope of the tests .....  | 14        |
| 4.5.3.1 General .....   | 14        |
| 4.5.3.2 General characteristics of the reference points.....                                | 15        |
| 4.5.3.3 Basic behaviours of the API producer/consumer and verification steps .....          | 16        |
| 4.5.3.3.0 Introduction .....  | 16        |
| 4.5.3.3.1 Producer sends event triggered notifications based on consumer subscriptions..... | 16        |
| 4.5.3.3.2 Producer sends periodic notifications based on the consumer subscriptions .....   | 18        |
| 4.5.3.3.3 Producer executes the requested API operation .....                               | 19        |
| 4.5.3.3.4 Consumer fetches the files/package info .....                                     | 20        |
| 4.5.3.4 Workflow test considerations.....   | 22        |
| 4.5.4 Verification .....  | 22        |
| 4.5.4.0 Introduction.....   | 22        |
| 4.5.4.1 Common verification aspects .....   | 22        |
| 4.5.4.2 Verification aspects for individual APIs .....                                      | 23        |
| 4.5.4.3 Verification aspects not considered.....  | 24        |
| 5 Void.....   | 24        |
| 6 Void.....   | 24        |
| 7 Void.....   | 25        |
| <b>Annex A (informative): Known Issues.....</b>   | <b>26</b> |
| <b>Annex B (informative): Workflow Test Descriptions .....</b>                              | <b>27</b> |
| <b>Annex C: Void .....</b>  | <b>28</b> |

**Annex D (normative):** Word format presentation of the test suite for the Os-Ma-nfvo Reference Point .....29

**Annex E (normative):** Word format presentation of the test suite for the Ve-Vnfm Reference Point .....30

**Annex F (normative):** Word format presentation of the test suite for the Or-Vnfm Reference Point .....31

**Annex G (normative):** Word format presentation of the test suite for NFV-MANO Management .....32

**Annex H (normative):** Word format presentation of the test suite for the Or-Or reference point .....33

H.1 General .....33

H.2 SOL011 NSD Management.....33

H.3 SOL011 NS Lifecycle Management .....33

H.4 SOL011 NS Performance Management .....33

H.5 SOL011 NS Fault Management .....34

**Annex I (normative):** Word format presentation of the test suite for NFV-MANO Policy Management .....35

**Annex J (informative):** Change History .....36

History .....37

ETSI Standards  
( https://standards.it  
Docu eent ePwr  
ETSI - GS NFV-TST 010 V4.4.1 (2024-08)  
https://standards.iteh.ai/catalog/standards

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Foreword

This Group Specification (GS) has been produced by ETSI Industry Specification Group (ISG) Network Functions Virtualisation (NFV).

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

# Introduction

The interoperability among the functional entities which supports the requirements and functionalities specified in ETSI NFV deliverables is one of the key and most important aspect to develop and deploy the NFV environment. In order to achieve such interoperability, ETSI GR NFV-TST 007 [i.1] specifies the methodologies and test scenario for the testing of interoperability mainly based on the ETSI NFV IFA specification series which specifies the reference point/interface and functional requirements. At the same time, the validation of the NFV specification compliance of each functional entities is also key aspects to be ensured for the interoperability, in particular protocol solution/API level. Therefore, the present document specifies the API conformance testing.

# 1 Scope

The present document specifies methodologies of conformance test including Test Descriptions for NFV implementations with interfaces specified in NFV specifications: ETSI GS NFV-SOL 002 [2] for the *Ve-Vnfm* reference point, ETSI GS NFV-SOL 003 [1] for the *Or-Vnfm* reference point and ETSI GS NFV-SOL 005 [3] for the *Os-Ma-Nfvo* reference point. Furthermore, the following specifications are also supported for conformance: ETSI GS NFV-SOL 009 [7] for the management of NFV-MANO, ETSI GS NFV-SOL 011 [8] for the *Or-Or* reference point, and ETSI GS NFV-SOL 012 [i.4] for the policy management interface.

Each ETSI NFV-SOL deliverable specifies a set of interfaces built on the RESTful approach and meant to be used over the HTTP protocol. The aim of the present document is to define the methodologies and the procedures with Test Descriptions to test conformance of the exchanged HTTP payloads and the implementation of required actions for one or more of the available interfaces within a reference point.

Since the targets of the testing are functionality (semantic checks) and the HTTP payloads (syntax checks), methodologies, including test suite(s) and/or any technologies from any organizations (in particular Open Source Initiatives) that can improve or help the (automated) test execution are also considered as being in the scope of the present document.

NOTE: The full set of functionalities supported by ETSI NFV Release 4 (V4.4.1) can be found in ETSI GS NFV-IFA 010 [i.5].

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] [ETSI GS NFV-SOL 003 \(V4.4.1\)](#): "Network Functions Virtualisation (NFV) Release 4; Protocols and Data Models; RESTful protocols specification for the Or-Vnfm Reference Point".
- [2] [ETSI GS NFV-SOL 002 \(V4.4.1\)](#): "Network Functions Virtualisation (NFV) Release 4; Protocols and Data Models; RESTful protocols specification for the Ve-Vnfm Reference Point".
- [3] [ETSI GS NFV-SOL 005 \(V4.4.1\)](#): "Network Functions Virtualisation (NFV) Release 4; Protocols and Data Models; RESTful protocols specification for the Os-Ma-nfvo Reference Point".
- [4] [ETSI GS NFV-TST 002 \(V1.1.1\)](#): "Network Functions Virtualisation (NFV); Testing Methodology; Report on NFV Interoperability Testing Methodology".
- [5] [ETSI GS NFV-SOL 013 \(V4.4.1\)](#): "Network Functions Virtualisation (NFV) Release 4; Protocols and Data Models; Specification of common aspects for RESTful NFV MANO APIs".
- [6] [ETSI GS NFV-SOL 001 \(V4.4.1\)](#): "Network Functions Virtualisation (NFV) Release 4; Protocols and Data Models; NFV descriptors based on TOSCA specification".
- [7] [ETSI GS NFV-SOL 009 \(V4.4.1\)](#): "Network Functions Virtualisation (NFV) Release 4; Protocols and Data Models; RESTful protocols specification for the management of NFV-MANO".
- [8] [ETSI GS NFV-SOL 011 \(V4.4.1\)](#): "Network Functions Virtualisation (NFV) Release 4; Protocols and Data Models; RESTful protocols specification for the Or-Or Reference Point".

- [9] Void.
- [10] Void.

## 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI GR NFV-TST 007 (V3.1.1): "Network Functions Virtualisation (NFV) Release 3; Testing; Guidelines on Interoperability Testing for MANO".
- [i.2] [Robot Framework](#).
- [i.3] [Robot2doc tool](#).
- [i.4] [ETSI GS NFV-SOL 012 \(V4.4.1\)](#): "Network Functions Virtualisation (NFV) Release 4; Protocols and Data Models; RESTful protocols specification for the Policy Management Interface".
- [i.5] [ETSI GS NFV-IFA 010 \(V4.4.1\)](#): "Network Functions Virtualisation (NFV) Release 4; Management and Orchestration; Functional requirements specification".

## 3 Definition of terms, symbols and abbreviations

### 3.1 Terms

For the purposes of the present document, the following terms apply:

**Test Description (TD):** set of information required to define/run the API conformance test and to realize the verdict for the API conformance test

### 3.2 Symbols

Void.

### 3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

|      |                                   |
|------|-----------------------------------|
| API  | Application Programming Interface |
| AUT  | API Under Test                    |
| EM   | Element Manager                   |
| FUT  | Function Under Test               |
| IUT  | Implementation Under Test         |
| LCM  | Life Cycle Management             |
| NFVI | NFV Infrastructure                |
| NFVO | NFV Orchestrator                  |
| NS   | Network Service                   |
| NSD  | Network Service Descriptor        |
| PNFD | PNF Descriptor                    |
| SUT  | System Under Test                 |



|      |                                    |
|------|------------------------------------|
| TD   | Test Description                   |
| TLS  | Transport Layer Security           |
| VE   | Virtual Element                    |
| VIM  | Virtualised Infrastructure Manager |
| VNF  | Virtual Network Function           |
| VNFD | VNF Descriptor                     |
| VNFM | VNF Manager                        |

## 4 Methodology

### 4.1 General

The purpose of general conformance testing is to determine to what extent an implementation of a standard conforms to the requirements of that standard. Concepts from ETSI GS NFV-TST 002 [4] are used in the present document.

The important factors which characterize conformance testing are as follows:

- the System or Implementation Under Test (SUT or IUT) defines the boundaries (open interfaces) for testing;
- the conformance test system is a specialized tool (system) built for the purpose of testing and on which specific test scripts can be run;
- the SUT comes from a single supplier (or, at least, a single product line);
- the tests are executed by a dedicated test system that has full control of the SUT and the ability to observe all communications from the SUT;
- the tests are performed at open standardized interfaces that are not (usually) accessible to a normal user (i.e. they are specified at the protocol level);
- the tests are specified at the detailed protocol level and are not usually based on functionality as experienced by a user;
- the tests verify responses or related request operations from SUT and also verify notifications when appropriate.

### 4.2 System Under Test (SUT)

The System Under Test (SUT) is identified by an implementation of the Function Under Test (FUT) producing or consuming the API under test e.g. in the case of the Or-vnfm reference point the Function Under Test (FUT) may be either a NFVO implementation or a VNFM implementation.

The function shall be tested in isolation with respect to other functional blocks in a NFV platform, to guarantee that the outcomes of the conformance tests are not the result of interoperability issues with other components.

### 4.3 Test configurations

#### 4.3.1 General

In accordance with clause 1, the scope of the present document is to define a testing methodology and test suite for both the conformant protocol exchange (i.e. valid serialization and order of messages) and the initialization or execution of the functionalities mandated for each protocol operation, including the conformant management of internal state.



In order to enable the FUT to correctly execute the operations mandated, the FUT shall be tested while being executed in a test environment which provides all the functional elements needed for the correct outcome of the operation.


**EXAMPLE:** To correctly execute an instantiation a VNFM requires evaluation in a test environment which provides a VIM and NFVI plus the NFVO to grant the operation.

The test system shall provide the implementation of an API Consumer and a Notification Endpoint for the API Under Test (AUT). Moreover, the test configuration may contain observation interfaces between the Test System and the FUT or any other functional block which is part of the test environment. The specification of the mentioned observation interfaces is out of the scope of the present document.

Stimuli to the FUT shall be injected by the Test System via the AUT only.

Conformance checks on the status and outcome of the operations triggered by the protocol shall be verified by the Test System by means of:

- read operations issued via the AUT; or
- reception of notifications on the Notification Endpoint exposed by the test system; or
- other test interfaces to support triggers or verifications.



**Figure 4.3.1-1: Generic SUT configuration**

The test configurations specified in clause 4.3 fulfil the needs of Test Descriptions specified in annexes D, E, F, G, H and I contained in archive gs\_nfv-tst010v040401p0.zip which accompanies the present document for the different FUTs and AUTs in scope of the present document.

### 4.3.2 Config\_prod\_VE

The configuration config\_prod\_VE shall be implemented to test APIs which are produced by FUTs in a VNF or EM. The test environment of the VNF/EM is the NFVI where the test is executed.




Figure 4.3.2-1: Configuration for tests of APIs with the FUTs as Producer run in a VNF/EM

### 4.3.3 Config\_prod\_VNFM

The configuration config\_prod\_VNFM shall be implemented to test APIs produced by FUTs which implement a VNFM. The test environment of the virtual element is the NFVI where the VE is executed.




Figure 4.3.3-1: Configuration for tests of APIs with VNFM as Producer

### 4.3.4 Config\_prod\_NFVO

The configuration config\_prod\_NFVO shall be implemented to test APIs produced by FUTs which implement a NFVO. The test environment of the virtual element is a NFV platform providing VNFM, VIM and NFVI.




Figure 4.3.4-1: Configuration for tests of APIs with NFVO as Producer

### 4.3.5 Config\_prod\_VNFM\_GRANT

The configuration config\_prod\_VNFM\_GRANT shall be implemented to test APIs produced by FUTs which implement a VNFM for VNF LCM test cases where an Operation Grant is needed. The test environment of the virtual element is composed by the NFVI where the VE is executed and a NFVO component exposing the VNF Lifecycle Operation Granting API.




Figure 4.3.5-1: Configuration for tests of APIs with VNFM as Producer, where the VNFLifecycleOperationGranting API is required

### 4.3.6 Config\_prod\_Notif\_Endpoint

The configuration config\_prod\_Notif\_Endpoint shall be implemented to test any notification endpoint. The test environment of the virtual element is a NFV platform providing an API Provider.