## INTERNATIONAL STANDARD



First edition 2018-04

## Plastics piping systems for the trenchless replacement of underground pipeline networks —

Part 2: Replacement off the line by horizontal directional drilling and impact moling iTeh STANDARD PREVE

Systèmes de canalisations en plastique pour le remplacement sans tranchée des réseaux de canalisations enterrés —

Partie 2: <u>Remplagem</u>ent hors ligne par forage horizontal dirigé et https://standards.iteh.foncage.partifuséest/8163b7f6-c02a-4bd3-bad3-43c3bb44c01e/iso-21225-2-2018



Reference number ISO 21225-2:2018(E)

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 21225-2:2018</u> https://standards.iteh.ai/catalog/standards/sist/8163b7f6-c02a-4bd3-bad3-43c3bb44c01e/iso-21225-2-2018



#### **COPYRIGHT PROTECTED DOCUMENT**

#### © ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

## Contents

Foreword		iv
Intro	roduction	v
1	Scope	
2	Normative references	
3	Terms and definitions	
4	Symbols and abbreviated terms	
	4.1 Symbols	7
	4.2 Abbreviated terms	
5	Design aspects	
6	Material selection	
	6.1 Pipes and fittings	
	6.2 Regional requirements for pipes and fittings	
	6.3 Ancillary components	
7	Installation practice	
	7.1 Preparatory work	
	7.2 Storage, handling and transport	
	7.3 Equipment	
	7.3.1 General General Communication of the second s	
	7.3.2 Inspection equipment	10
	7.3.3 Lifting equipment	
	7.3.4 Butt fusion equipment and debeading equip	ment
	7.3.5 Pipe skids/rollers	
	7.3.6 HDD equipment <u>100 21225-22010</u> 7.2.7 https://standards.ittp.a/catalog/standards/sist/8163b7f6-c02a-	4bd3-bad3-
	7.2.9 Electrofucion Schubberger 21225-2-2018	12
	7.5.6 Electronusion equipment	
	7.5 Process-related inspection and testing	
	7.6 Finishing off	13
	7.7 Connection to the existing pipeline system	
8	Fitness for purpose	
	8.1 General	
	8.2 Final inspection	
	8.3 Pressure testing	
	8.4 Disinfection	
	8.5 Documentation	
Ann	nex A (normative) Layered pipes	
Annex B (informative) Pipe design considerations particular to HDD		
Bibliography		

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 138, *Plastics pipes, fittings and valves for the transport of fluids*, Subcommittee SC 8, *Rehabilitation-of pipeline systems*. https://standards.iteh.au/catalog/standards/stst/8163b7/b-c02a-4bd3-bad3-

A list of all the parts in the ISO 21225 series can be found on the ISO website.

## Introduction

System standards dealing with following applications are either available or in preparation for pipeline renovation:

- The ISO 11296 series: Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks;
- The ISO 11297 series: *Plastics piping systems for renovation of underground drainage and sewerage networks under pressure;*
- The ISO 11298 series: *Plastics piping systems for renovation of underground water supply networks*;
- The ISO 11299 series: *Plastics piping systems for renovation of underground gas supply networks*.

System standards dealing with all application areas are either available or in preparation for trenchless pipeline replacement:

— The ISO 21225 series: *Plastics piping systems for the trenchless replacement of underground pipeline networks.* 

The system standard ISO 21225 comprises:

- Part 1: Replacement on the line by pipe bursting and pipe extraction;
- Part 2: Replacement off the line by horizontal directional drilling and impact moling (this document).

The requirements for technique families are given in ISO 21225-1 and ISO 21225-2 (this document) respectively. For complimentary information, see ISO 11295[1].

A consistent structure of clause heading shas beem adop ted for all parts to facilitate direct comparisons across replacement standards ds. iteh. ai/catalog/standards/sist/8163b7f6-c02a-4bd3-bad3-

43c3bb44c01e/iso-21225-2-2018 Figure 1 shows the common part and clause structure and the relationship between ISO 21255 and the system standards for the renovation application areas.



# Figure 1 entropy families and clause structure (standards.iteh.ai)

<u>ISO 21225-2:2018</u> https://standards.iteh.ai/catalog/standards/sist/8163b7f6-c02a-4bd3-bad3-43c3bb44c01e/iso-21225-2-2018

# Plastics piping systems for the trenchless replacement of underground pipeline networks —

## Part 2: Replacement off the line by horizontal directional drilling and impact moling

#### 1 Scope

This document specifies requirements and test methods for pipes and fittings which are part of plastics piping systems for the trenchless replacement of various underground pipeline networks, underground non-pressure and pressure drainage and sewerage networks and underground water and gas supply networks, by means of horizontal directional drilling and impact moling.

It is applicable to polyethylene (PE) pipes and fittings, as manufactured, as well as to the installed replacement system.

This document is intended to be used in conjunction with standards applicable for the construction of PE pipeline systems where available ANDARD PREVIEW

Regarding manufactured pipes it is applicable to three different PE pipe types:

- PE solid wall single layered pipes (nominal outside diameter,  $d_n$ ), including any identification stripes;
- PE pipes with  $do extruded layers on either or both the outside and inside of the pipe (total outside diameter, <math>d_n$ ), as specified in Attrack A, where all layers have the same MRS rating;
- PE pipes (outside diameter, *d<sub>n</sub>*) having a peelable, contiguous, thermoplastics additional layer on the outside of the pipe ("coated pipe"), see <u>Annex A</u>.

In addition it is applicable to:

- jointing of pipe lengths by means of butt fusion joint to form continuous strings prior to installation;
- fabricated and injection-moulded fittings made of PE.

Pipes made from other plastics, e.g. polypropylene (PP) are outside the scope of this document.

This document is not applicable to push-fit jointed discrete pipes assembled as part of the trenchless installation process.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4427 (all parts), Plastics piping systems — Polyethylene (PE) pipes and fittings for water supply

ISO 4437 (all parts), Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE)

ISO 4633, Rubber seals — Joint rings for water supply, drainage and sewerage pipelines — Specification for materials

#### ISO 21225-2:2018(E)

ISO 8772, Plastics piping systems for non-pressure underground drainage and sewerage — Polyethylene (PE)

ISO 12176-1, Plastics pipes and fittings — Equipment for fusion jointing polyethylene systems — Part 1: Butt fusion

ISO 12176-2, Plastics pipes and fittings — Equipment for fusion jointing polyethylene systems — Part 2: Electrofusion

ISO 16010, Elastomeric seals — Material requirements for seals used in pipes and fittings carrying gaseous fuels and hydrocarbon fluids

EN 681-1, Elastomeric seals — Material requirements for pipe joint seals used in water and drainage applications — Part 1: Vulcanized rubber

EN 681-2, Elastomeric seals — Material requirements for pipe joint seals used in water and drainage applications — Part 2: Thermoplastic elastomers

EN 681-3, Elastomeric seals — Material requirements for pipe joint seals used in water and drainage applications — Part 3: Cellular materials of vulcanized rubber

EN 681-4, Elastomeric seals — Material requirements for pipe joint seals used in water and drainage applications — Part 4: Cast polyurethane sealing elements

EN 682, Elastomeric seals — Material requirements for seals used in pipes and fittings carrying gas and hydrocarbon fluids

EN 1555-1, Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 1: General

EN 1555-2, Plastics piping systems for the supply of gaseous fuels – Polyethylene (PE) – Part 2: Pipes

EN 1555-3, Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 3: Fittings ISO 21225-2:2018

EN 1555-5, Plastics piping systems for the supply of gaseous fuels (3) Polyethylene (PE) — Part 5: Fitness for purpose of the system 43c3bb44c01e/iso-21225-2-2018

EN 12201-1, Plastics piping systems for water supply, and for drainage and sewerage under pressure — Polyethylene (PE) — Part 1: General

EN 12201-2, Plastics piping systems for water supply, and for drainage and sewerage under pressure — Polyethylene (PE) — Part 2: Pipes

EN 12201-3, Plastics piping systems for water supply, and for drainage and sewerage under pressure — Polyethylene (PE) — Part 3: Fittings

EN 12201-5, Plastics piping systems for water supply, and for drainage and sewerage under pressure — Polyethylene (PE) — Part 5: Fitness for purpose of the system

EN 12666-1, Plastics piping systems for non-pressure underground drainage and sewerage — Polyethylene (PE) — Part 1: Specifications for pipes, fittings and the system

#### 3 Terms and definitions

For the purposes of this document the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at <a href="http://www.iso.org/obp">http://www.iso.org/obp</a>

#### 3.1 General

#### 3.1.1

#### **CCTV** system

system comprised of cameras, recorders, interconnections and displays that are used to inspect pipelines

#### 3.1.2

#### characteristic

property, dimension or other feature of a material or component

#### 3.1.3

#### coated pipe

pipe with a peelable, contiguous thermoplastic additional layer on the outside of the pipe

#### 3.1.4

#### installed pipe

replacement pipe after installation

#### 3.1.5

#### maintenance

routine work undertaken to ensure the continuing performance of an asset

#### 3.1.6

#### pipe with co-extruded layers

pipe with smooth internal and external surface, having co-extruded layers on either or both the outside and inside of the pipe, where all layers have the same MRS rating

### iTeh STANDARD PREVIEW

## 3.1.7 pipeline system

## (standards itah ai)

pipeline system (standards.iteh.ai) interconnecting pipe network for the conveyance of fluids

#### 3.1.8

ISO 21225-2:2018

rehabilitation https://standards.iteh.ai/catalog/standards/sist/8163b7f6-c02a-4bd3-bad3-

measures for restoring or upgrading the performance of existing pipeline systems, including renovation, repair and replacement

#### 3.1.9

#### renovation

work incorporating all or part of the original fabric of the pipeline, by means of which its current performance is improved

#### 3.1.10

**repair** rectification of local damage

#### 3.1.11

#### replacement

construction of a new pipeline, on or off the line of an existing pipeline, where the function of the new pipeline system incorporates that of the old

#### 3.1.12

#### replacement pipe

new pipe installed for rehabilitation purposes

#### 3.1.13

#### replacement system

replacement pipe and all relevant fittings for trenchless replacement on or off an existing pipeline for the purposes of rehabilitation

#### 3.1.14

#### solid wall single layered pipe

pipe with smooth internal and external surface, extruded from the same compound/formulation throughout the wall

#### 3.1.15

#### system test pressure

#### **STP**

pressure applied to the installed pipeline system in order to ensure its integrity and leaktightness

#### 3.1.16

#### technique family

group of renovation or trenchless replacement techniques which are considered to have common characteristics for standardization purposes

#### 3.1.17

#### trenchless replacement

replacement without opening trenches other than small excavations to provide access for the particular technique

#### 3.2 **Techniques**

The various techniques for trenchless replacement of underground networks, within the scope of pipeline rehabilitation techniques generally, are shown schematically in Figure 2.

Definitions of technique families outside the scope of this document are given in ISO 11295.

The technique families within the scope of this document are defined as follows.

#### 3.2.1

ISO 21225-2:2018

## horizontal directional drilling https://standards.iteh.ai/catalog/standards/sist/8163b7f6-c02a-4bd3-bad3-

off the line replacement method in which a pilot bore is drilled using a steerable drilling head connected to flexible rods and then the bore is enlarged by reamers up to the diameter required for the pipe or pipes to be subsequently pulled/pushed into place

#### 3.2.2

#### impact moling

off the line replacement method in which pipes are pulled in behind a pneumatically powered soil displacement hammer



#### https://standards.iteh.ai/catalog/standards/sist/8163b7f6-c02a-4bd3-bad3-

- <sup>a</sup> This document is applicable. 43c3bb44c01e/iso-21225-2-2018
- <sup>b</sup> In scope of ISO 21225-2.
- <sup>c</sup> Outside scope of ISO 21225, see ISO 11295<sup>[1]</sup>.

## Figure 2 — Technique families for trenchless replacement of underground pipeline networks using plastics pipes, within the scope of pipeline rehabilitation techniques

#### 3.3 Geometrics

#### 3.3.1

#### minimum bending radius

minimum radius at any point throughout the length of the pipeline, measured to the longitudinal axis of the pipe

Note 1 to entry: This is usually expressed as a multiple of the pipe diameter.

#### 3.3.2

#### minimum mean outside diameter

*d*<sub>em,min</sub>

minimum value of the mean outside diameter as specified for a given nominal size

[SOURCE: ISO 4427-1:2007, 3.1.1.6]