## INTERNATIONAL STANDARD

ISO 11299-2

First edition 2018-10

# Plastics piping systems for renovation of underground gas supply networks —

## Part 2: **Lining with continuous pipes**

Systèmes de canalisations en plastique pour la rénovation des réseaux enterrés de distribution de gaz —

Partie 2: Tubage par tuyau continu avec espace annulaire

## Document Preview

ISO 11200\_2:2018

https://standards.iteh.ai/catalog/standards/iso/436504bh-826a-4265-9549-b08878ee507e/iso-11299-2-2018



## iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 11299-2:2018

https://standards.iteh.ai/catalog/standards/iso/436504bh-826a-4265-9549-b08878ee507e/iso-11299-2-2018



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Foreword Introduction  1 Scope 2 Normative references 3 Terms and definitions 4 Symbols and abbreviated terms 4.1 Symbols 4.2 Abbreviated terms 5 Pipes at the "M" stage 5.1 Materials 5.2 General characteristics 5.3 Material characteristics 5.4 Geometrical characteristics 5.5 Mechanical characteristics 5.6 Physical characteristics 5.7 Jointing 5.8 Marking 5.9 Regional requirements for pipes 6 Fittings at the "M" stage 6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings 7 Ancillary components 8 Fitness for purpose of the installed lining system at the "I" stage 9 Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.3.8 Final inspection and testing 9.9 Process-related inspection and testing 9.9 Process-related inspection and testing 9.9 Documentation  Annex A (normative) Layered pipes	GO.	ntents	Pag
Normative references  Terms and definitions  Symbols and abbreviated terms 4.1 Symbols 4.2 Abbreviated terms 4.1 Symbols 4.2 Abbreviated terms  Fipes at the "M" stage 5.1 Materials 5.2 General characteristics 5.3 Material characteristics 5.4 Geometrical characteristics 5.5 Mechanical characteristics 5.6 Physical characteristics 5.7 Jointing 5.8 Marking 5.9 Regional requirements for pipes  Fittings at the "M" stage 6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings 7 Ancillary components  Fitness for purpose of the installed lining system at the "I" stage  Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.7 Lifting equipment 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.9 Documentation	Fore	eword	i
Terms and definitions  Symbols and abbreviated terms 4.1 Symbols 4.2 Abbreviated terms 4.1 Symbols 4.2 Abbreviated terms  Figure 3.3 Materials 5.2 General characteristics 5.3 Material characteristics 5.4 Geometrical characteristics 5.5 Mechanical characteristics 5.6 Physical characteristics 5.7 Jointing 5.8 Marking 5.9 Regional requirements for pipes  Fittings at the "M" stage 6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings 7 Ancillary components  Fitness for purpose of the installed lining system at the "I" stage  Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment 9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation	Intr	roduction	
Terms and definitions  Symbols and abbreviated terms 4.1 Symbols 4.2 Abbreviated terms 4.1 Symbols 4.2 Abbreviated terms  5 Pipes at the "M" stage 5.1 Materials 5.2 General characteristics 5.3 Material characteristics 5.4 Geometrical characteristics 5.5 Mechanical characteristics 5.6 Physical characteristics 5.7 Jointing 5.8 Marking 5.9 Regional requirements for pipes  6 Fittings at the "M" stage 6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings 6.4 Marking 6.5 Marking 6.5 Marking 6.7 Ancillary components  Fitness for purpose of the installed lining system at the "I" stage  9 Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation	1	Scope	
3 Terms and definitions 4 Symbols and abbreviated terms 4.1 Symbols 4.2 Abbreviated terms 5 Pipes at the "M" stage 5.1 Materials 5.2 General characteristics 5.3 Material characteristics 5.4 Geometrical characteristics 5.5 Mechanical characteristics 5.6 Physical characteristics 5.7 Jointing 5.8 Marking 5.9 Regional requirements for pipes 6 Fittings at the "M" stage 6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings 7 Ancillary components 8 Fitness for purpose of the installed lining system at the "I" stage 9 Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.3.7 Lifting equipment 9.3.8 Final lation 9.9 Process-related inspection and testing 9.9 Reconnections to the existing pipeline system 9.9 Final inspection and testing 9.9 Documentation	2	-	
4.1 Symbols 4.2 Abbreviated terms 4.1 Symbols 4.2 Abbreviated terms 5 Pipes at the "M" stage 5.1 Materials 5.2 General characteristics 5.3 Material characteristics 5.4 Geometrical characteristics 5.5 Mechanical characteristics 5.6 Physical characteristics 5.7 Jointing 5.8 Marking 5.9 Regional requirements for pipes 6 Fittings at the "M" stage 6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings 7 Ancillary components 8 Fitness for purpose of the installed lining system at the "I" stage 9 Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation	3		
4.1 Symbols 4.2 Abbreviated terms  5 Pipes at the "M" stage 5.1 Materials. 5.2 General characteristics 5.3 Material characteristics 5.4 Geometrical characteristics 5.5 Mechanical characteristics 5.6 Physical characteristics 5.7 Jointing 5.8 Marking 5.9 Regional requirements for pipes.  6 Fittings at the "M" stage 6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings 7 Ancillary components  8 Fitness for purpose of the installed lining system at the "I" stage  9 Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3.1 But fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.1 Isit fusion equipment 9.3.6 Inspection equipment 9.3.1 Isit gequipment 9.3.1 Isit fusion equipment 9.3.2 Pipe rollers 9.3.3 Lifting equipment 9.3.4 Lifting equipment 9.3.5 Inspection equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.3.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation	_		
5.1 Materials 5.2 General characteristics 5.3 Material characteristics 5.4 Geometrical characteristics 5.5 Mechanical characteristics 5.6 Physical characteristics 5.7 Jointing 5.8 Marking 5.9 Regional requirements for pipes.  6 Fittings at the "M" stage. 6.1 Requirement for fittings. 6.2 Marking. 6.3 Regional requirements for fittings. 7 Ancillary components  8 Fitness for purpose of the installed lining system at the "I" stage.  9 Installation practice. 9.1 Preparatory work. 9.2 Storage, handling and transport. 9.3 Equipment. 9.3.1 Butt fusion equipment and debeading equipment. 9.3.2 Pipe rollers. 9.3.3 Winching and rod-pulling equipment. 9.3.4 Pipe entry guides. 9.3.5 Electrofusion equipment. 9.3.6 Inspection equipment. 9.3.7 Lifting equipment. 9.3.8 Inspection equipment. 9.4 Installation. 9.5 Process-related inspection and testing. 9.6 Lining termination. 9.7 Reconnections to the existing pipeline system. 9.8 Final inspection and testing. 9.9 Documentation.	•	4.1 Symbols	
5.2 General characteristics 5.3 Material characteristics 5.4 Geometrical characteristics 5.5 Mechanical characteristics 5.6 Physical characteristics 5.7 Jointing 5.8 Marking 5.9 Regional requirements for pipes  6 Fittings at the "M" stage 6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings  7 Ancillary components  8 Fitness for purpose of the installed lining system at the "I" stage  9 Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation	5	Pipes at the "M" stage	
5.3 Material characteristics 5.4 Geometrical characteristics 5.5 Mechanical characteristics 5.6 Physical characteristics 5.7 Jointing 5.8 Marking 5.9 Regional requirements for pipes  6 Fittings at the "M" stage 6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings 6.4 Marking 6.5 Regional requirements for fittings 6.7 Ancillary components  8 Fitness for purpose of the installed lining system at the "I" stage  9 Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation			
5.4 Geometrical characteristics 5.5 Mechanical characteristics 5.6 Physical characteristics 5.7 Jointing 5.8 Marking 5.9 Regional requirements for pipes  6 Fittings at the "M" stage 6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings 7 Ancillary components  8 Fitness for purpose of the installed lining system at the "I" stage 9 Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation			
5.5 Mechanical characteristics 5.6 Physical characteristics 5.7 Jointing 5.8 Marking 5.9 Regional requirements for pipes  6 Fittings at the "M" stage 6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings  7 Ancillary components  8 Fitness for purpose of the installed lining system at the "I" stage  9 Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation			
5.6 Physical characteristics 5.7 Jointing 5.8 Marking 5.9 Regional requirements for pipes  6 Fittings at the "M" stage 6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings 7 Ancillary components  8 Fitness for purpose of the installed lining system at the "I" stage  9 Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.3.8 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation			
5.8 Marking 5.9 Regional requirements for pipes  6 Fittings at the "M" stage 6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings  7 Ancillary components  8 Fitness for purpose of the installed lining system at the "I" stage  9 Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment. 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.3.8 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation			
5.9 Regional requirements for pipes  6 Fittings at the "M" stage 6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings  7 Ancillary components  8 Fitness for purpose of the installed lining system at the "I" stage  9 Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation		, 0	
6 Fittings at the "M" stage 6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings  7 Ancillary components  8 Fitness for purpose of the installed lining system at the "I" stage  9 Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation			
6.1 Requirement for fittings 6.2 Marking 6.3 Regional requirements for fittings  7 Ancillary components  8 Fitness for purpose of the installed lining system at the "I" stage  9 Installation practice 9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation			
Fitness for purpose of the installed lining system at the "I" stage    Installation practice	U	6.1 Requirement for fittings	
9.1 Preparatory work 9.2 Storage, handling and transport 9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation	7	Ancillary components	4
9.2 Storage, handling and transport  9.3 Equipment  9.3.1 Butt fusion equipment and debeading equipment  9.3.2 Pipe rollers  9.3.3 Winching and rod-pulling equipment  9.3.4 Pipe entry guides  9.3.5 Electrofusion equipment  9.3.6 Inspection equipment  9.3.7 Lifting equipment  9.4 Installation  9.5 Process-related inspection and testing  9.6 Lining termination  9.7 Reconnections to the existing pipeline system  9.8 Final inspection and testing  9.9 Documentation	8	Fitness for purpose of the installed lining system at the "I" stage	
9.2 Storage, handling and transport  9.3 Equipment  9.3.1 Butt fusion equipment and debeading equipment  9.3.2 Pipe rollers  9.3.3 Winching and rod-pulling equipment  9.3.4 Pipe entry guides  9.3.5 Electrofusion equipment  9.3.6 Inspection equipment  9.3.7 Lifting equipment  9.4 Installation  9.5 Process-related inspection and testing  9.6 Lining termination  9.7 Reconnections to the existing pipeline system  9.8 Final inspection and testing  9.9 Documentation	9	Installation practice ISO 11299-22018	
9.3 Equipment 9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation			
9.3.1 Butt fusion equipment and debeading equipment 9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation			
9.3.2 Pipe rollers 9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation			
9.3.3 Winching and rod-pulling equipment 9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation			
9.3.4 Pipe entry guides 9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation		1	
9.3.5 Electrofusion equipment 9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation			
9.3.6 Inspection equipment 9.3.7 Lifting equipment 9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation		1 70	
9.4 Installation 9.5 Process-related inspection and testing 9.6 Lining termination 9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation			
9.5 Process-related inspection and testing		0 1 1	
9.6 Lining termination			
9.7 Reconnections to the existing pipeline system 9.8 Final inspection and testing 9.9 Documentation		1 0	
9.8 Final inspection and testing		0	
9.9 Documentation			
	Ann	nex A (normative) Lavered nines	
Ribliography			

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 138, *Plastics pipes, fittings and valves for the transport of fluids*, Subcommittee SC 8, *Rehabilitation of pipeline systems*.

A list of all parts in the ISO 11299 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

### Introduction

This document is a part of a system standard for plastics piping systems of various materials used for renovation of existing pipelines in a specified application area. System standards for renovation dealing with the following applications are either available or under preparation:

- ISO 11296, Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks;
- ISO 11297, Plastics piping systems for renovation of underground drainage and sewerage networks under pressure;
- ISO 11298, Plastics piping systems for renovation of underground water supply networks;
- ISO 11299, *Plastics piping systems for renovation of underground gas supply networks* (this series of standards).

These system standards are distinguished from system standards for conventionally installed plastics piping systems by the requirement to verify certain characteristics in the "as installed" condition, after site processing. This is in addition to verification of characteristics of plastics piping systems "as manufactured".

Each of the system standards comprises a:

— Part 1: General

and all applicable renovation technique family-related parts, which, for gas supply networks, include or potentially include the following:


- Part 2: Lining with continuous pipes (this document);
- Part 3: Lining with close-fit pipes;
- Part 4: Lining with cured-in-place pipes; 11299-22018
- https://dispart 6: Lining with adhesive-backed hoses; bb-826a-4265-9549-b08878ee507e/iso-11299-2-2018
  - Part 11: Lining with inserted hoses.

The requirements for any given renovation technique family are specified in Part 1, applied in conjunction with the other relevant part. For example, this document and ISO 11299-1 together specify the requirements relating to lining with continuous pipes. For complementary information, see ISO 11295. Not all technique families are pertinent to every area of application and this is reflected in the part numbers included in each system standard.

A consistent structure of clause headings has been adopted for all parts to facilitate direct comparisons across renovation technique families.

Figure 1 shows the common part and clause structure and the relationship between ISO 11299 and system standards for other applications.

Annex A of this document is normative.



https://standards.iteh.ai/catalog/standards/iso/436504hh-826a-4265-9549-h08878ee507e/iso-11299-2-2018

Figure 1 — Format of the renovation System Standards