

ETSI TS 123 502 V16.19.0 (2024-04)



5G;
Procedures for the 5G System (5GS)
(3GPP TS 23.502 version 16.19.0 Release 16)

Document Preview

[ETSI TS 123 502 V16.19.0 \(2024-04\)](https://standards.iteh.ai/catalog/standards/etsi/e39247c8-416a-44ae-8526-dc65ee565130/etsi-ts-123-502-v16-19-0-2024-04)

<https://standards.iteh.ai/catalog/standards/etsi/e39247c8-416a-44ae-8526-dc65ee565130/etsi-ts-123-502-v16-19-0-2024-04>



Reference

RTS/TSGS-0223502vgj0

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2024-04)

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	20
1 Scope	21
2 References	21
3 Definitions, symbols and abbreviations	23
3.1 Definitions	23
3.2 Abbreviations	24
4 System procedures.....	24
4.1 General	24
4.2 Connection, Registration and Mobility Management procedures	24
4.2.1 General.....	24
4.2.2 Registration Management procedures.....	24
4.2.2.1 General	24
4.2.2.2 Registration procedures.....	24
4.2.2.2.1 General	24
4.2.2.2.2 General Registration	26
4.2.2.2.3 Registration with AMF re-allocation.....	41
4.2.2.3 Deregistration procedures	44
4.2.2.3.1 General	44
4.2.2.3.2 UE-initiated Deregistration.....	44
4.2.2.3.3 Network-initiated Deregistration.....	46
4.2.3 Service Request procedures	47
4.2.3.1 General	47
4.2.3.2 UE Triggered Service Request.....	47
4.2.3.3 Network Triggered Service Request	59
4.2.4 UE Configuration Update	66
4.2.4.1 General	66
4.2.4.2 UE Configuration Update procedure for access and mobility management related parameters	67
4.2.4.3 UE Configuration Update procedure for transparent UE Policy delivery	71
4.2.5 Reachability procedures.....	72
4.2.5.1 General	72
4.2.5.2 UE Reachability Notification Request procedure	72
4.2.5.3 UE Activity Notification procedure	74
4.2.6 AN Release	75
4.2.7 N2 procedures	78
4.2.7.1 N2 Configuration	78
4.2.7.2 NGAP UE-TNLA-binding related procedures	78
4.2.7.2.1 Creating NGAP UE-TNLA-bindings during Registration and Service Request	78
4.2.7.2.2 Creating NGAP UE-TNLA-bindings during handovers.....	79
4.2.7.2.3 Re-Creating NGAP UE-TNLA-bindings subsequent to NGAP UE-TNLA-binding release	79
4.2.7.2.4 NGAP UE-TNLA-binding update procedure	80
4.2.7.2.5 NGAP UE-TNLA-binding per UE Release procedure	80
4.2.7.3 AMF Failure or Planned Maintenance handling procedure	80
4.2.8 Void	81
4.2.8a UE Capability Match Request procedure.....	81
4.2.9 Network Slice-Specific Authentication and Authorization procedure.....	82
4.2.9.1 General	82
4.2.9.2 Network Slice-Specific Authentication and Authorization	83
4.2.9.3 AAA Server triggered Network Slice-Specific Re-authentication and Re-authorization procedure.....	85
4.2.9.4 AAA Server triggered Slice-Specific Authorization Revocation.....	86
4.2.10 N3 data transfer establishment procedure when Control Plane CIoT 5GS Optimisation is enabled	87
4.2.10.1 UE triggered N3 data transfer establishment procedure.....	87

4.2.10.2	SMF triggered N3 data transfer establishment procedure	87
4.3	Session Management procedures	88
4.3.1	General	88
4.3.2	PDU Session Establishment	89
4.3.2.1	General	89
4.3.2.2	UE Requested PDU Session Establishment	89
4.3.2.2.1	Non-roaming and Roaming with Local Breakout	89
4.3.2.2.2	Home-routed Roaming	102
4.3.2.2.3	SMF selection	107
4.3.2.2.4	Multiple PDU Sessions towards the same DNN and S-NSSAI	110
4.3.2.3	Secondary authorization/authentication by an DN-AAA server during the PDU Session establishment	110
4.3.3	PDU Session Modification	113
4.3.3.1	General	113
4.3.3.2	UE or network requested PDU Session Modification (non-roaming and roaming with local breakout)	113
4.3.3.3	UE or network requested PDU Session Modification (home-routed roaming)	119
4.3.4	PDU Session Release	122
4.3.4.1	General	122
4.3.4.2	UE or network requested PDU Session Release for Non-Roaming and Roaming with Local Breakout	122
4.3.4.3	UE or network requested PDU Session Release for Home-routed Roaming	127
4.3.5	Session continuity, service continuity and UP path management	130
4.3.5.1	Change of SSC mode 2 PDU Session Anchor with different PDU Sessions	130
4.3.5.2	Change of SSC mode 3 PDU Session Anchor with multiple PDU Sessions	131
4.3.5.3	Change of SSC mode 3 PDU Session Anchor with IPv6 Multi-homed PDU Session	132
4.3.5.4	Addition of additional PDU Session Anchor and Branching Point or UL CL	135
4.3.5.5	Removal of additional PDU Session Anchor and Branching Point or UL CL	136
4.3.5.6	Change of additional PDU Session Anchor for IPv6 multi-homing or UL CL	138
4.3.5.7	Simultaneous change of Branching Point or UL CL and additional PSA for a PDU Session	139
4.3.5.8	Ethernet PDU Session Anchor Relocation	142
4.3.6	Application Function influence on traffic routing	144
4.3.6.1	General	144
4.3.6.2	Processing AF requests to influence traffic routing for Sessions not identified by an UE address	146
4.3.6.3	Notification of User Plane Management Events	147
4.3.6.4	Transferring an AF request targeting an individual UE address to the relevant PCF	150
4.3.7	CN-initiated selective deactivation of UP connection of an existing PDU Session	151
4.4	SMF and UPF interactions	153
4.4.1	N4 session management procedures	153
4.4.1.1	General	153
4.4.1.2	N4 Session Establishment procedure	153
4.4.1.3	N4 Session Modification procedure	154
4.4.1.4	N4 Session Release procedure	154
4.4.2	N4 Reporting Procedures	155
4.4.2.1	General	155
4.4.2.2	N4 Session Level Reporting Procedure	155
4.4.3	N4 Node Level Procedures	157
4.4.3.1	N4 Association Setup Procedure	157
4.4.3.2	N4 Association Update Procedure	157
4.4.3.3	N4 Association Release Procedure	158
4.4.3.4	N4 Report Procedure	158
4.4.3.5	N4 PFD management Procedure	159
4.4.4	SMF Pause of Charging procedure	160
4.5	User Profile management procedures	161
4.5.1	Subscriber Data Update Notification to AMF	161
4.5.2	Session Management Subscriber Data Update Notification to SMF	162
4.5.3	Purge of subscriber data in AMF	162
4.6	Security procedures	163
4.7	ME Identity check procedure	163
4.8	RAN-CN interactions	163
4.8.1	Connection Inactive and Suspend procedure	163
4.8.1.1	Connection Inactive procedure	163

4.8.1.2	Connection Suspend procedure.....	163
4.8.2	Connection Resume procedure	164
4.8.2.1	General	164
4.8.2.2	Connection Resume in RRC Inactive procedure.....	165
4.8.2.3	Connection Resume in CM-IDLE with Suspend procedure	165
4.8.2.4	Connection Resume in CM-IDLE with Suspend and MO EDT procedure.....	167
4.8.3	N2 Notification procedure	169
4.9	Handover procedures.....	170
4.9.1	Handover procedures in 3GPP access.....	170
4.9.1.1	General	170
4.9.1.2	Xn based inter NG-RAN handover	170
4.9.1.2.1	General	170
4.9.1.2.2	Xn based inter NG-RAN handover without User Plane function re-allocation.....	171
4.9.1.2.3	Xn based inter NG-RAN handover with insertion of intermediate UPF	174
4.9.1.2.4	Xn based inter NG-RAN handover with re-allocation of intermediate UPF	176
4.9.1.3	Inter NG-RAN node N2 based handover	177
4.9.1.3.1	General	177
4.9.1.3.2	Preparation phase.....	179
4.9.1.3.3	Execution phase.....	185
4.9.1.3.3a	Execution phase for DAPS handover	188
4.9.1.4	Inter NG-RAN node N2 based handover, Cancel	190
4.9.2	Handover of a PDU Session procedure between 3GPP and untrusted non-3GPP access	190
4.9.2.0	General	190
4.9.2.1	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (non-roaming and roaming with local breakout).....	190
4.9.2.2	Handover of a PDU Session procedure from 3GPP to untrusted non-3GPP access (non-roaming and roaming with local breakout).....	191
4.9.2.3	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (home routed roaming).....	192
4.9.2.3.1	The target AMF is in the PLMN of the N3IWF	192
4.9.2.3.2	The target AMF is not in the PLMN of the N3IWF (i.e. N3IWF in HPLMN).....	193
4.9.2.4	Handover of a PDU Session procedure from 3GPP to untrusted non-3GPP access (home routed roaming).....	193
4.9.2.4.1	The selected N3IWF is in the registered PLMN.....	193
4.9.2.4.2	The UE is roaming and the selected N3IWF is in the home PLMN.....	194
4.9.3	Handover of a PDU Session procedure between 3GPP and trusted non-3GPP access.....	195
4.9.3.0	General	195
4.10	NG-RAN Location reporting procedures	195
4.11	System interworking procedures with EPC.....	196
4.11.0	General.....	196
4.11.0a	Impacts to EPS Procedures	197
4.11.0a.1	General	197
4.11.0a.2	Interaction with PCC.....	197
4.11.0a.3	Mobility Restrictions.....	198
4.11.0a.4	PGW Selection.....	198
4.11.0a.5	PDN Connection Establishment.....	198
4.11.0a.6	Network Configuration	199
4.11.0a.7	Interactions with DN-AAA Server.....	199
4.11.1	N26 based Interworking Procedures	199
4.11.1.1	General	199
4.11.1.2	Handover procedures	201
4.11.1.2.1	5GS to EPS handover using N26 interface	201
4.11.1.2.2	EPS to 5GS handover using N26 interface	206
4.11.1.2.3	Handover Cancel	214
4.11.1.3	Idle Mode Mobility procedures.....	216
4.11.1.3.1	General	216
4.11.1.3.2	5GS to EPS Idle mode mobility using N26 interface	216
4.11.1.3.2A	5GS to EPS Idle mode mobility using N26 interface with data forwarding.....	219
4.11.1.3.3	EPS to 5GS Mobility Registration Procedure (Idle and Connected State) using N26 interface....	220
4.11.1.3.3A	EPS to 5GS Idle mode mobility using N26 interface with data forwarding.....	225
4.11.1.3.4	EPS to 5GS Mobility Registration Procedure (Idle) using N26 interface with AMF reallocation	226

4.11.1.4	Procedures for EPS bearer ID allocation.....	227
4.11.1.4.1	EPS bearer ID allocation	227
4.11.1.4.2	EPS bearer ID transfer	230
4.11.1.4.3	EPS bearer ID revocation	231
4.11.1.5	Impacts to EPS Procedures	232
4.11.1.5.1	General	232
4.11.1.5.2	E-UTRAN Initial Attach	232
4.11.1.5.3	Tracking Area Update	233
4.11.1.5.4	Session Management	234
4.11.1.5.5	5GS to EPS handover using N26 interface	236
4.11.1.5.6	UE triggered Service Request.....	236
4.11.1.5.7	Establishment of S1-U bearer during Data Transport in Control Plane CIoT EPS Optimisation	236
4.11.1.6	EPS interworking information storing Procedure	236
4.11.2	Interworking procedures without N26 interface	236
4.11.2.1	General	236
4.11.2.2	5GS to EPS Mobility.....	237
4.11.2.3	EPS to 5GS Mobility.....	239
4.11.2.4	Impacts to EPS Procedures	242
4.11.2.4.1	E-UTRAN Attach.....	242
4.11.2.4.2	Session Management	244
4.11.2.4.3	Void.....	244
4.11.3	Handover procedures between EPS and 5GC-N3IWF	244
4.11.3.1	Handover from EPS to 5GC-N3IWF	244
4.11.3.2	Handover from 5GC-N3IWF to EPS	245
4.11.3a	Handover procedures between EPS and 5GC-TNGF	245
4.11.3a.1	Handover from EPS to 5GC-TNGF	245
4.11.3a.2	Handover from 5GC-TNGF to EPS	246
4.11.4	Handover procedures between EPC/ePDG and 5GS	246
4.11.4.1	Handover from EPC/ePDG to 5GS	246
4.11.4.2	Handover from 5GS to EPC/ePDG	247
4.11.4.3	Impacts to EPC/ePDG Procedures	248
4.11.4.3.1	General	248
4.11.4.3.2	ePDG FQDN construction.....	248
4.11.4.3.3	Initial Attach with GTP on S2b	248
4.11.4.3.3a	Initial Attach for emergency session (GTP on S2b)	248
4.11.4.3.4	Interaction with PCC	249
4.11.4.3.5	UE initiated Connectivity to Additional PDN with GTP on S2b	249
4.11.4.3.6	Use of N10 interface instead of S6b.....	249
4.11.5	Impacts to 5GC Procedures	250
4.11.5.1	General	250
4.11.5.2	Registration procedure	250
4.11.5.3	UE Requested PDU Session Establishment procedure	251
4.11.5.4	UE or Network Requested PDU Session Modification procedure	253
4.11.5.5	Xn based inter NG-RAN handover	253
4.11.5.6	Inter NG-RAN node N2 based handover	253
4.11.5.7	UE or Network Requested PDU Session Release procedure	253
4.11.5.8	Network Configuration	254
4.11.6	Interworking for common network exposure.....	254
4.11.6.1	Subscription and Notification of availability or expected level of support of a service API	254
4.11.6.2	Unsubscribing to N11otification of availability or expected level of support of a service API.....	255
4.11.6.3	Configuration of monitoring events for common network exposure	256
4.12	Procedures for Untrusted non-3GPP access	257
4.12.1	General.....	257
4.12.2	Registration via Untrusted non-3GPP Access	257
4.12.2.1	General	257
4.12.2.2	Registration procedure for untrusted non-3GPP access	257
4.12.2.3	Emergency Registration for untrusted non-3GPP Access.....	260
4.12.3	Deregistration procedure for untrusted non-3gpp access.....	261
4.12.4	N2 procedures via Untrusted non-3GPP Access.....	262
4.12.4.1	Service Request procedures via Untrusted non-3GPP Access	262
4.12.4.2	Procedure for the UE context release in the N3IWF.....	262

4.12.4.3	CN-initiated selective deactivation of UP connection of an existing PDU Session associated with Untrusted non-3GPP Access	264
4.12.5	UE Requested PDU Session Establishment via Untrusted non-3GPP Access.....	264
4.12.6	UE or Network Requested PDU Session Modification via Untrusted non-3GPP access	266
4.12.7	UE or network Requested PDU Session Release via Untrusted non-3GPP access.....	267
4.12.8	Mobility from a non-geographically selected AMF to a geographically selected AMF.....	269
4.12a	Procedures for Trusted non-3GPP access.....	270
4.12a.1	General.....	270
4.12a.2	Registration via Trusted non-3GPP Access	270
4.12a.2.1	General	270
4.12a.2.2	Registration procedure for trusted non-3GPP access	270
4.12a.2.3	Emergency Registration for trusted non-3GPP Access	273
4.12a.3	Deregistration procedure for Trusted non-3GPP access	273
4.12a.4	N2 procedures via Trusted non-3GPP Access	273
4.12a.4.1	Service Request procedures via Trusted non-3GPP Access.....	273
4.12a.4.2	Procedure for the UE context release in the TNGF.....	273
4.12a.4.3	CN-initiated selective deactivation of UP connection of an existing PDU Session associated with Trusted non-3GPP Access.....	274
4.12a.5	UE Requested PDU Session Establishment via Trusted non-3GPP Access	274
4.12a.6	UE or network Requested PDU Session Modification via Trusted non-3GPP access.....	275
4.12a.7	UE or network Requested PDU Session Release via Trusted non-3GPP access	275
4.12a.8	Mobility from a non-geographically selected AMF to a geographically selected AMF.....	275
4.12a.9	Support of mobility from source to target TNAP	276
4.12b	Procedures for devices that do not support 5GC NAS over WLAN access	276
4.12b.1	General.....	276
4.12b.2	Initial Registration & PDU Session Establishment.....	276
4.12b.3	Deregistration procedure.....	279
4.12b.4	N2 procedures.....	280
4.12b.4.1	Service Request procedures	280
4.12b.4.2	Procedure for the UE context release in the TWIF	280
4.12b.4.3	CN-initiated selective deactivation of UP connection of an existing PDU Session.....	280
4.13	Specific services	280
4.13.1	General.....	280
4.13.2	Application Triggering	281
4.13.2.1	General	281
4.13.2.2	The procedure of "Application Triggering" Service	281
4.13.3	SMS over NAS procedures.....	283
4.13.3.1	Registration procedures for SMS over NAS	283
4.13.3.2	Deregistration procedures for SMS over NAS	284
4.13.3.3	MO SMS over NAS in CM-IDLE (baseline)	285
4.13.3.4	Void.....	286
4.13.3.5	MO SMS over NAS in CM-CONNECTED.....	286
4.13.3.6	MT SMS over NAS in CM-IDLE state via 3GPP access.....	287
4.13.3.7	MT SMS over NAS in CM-CONNECTED state via 3GPP access.....	288
4.13.3.8	MT SMS over NAS via non-3GPP access	288
4.13.3.9	Unsuccessful Mobile terminating SMS delivery re-attempt	288
4.13.4	Emergency Services.....	289
4.13.4.1	General	289
4.13.4.2	Emergency Services Fallback	289
4.13.5	Location Services procedures	291
4.13.5.0	General	291
4.13.5.1	5GC-NI-LR Procedure	291
4.13.5.2	5GC-MT-LR Procedure without UDM Query	291
4.13.5.3	5GC-MT-LR Procedure	291
4.13.5.4	UE Assisted and UE Based Positioning Procedure	291
4.13.5.5	Network Assisted Positioning Procedure	291
4.13.5.6	Obtaining Non-UE Associated Network Assistance Data	291
4.13.5.7	Location continuity for Handover of an Emergency session from NG-RAN	291
4.13.6	Support of IMS Voice.....	291
4.13.6.1	EPS fallback for IMS voice.....	291
4.13.6.2	Inter RAT Fallback in 5GC for IMS voice.....	293
4.13.6.3	Transfer of PDU session used for IMS voice from non-3GPP access to 5GS	294

4.13.7	MSISDN-less MO SMS.....	295
4.13.7.1	General.....	295
4.13.7.2	The procedure of MSISDN-less MO SMS Service.....	296
4.13.8	Support of 5G LAN-type service.....	297
4.13.8.1	Support of 5G VN group management.....	297
4.13.8.2	Support of 5G VN group communication.....	297
4.13.8.2.1	General.....	297
4.13.8.2.2	group-level N4 session management procedures.....	297
4.14	Support for Dual Connectivity.....	297
4.14.1	RAN Initiated QoS Flow Mobility.....	297
4.15	Network Exposure.....	299
4.15.1	General.....	299
4.15.2	External Exposure of Network Capabilities.....	301
4.15.2a	Data Collection from an AF.....	301
4.15.3	Event Exposure using NEF.....	301
4.15.3.1	Monitoring Events.....	301
4.15.3.2	Information flows.....	306
4.15.3.2.1	AMF service operations information flow.....	306
4.15.3.2.2	UDM service operations information flow.....	306
4.15.3.2.3	NEF service operations information flow.....	308
4.15.3.2.3a	Void.....	311
4.15.3.2.3b	Specific NEF service operations information flow for loss of connectivity and UE reachability.....	311
4.15.3.2.4	Exposure with bulk subscription.....	313
4.15.3.2.5	Information flow for downlink data delivery status with SMF buffering.....	314
4.15.3.2.6	GMLC service operations information flow.....	315
4.15.3.2.7	Information flow for Availability after DDN Failure with SMF buffering.....	315
4.15.3.2.8	Information flow for downlink data delivery status with UPF buffering.....	317
4.15.3.2.9	Information flow for Availability after DDN Failure with UPF buffering.....	318
4.15.3.3	Void.....	320
4.15.4	Core Network Internal Event Exposure.....	320
4.15.4.1	General.....	320
4.15.4.2	Exposure of Mobility Events from AMF.....	320
4.15.5	Void.....	321
4.15.6	External Parameter Provisioning.....	322
4.15.6.1	General.....	322
4.15.6.2	NEF service operations information flow.....	322
4.15.6.3	Expected UE Behaviour parameters.....	324
4.15.6.3a	Network Configuration parameters.....	325
4.15.6.3b	5G VN group data.....	326
4.15.6.3c	5G VN Group membership management parameters.....	327
4.15.6.4	Set a chargeable party at AF session setup.....	327
4.15.6.5	Change the chargeable party during the session.....	328
4.15.6.6	Setting up an AF session with required QoS procedure.....	329
4.15.6.6a	AF session with required QoS update procedure.....	330
4.15.6.7	Service specific parameter provisioning.....	331
4.15.6.8	Set a policy for a future AF session.....	333
4.15.7	Network status reporting.....	333
4.16	Procedures and flows for Policy Framework.....	334
4.16.1	AM Policy Association Establishment.....	334
4.16.1.1	General.....	334
4.16.1.2	AM Policy Association Establishment with new Selected PCF.....	334
4.16.1.3	Void.....	335
4.16.2	AM Policy Association Modification.....	335
4.16.2.0	General.....	335
4.16.2.1	AM Policy Association Modification initiated by the AMF.....	335
4.16.2.1.1	AM Policy Association Modification initiated by the AMF without AMF relocation.....	335
4.16.2.1.2	AM Policy Association Modification with old PCF during AMF relocation.....	336
4.16.2.2	AM Policy Association Modification initiated by the PCF.....	338
4.16.3	AM Policy Association Termination.....	338
4.16.3.1	General.....	338
4.16.3.2	AMF-initiated AM Policy Association Termination.....	339

4.16.3.3	Void.....	339
4.16.4	SM Policy Association Establishment	340
4.16.5	SM Policy Association Modification.....	341
4.16.5.0	General.....	341
4.16.5.1	SMF initiated SM Policy Association Modification	341
4.16.5.2	PCF initiated SM Policy Association Modification	342
4.16.6	SM Policy Association Termination	344
4.16.7	Negotiations for future background data transfer	345
4.16.7.1	General.....	345
4.16.7.2	Procedures for future background data transfer	346
4.16.7.3	Procedure for BDT warning notification.....	348
4.16.8	Procedures on interaction between PCF and CHF	349
4.16.8.1	General.....	349
4.16.8.2	Initial Spending Limit Retrieval.....	349
4.16.8.3	Intermediate Spending Limit Report Retrieval	350
4.16.8.4	Final Spending Limit Report Retrieval	351
4.16.8.5	Spending Limit Report.....	352
4.16.8.6	CHF report the removal of the subscriber	352
4.16.9	Update of the subscription information in the PCF	353
4.16.10	Void.....	354
4.16.11	UE Policy Association Establishment	354
4.16.12	UE Policy Association Modification	355
4.16.12.1	UE Policy Association Modification initiated by the AMF	355
4.16.12.1.1	UE Policy Association Modification initiated by the AMF without AMF relocation	355
4.16.12.1.2	UE Policy Association Modification with old PCF during AMF relocation	357
4.16.12.2	UE Policy Association Modification initiated by the PCF.....	358
4.16.13	UE Policy Association Termination	359
4.16.13.1	AMF-initiated UE Policy Association Termination.....	359
4.16.13.2	PCF-initiated UE Policy Association Termination	361
4.17	Network Function Service Framework Procedure	361
4.17.1	NF service Registration	361
4.17.2	NF service update	362
4.17.3	NF service deregistration	363
4.17.4	NF/NF service discovery by NF service consumer in the same PLMN.....	363
4.17.5	NF/NF service discovery across PLMNs in the case of discovery made by NF service consumer	364
4.17.6	SMF Provisioning of available UPFs using the NRF	365
4.17.6.1	General.....	365
4.17.6.2	SMF provisioning of UPF instances using NRF	365
4.17.7	NF/NF service status subscribe/notify in the same PLMN	367
4.17.8	NF/NF service status subscribe/notify across PLMNs.....	367
4.17.9	Delegated service discovery when NF service consumer and NF service producer are in same PLMN..	369
4.17.10	Delegated service discovery when NF service consumer and NF service producer are in different PLMNs.....	370
4.17.11	Indirect Communication without delegated discovery Procedure	371
4.17.12	Binding between NF service consumer and NF service producer	371
4.17.12.1	General.....	371
4.17.12.2	Binding created as part of service response	371
4.17.12.3	Binding created as part of service request.....	372
4.17.12.4	Binding for subscription requests.....	373
4.18	Procedures for Management of PFDs.....	375
4.18.1	General.....	375
4.18.2	PFD management via NEF (PFDF)	376
4.18.3	PFD management in the SMF.....	376
4.18.3.1	PFD Retrieval by the SMF.....	376
4.18.3.2	Management of PFDs in the SMF.....	377
4.19	Network Data Analytics	378
4.19.1	Void	378
4.19.2	Void	378
4.20	UE Parameters Update via UDM Control Plane Procedure	378
4.20.1	General.....	378
4.20.2	UE Parameters Update via UDM Control Plane Procedure.....	378
4.20.3	Void	379

4.21	Secondary RAT Usage Data Reporting Procedure.....	379
4.22	ATSSS Procedures	381
4.22.1	General.....	381
4.22.2	UE Requested MA PDU Session Establishment	381
4.22.2.1	Non-roaming and Roaming with Local Breakout	381
4.22.2.2	Home-routed Roaming.....	382
4.22.2.2.1	Home-routed Roaming - UE registered to the same PLMN.....	382
4.22.2.2.2	Home-routed Roaming - UE registered to different PLMNs.....	383
4.22.3	UE Requested PDU Session Establishment with Network Modification to MA PDU Session.....	384
4.22.3.1	Overview.....	384
4.22.3.2	Non-roaming or roaming with local breakout.....	384
4.22.3.3	Home-routed, the UE registered to the same VPLMN over both access	385
4.22.3.4	Home-routed, the UE registered to different PLMNs over both access	386
4.22.4	Access Network Performance Measurements.....	387
4.22.5	Reporting of Access Availability.....	387
4.22.6	EPS Interworking.....	387
4.22.6.1	General.....	387
4.22.6.2	Impacts to EPS interworking procedures	387
4.22.6.2.1	5GS to EPS handover using N26 interface	387
4.22.6.2.2	5GS to EPS idle mode mobility using N26 interface	388
4.22.6.2.3	EPS bearer ID allocation	388
4.22.6.2.4	EPS bearer ID revocation	388
4.22.6.2.5	5GS to EPS mobility without N26 interface.....	388
4.22.6.3	Network Modification to MA PDU Session after a UE moving from EPC.....	389
4.22.7	Adding / Re-activating / De-activating User-Plane Resources	390
4.22.8	UE or network requested MA PDU Session Modification	390
4.22.8.1	General.....	390
4.22.8.2	UE or network requested MA PDU Session Modification (non-roaming and roaming with local breakout)	391
4.22.8.3	UE or network requested MA PDU Session Modification (home-routed roaming)	391
4.22.9	Connection, Registration and Mobility Management procedures.....	392
4.22.9.1	Registration procedures.....	392
4.22.9.2	UE Triggered Service Request.....	393
4.22.9.3	N2 based handover.....	393
4.22.9.4	Network Triggered Service Request	393
4.22.10	MA PDU Session Release	394
4.22.10.1	General.....	394
4.22.10.2	UE or network requested MA PDU Session Release (non-roaming and roaming with local breakout)	394
4.22.10.3	UE or network requested MA PDU Session Release (home-routed roaming).....	395
4.23	Support of deployments topologies with specific SMF Service Areas.....	396
4.23.1	General.....	396
4.23.2	I-SMF selection	396
4.23.3	Registration procedure.....	396
4.23.3a	Deregistration procedure.....	398
4.23.4	Service Request procedures	398
4.23.4.1	General.....	398
4.23.4.2	UE Triggered Service Request without I-SMF change/removal.....	398
4.23.4.3	UE Triggered Service Request with I-SMF insertion/change/removal	399
4.23.4.4	Network Triggered Service Request	405
4.23.5	PDU Session Management procedure.....	405
4.23.5.1	PDU Session establishment procedure.....	405
4.23.5.2	PDU Session Release procedure	406
4.23.5.3	PDU Session modification procedure	406
4.23.6	I-SMF Related Procedures with PCF.....	407
4.23.6.1	General.....	407
4.23.6.2	Policy Update Procedures with I-SMF.....	407
4.23.6.3	Reporting UP path change to the AF.....	407
4.23.7	Inter NG-RAN node N2 based handover	408
4.23.7.1	General.....	408
4.23.7.2	Inter NG-RAN node N2 based handover without I-SMF change/removal	408
4.23.7.2.1	General	408

4.23.7.2.2	Preparation phase.....	408
4.23.7.2.3	Execution phase.....	408
4.23.7.2.4	Handover Cancel	409
4.23.7.3	Inter NG-RAN node N2 based handover with I-SMF insertion/change/removal	409
4.23.7.3.1	General	409
4.23.7.3.2	Preparation phase.....	410
4.23.7.3.3	Execution phase.....	416
4.23.7.3.4	Handover Cancel	420
4.23.8	AN Release procedure involving I-SMF	422
4.23.9	Branching Point or UL CL controlled by I-SMF	422
4.23.9.0	Overview.....	422
4.23.9.1	Addition of PDU Session Anchor and Branching Point or UL CL controlled by I-SMF	423
4.23.9.2	Removal of PDU Session Anchor and Branching Point or UL CL controlled by I-SMF	425
4.23.9.3	Change of PDU Session Anchor for IPv6 multi-homing or UL CL controlled by I-SMF	426
4.23.9.4	Simultaneous change of Branching Point or UL CL and additional PSA controlled by I-SMF	428
4.23.9a	Void.....	429
4.23.10	CN-initiated selective deactivation of UP connection of an existing PDU Session involving I-SMF	429
4.23.11	Xn based handover.....	429
4.23.11.1	General.....	429
4.23.11.2	Xn based handover with insertion of intermediate SMF.....	429
4.23.11.3	Xn based handover with re-allocation of intermediate SMF.....	431
4.23.11.4	Xn based handover with removal of intermediate SMF.....	433
4.23.11.5	Xn based handover without change of intermediate SMF	435
4.23.12	N26 based Interworking Procedures with I-SMF	435
4.23.12.1	General.....	435
4.23.12.2	5GS to EPS Idle mode mobility using N26 interface with I-SMF removal	435
4.23.12.2A	5GS to EPS Idle mode mobility using N26 interface with Data forwarding and I-SMF removal	435
4.23.12.3	EPS to 5GS mobility registration procedure (Idle and Connected State) using N26 interface with I-SMF insertion	435
4.23.12.3A	EPS to 5GS Idle mode mobility using N26 interface with Data forwarding and I-SMF insertion	436
4.23.12.4	Procedures for EPS bearer ID allocation.....	436
4.23.12.5	EPS to 5GS mobility registration procedure (Idle) using N26 interface with AMF reallocation and I-SMF insertion	436
4.23.12.6	5GS to EPS handover using N26 interface with I-SMF removal.....	436
4.23.12.7	EPS to 5GS handover using N26 interface with I-SMF insertion.....	436
4.23.12.7.1	Preparation phase.....	436
4.23.12.7.2	Execution phase.....	437
4.23.12.8	Impact to 5GC procedures	437
4.23.12.8.1	General	437
4.23.12.8.2	UE Triggered Service Request with I-SMF insertion/change/removal	437
4.23.12.8.3	PDU Session establishment procedure	437
4.23.12.8.4	PDU Session modification procedure.....	437
4.23.12.8.5	Inter NG-RAN node N2 based handover with I-SMF insertion/change/removal.....	437
4.23.12.8.6	Xn based handover with insertion of I-SMF	438
4.23.13	Non N26 based Interworking Procedures with I-SMF.....	438
4.23.13.1	General.....	438
4.23.13.2	Mobility procedure without N26 interface from EPS to 5GS	438
4.23.13.3	Mobility procedure without N26 interface from EPC/ePDG to 5GS	438
4.23.13.4	Mobility procedure without N26 interface from 5GS to EPS	438
4.23.13.5	Mobility procedure without N26 interface from 5GS to EPC/ePDG	438
4.23.14	Pause of charging.....	439
4.23.15	PDU Session mobility between 3GPP and non-3GPP access.....	439
4.23.16	Handover of a PDU Session procedure between 3GPP and untrusted non-3GPP access	439
4.23.16.1	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (non-roaming and roaming with local breakout).....	439
4.23.16.2	Handover of a PDU Session procedure from 3GPP to untrusted non-3GPP access (non-roaming and roaming with local breakout).....	439
4.23.16.3	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (home routed roaming).....	440
4.23.16.3.1	The target AMF is in the PLMN of the N3IWF	440
4.23.16a	Handover of a PDU Session procedure between 3GPP and trusted non-3GPP access.....	440
4.23.16a.1	General.....	440

4.24	Procedures for UPF Anchored Data Transport in Control Plane CIoT 5GS Optimisation.....	440
4.24.1	UPF anchored Mobile Originated Data Transport in Control Plane CIoT 5GS Optimisation.....	440
4.24.2	UPF anchored Mobile Terminated Data Transport in Control Plane CIoT 5GS Optimisation.....	443
4.25	Procedures for NEF based Non-IP Data Delivery.....	447
4.25.1	General.....	447
4.25.2	SMF-NEF Connection Establishment.....	447
4.25.3	NIDD Configuration.....	448
4.25.4	NEF Anchored Mobile Originated Data Transport.....	450
4.25.5	NEF Anchored Mobile Terminated Data Transport.....	452
4.25.6	NIDD Authorization Update.....	455
4.25.7	SMF Initiated SMF-NEF Connection Release procedure.....	456
4.25.8	NEF Initiated SMF-NEF Connection Release procedure.....	456
4.25.9	NEF Anchored Group NIDD via NEF anchored unicast MT data.....	458
4.26	Network Function/NF Service Context Transfer Procedures.....	458
4.26.1	General.....	458
4.26.2	NF/NF Service Context Transfer Push Procedure.....	459
4.26.3	NF/NF Service Context Transfer Pull procedure.....	459
4.26.4	Context Transfer due to decommissioning.....	460
4.26.5	SMF Service Context Transfer procedures.....	460
4.26.5.1	General.....	460
4.26.5.2	I-SMF Context Transfer procedure.....	460
4.26.5.3	SMF Context Transfer procedure, LBO or no Roaming, no I-SMF.....	460
4.27	Procedures for Enhanced Coverage Restriction Control via NEF.....	463
4.27.1	General.....	463
5	Network Function Service procedures.....	464
5.1	Network Function Service framework procedures.....	464
5.1.1	Network Function Service Discovery.....	464
5.2	Network Function services.....	464
5.2.1	General.....	464
5.2.2	AMF Services.....	464
5.2.2.1	General.....	464
5.2.2.2	Namf_Communication service.....	465
5.2.2.2.1	General.....	465
5.2.2.2.2	Namf_Communication_UEContextTransfer service operation.....	466
5.2.2.2.3	Namf_Communication_RegistrationStatusUpdate service operation.....	470
5.2.2.2.4	Namf_Communication_N1MessageNotify service operation.....	470
5.2.2.2.5	Namf_Communication_N1N2MessageSubscribe service operation.....	471
5.2.2.2.6	Namf_Communication_N1N2MessageUnSubscribe service operation.....	471
5.2.2.2.7	Namf_Communication_N1N2MessageTransfer service operation.....	472
5.2.2.2.7A	Namf_Communication_N1N2TransferFailureNotification service operation.....	473
5.2.2.2.8	Namf_Communication_N2InfoSubscribe service operation.....	473
5.2.2.2.9	Namf_Communication_N2InfoUnsubscribe service operation.....	473
5.2.2.2.10	Namf_Communication_N2InfoNotify service operation.....	473
5.2.2.2.11	Namf_Communication_CreateUEContext service operation.....	474
5.2.2.2.12	Namf_Communication_ReleaseUEContext service operation.....	474
5.2.2.2.13	Namf_Communication_EBIAssignment service operation.....	474
5.2.2.2.14	Namf_Communication_AMFStatusChangeSubscribe service operation.....	475
5.2.2.2.15	Namf_Communication_AMFStatusChangeUnSubscribe service operation.....	475
5.2.2.2.16	Namf_Communication_AMFStatusChangeNotify service operation.....	475
5.2.2.2.17	Namf_Communication_NonUeN2MessageTransfer service operation.....	475
5.2.2.2.18	Namf_Communication_NonUeN2InfoSubscribe service operation.....	476
5.2.2.2.19	Namf_Communication_NonUeN2InfoUnSubscribe service operation.....	476
5.2.2.2.20	Namf_Communication_NonUeN2InfoNotify service operation.....	476
5.2.2.2.21	Namf_Communication_RelocateUEContext service operation.....	476
5.2.2.2.22	Namf_Communication_CancelRelocateUEContext service operation.....	477
5.2.2.3	Namf_EventExposure service.....	477
5.2.2.3.1	General.....	477
5.2.2.3.2	Namf_EventExposure_Subscribe service operation.....	478
5.2.2.3.3	Namf_EventExposure_UnSubscribe service operation.....	479
5.2.2.3.4	Namf_EventExposure_Notify service operation.....	479
5.2.2.4	Namf_MT service.....	480

5.2.2.4.1	General	480
5.2.2.4.2	Namf_MT_EnableUERachability service operation	480
5.2.2.4.3	Namf_MT_ProvideDomainSelectionInfo	480
5.2.2.5	Namf_Location service	480
5.2.2.5.1	General	480
5.2.2.5.2	Namf_Location_ProvidePositioningInfo service operation.....	481
5.2.2.5.3	Namf_Location_EventNotify service operation.....	481
5.2.2.5.4	Namf_Location_ProvideLocationInfo service operation	481
5.2.2.5.5	Namf_Location_CancelLocation service operation	482
5.2.3	UDM Services	482
5.2.3.1	General	482
5.2.3.2	Nudm_UECM (UECM) service.....	483
5.2.3.2.1	Nudm_UECM_Registration service operation.....	483
5.2.3.2.2	Nudm_UECM_DeregistrationNotification service operation	483
5.2.3.2.3	Nudm_UECM_Deregistration service operation.....	484
5.2.3.2.4	Nudm_UECM_Get service operation.....	484
5.2.3.2.5	Nudm_UECM_Update service operation.....	484
5.2.3.2.6	Nudm_UECM_PCscfRestoration service operation.....	484
5.2.3.3	Nudm_SubscriberDataManagement (SDM) Service	485
5.2.3.3.1	General	485
5.2.3.3.2	Nudm_SDM_Get service operation	492
5.2.3.3.3	Nudm_SDM_Notification service operation.....	493
5.2.3.3.4	Nudm_SDM_Subscribe service operation	493
5.2.3.3.5	Nudm_SDM_Unsubscribe service operation	493
5.2.3.3.6	Nudm_SDM_Info service operation.....	494
5.2.3.3.7	Void.....	494
5.2.3.4	Nudm_UEAuthentication Service.....	494
5.2.3.4.1	General	494
5.2.3.4.2	Nudm_UEAuthentication_Get service operation	494
5.2.3.4.3	Nudm_UEAuthentication_ResultConfirmation service operation	494
5.2.3.5	Nudm_EventExposure service	494
5.2.3.5.1	General	494
5.2.3.5.2	Nudm_EventExposure_Subscribe service operation.....	495
5.2.3.5.3	Nudm_EventExposure_Unsubscribe service operation.....	495
5.2.3.5.4	Nudm_EventExposure_Notify service operation	495
5.2.3.6	Nudm_ParameterProvision service	495
5.2.3.6.1	General	495
5.2.3.6.2	Nudm_ParameterProvision_Update service operation.....	496
5.2.3.6.3	Nudm_ParameterProvision_Create service operation.....	496
5.2.3.6.4	Nudm_ParameterProvision_Delete service operation	497
5.2.3.6.5	Nudm_ParameterProvision_Get service operation.....	497
5.2.3.7	Nudm_NIDDAuthorisation service.....	497
5.2.3.7.1	General	497
5.2.3.7.2	Nudm_NIDDAuthorisation_Get service operation	497
5.2.3.7.3	Nudm_NIDDAuthorisation_UpdateNotify service operation	497
5.2.4	5G-EIR Services	498
5.2.4.1	General	498
5.2.4.2	N5g-eir_EquipmentIdentityCheck service	498
5.2.4.2.1	General	498
5.2.4.2.2	N5g-eir_EquipmentIdentityCheck_Get service operation.....	498
5.2.5	PCF Services.....	498
5.2.5.1	General	498
5.2.5.2	Npcf_AMPolicyControl service.....	499
5.2.5.2.1	General	499
5.2.5.2.2	Npcf_AMPolicyControl_Create service operation.....	500
5.2.5.2.3	Npcf_AMPolicyControl_UpdateNotify service operation	500
5.2.5.2.4	Npcf_AMPolicyControl_Delete service operation.....	500
5.2.5.2.5	Npcf_AMPolicyControl_Update service operation.....	500
5.2.5.3	Npcf_PolicyAuthorization Service	501
5.2.5.3.1	General	501
5.2.5.3.2	Npcf_PolicyAuthorization_Create service operation	501
5.2.5.3.3	Npcf_PolicyAuthorization_Update service operation.....	501