

ETSI TS 137 571-1 v17.4.0 (2024-06)



**Universal Mobile Telecommunications System (UMTS);
LTE; 5G;**

**User Equipment (UE) conformance specification for UE
positioning;**

Part 1: Conformance test specification

(3GPP TS 37.571-1 version 17.4.0 Release 17)



Reference

RTS/TSGR-0537571-1vh40

Keywords

5G,LTE,UMTS

ETSI

650 Route des Lucioles
 F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
 Association à but non lucratif enregistrée à la
 Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:
<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our
 Coordinated Vulnerability Disclosure Program:
<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
 The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.
 All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the **GSM** logo are trademarks registered and owned by the GSM Association.

Legal Notice (<https://standards.iteh.ai>)

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2024-06)

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	41
Introduction	41
1 Scope	42
2 References	42
3 Definitions, symbols and abbreviations	45
3.1 Definitions	45
3.2 Symbols.....	45
3.3 Abbreviations	46
4 General test conditions	47
4.1 Introduction	47
4.2 GNSS test conditions.....	48
4.2.0 General.....	48
4.2.1 GNSS signals	48
4.2.2 GNSS frequency	48
4.2.3 GNSS static propagation conditions	48
4.2.4 GNSS multi-path conditions	48
4.2.5 UEs supporting multiple satellite signals.....	49
4.2.6 GNSS multi System Time Offsets	49
4.3 UTRA test conditions	50
4.3.1 UTRA frequency band and frequency range	50
4.3.2 UTRA frequency	50
4.3.3 Sensors	50
4.4 E-UTRA test conditions	50
4.4.1 E-UTRA frequency band and frequency range	50
4.4.2 Groups of bands	50
4.4.3 Sensors	50
4.5 A-GNSS test conditions	51
4.5.1 General.....	51
4.5.2 UTRAN measurement parameters.....	51
4.5.2.1 UE based A-GNSS measurement parameters	51
4.5.2.2 UE assisted A-GNSS measurement parameters	51
4.5.2.3 2D position error	51
4.5.2.4 Response time	51
4.5.3 E-UTRAN and NR measurement parameters	51
4.5.3.1 UE based A-GNSS measurement parameters	51
4.5.3.2 UE assisted A-GNSS measurement parameters	51
4.5.3.3 2D Error definition.....	52
4.5.3.4 Response time	52
4.5.4 Converting A-GNSS UE-assisted measurement reports into position estimates	52
4.6 ECID test conditions	52
4.6.1 Simulated cells.....	52
4.6.2 Propagation conditions	52
4.6.2.1 Static	52
4.6.2.2 Multi-path fading	52
4.6.3 UE Rx - Tx time difference reporting range	52
4.7 OTDOA test conditions.....	53
4.7.1 Simulated cells.....	53
4.7.2 Propagation conditions	54
4.7.2.1 Static	54
4.7.2.2 Multi-path fading	54

4.7.3	Response time	54
4.7.4	RSTD reporting range	54
4.7.5	RSTD Carrier Aggregation Test Cases with Different Channel Bandwidth Combinations	55
4.8	MBS test conditions	55
4.8.1	MBS signals	55
4.8.2	Propagation conditions	55
4.8.2.1	Static	55
4.8.2.2	Multi-path fading	56
4.8.3	Response time	56
4.9	WLAN test conditions	56
4.9.1	Simulated WLAN Access Points	56
4.9.2	Propagation conditions	56
4.9.2.1	Static	56
4.9.3	Response time	56
4.9.4	Void	56
4.10	BLE test conditions	56
4.10.1	Simulated BLE	56
4.10.2	Propagation conditions	57
4.10.2.1	Static	57
4.10.3	Response time	57
4.11	NB-IOT test conditions	57
4.11.1	Groups of bands	57
4.11.2	NB-IOT inband mode	57
4.12	NR test conditions	57
4.12.1	NR terminology	57
4.12.2	NR frequency band and frequency range	57
4.12.3	Groups of bands	58
4.12.4	Sensors	58
4.12.5	Default signal conditions for FR2	58
4.12.6	Frequency Bands for Testing	58
4.12.6.1	EN-DC band combination groups	58
4.12.6.2	Applicable EN-DC band combinations for performing A-GNSS Sensitivity Requirements	58
4.12.6.3	Test frequencies for EN-DC band combinations	59
4.14	Multi-RTT test conditions	59
4.14.1	Simulated cells	59
4.14.2	Propagation conditions	59
4.14.3	Measurement Reporting Requirements	59
4.14.3.1	Measurement Reporting Requirements in RRC_CONNECTED state	59
4.14.3.2	Measurement Reporting Requirements in RRC_INACTIVE state	59
4.14.4	Measurement Period Requirements	59
4.14.4.1	Measurement Period Requirements within Measurement Gaps	59
4.14.4.2	Measurement Period Requirements without Measurement Gaps	62
4.14.4.3	Measurement Period Requirements in RRC_INACTIVE state	62
4.14.5	Measurement Accuracy Requirements	62
4.14.6	Reporting mapping	71
4.14.6.1	Absolute UE Rx-Tx Measurement Report Mapping	71
4.14.6.2	Differential UE Rx-Tx Measurement Report Mapping	72
4.14.6.3	Additional Path Report Mapping for UE Rx-Tx Time Difference	74
4.15	DL-TDOA test conditions	76
4.15.1	Simulated cells	76
4.15.2	Propagation conditions	76
4.15.3	Measurement Reporting Requirements	76
4.15.3.1	Measurement Reporting Requirements in RRC_CONNECTED state	76
4.15.3.2	Measurement Reporting Requirements in RRC_INACTIVE state	76
4.15.4	Measurement Period Requirements	76
4.15.4.1	Measurement Period Requirements within Measurement Gaps	76
4.15.4.2	Measurement Period Requirements without Measurement Gaps	79
4.15.4.3	Measurement Period Requirements in RRC_INACTIVE state	79
4.15.5	Measurement Accuracy Requirements	79
4.15.6	Reporting mapping	85
4.15.6.1	Absolute DL RSTD Measurement Reporting	85
4.15.6.2	Differential Reporting for DL RSTD Measurement	87

4.15.6.3	Additional Path Report Mapping for DL RSTD	89
4.16	DL-AoD test conditions	91
4.16.1	Simulated cells.....	91
4.16.2	Propagation conditions	91
4.16.3	Measurement Reporting Requirements.....	91
4.16.3.1	Measurement Reporting Requirements in RRC_CONNECTED state.....	91
4.16.3.2	Measurement Reporting Requirements in RRC_INACTIVE state	91
4.16.4	PRS-RSRP Measurement Period Requirements	91
4.16.4.1	Measurement Period Requirements within Measurement Gaps.....	91
4.16.4.2	Measurement Period Requirements without Measurement Gaps.....	93
4.16.4.3	Measurement Period Requirements in RRC_INACTIVE state	93
4.16.5	PRS-RSRP Measurement Accuracy Requirements	93
4.16.6	PRS-RSRP Reporting mapping	99
4.16.6.1	Absolute PRS-RSRP Measurement Report Mapping	99
4.16.6.2	Differential Report Mapping for PRS-RSRP Measurement.....	100
4.16.7	PRS-RSRPP Measurement Period Requirements	102
4.16.8	PRS-RSRPP Measurement Accuracy Requirements	102
4.16.9	PRS-RSRPP Reporting mapping	102
4.16.9.1	Absolute PRS-RSRPP Measurement Report Mapping	102
4.16.9.2	Differential Report Mapping for PRS-RSRPP Measurement	103
4A	Support of 4 Rx capable UEs	104
4A.0	Introduction	104
4A.1	RAT Independent Tests.....	104
4A.2	RAT Dependent Tests	104
4A.2.1	Principle of testing	104
4A.2.1.1	Single carrier tests	104
4A.2.1.2	Carrier Aggregation tests	104
4A.2.1.3	Antenna connection for bands where 2RX is supported	105
4A.2.1.4	Antenna connection for bands where 4RX is supported	105
4B	Applicability of tests for types and Categories of UE.....	105
4B.1	Introduction	105
4B.2	Applicability of requirements and tests	105
5	UTRA A-GPS Minimum Performance requirements	107
5.1	General	107
5.2	Sensitivity	107
5.2.1	Sensitivity Coarse Time Assistance	107
5.2.1.1	Definition and applicability.....	107
5.2.1.2	Minimum requirements	107
5.2.1.3	Test purpose	107
5.2.1.4	Method of test	108
5.2.1.4.1	Initial conditions.....	108
5.2.1.4.2	Procedure	108
5.2.1.5	Test Requirements.....	108
5.2.2	Sensitivity Fine Time Assistance	109
5.2.2.1	Definition and applicability.....	109
5.2.2.2	Minimum requirements	109
5.2.2.3	Test purpose	110
5.2.2.4	Method of test	110
5.2.2.4.1	Initial conditions.....	110
5.2.2.4.2	Procedure	110
5.2.2.5	Test Requirements.....	110
5.3	Nominal Accuracy.....	111
5.3.1	Definition and applicability	111
5.3.2	Minimum requirements	111
5.3.3	Test purpose.....	111
5.3.4	Method of test	112
5.3.4.1	Initial conditions	112
5.3.4.2	Procedure	112
5.3.5	Test Requirements	113
5.4	Dynamic Range	113

5.4.1	Definition and applicability	113
5.4.2	Minimum requirements.....	113
5.4.3	Test purpose.....	114
5.4.4	Method of test	114
5.4.4.1	Initial conditions	114
5.4.4.2	Procedure	114
5.4.5	Test Requirements	115
5.5	Multi-path Performance	115
5.5.1	Definition and applicability	115
5.5.2	Minimum requirements.....	115
5.5.3	Test purpose.....	116
5.5.4	Method of test	116
5.5.4.1	Initial conditions	116
5.5.4.2	Procedure	116
5.5.5	Test Requirements	117
5.6	Moving Scenario and Periodic Update Performance.....	117
5.6.1	Definition and applicability	117
5.6.2	Minimum requirements.....	117
5.6.3	Test purpose.....	118
5.6.4	Method of test	118
5.6.4.1	Initial conditions	118
5.6.4.2	Procedure	119
5.6.5	Test Requirements	119
6	UTRA A-GNSS Minimum Performance requirements	121
6.1	General	121
6.2	Sensitivity.....	121
6.2.1	Sensitivity Coarse Time Assistance.....	121
6.2.1.1	Definition and applicability.....	121
6.2.1.2	Minimum requirements.....	121
6.2.1.3	Test purpose	122
6.2.1.4	Method of test	122
6.2.1.4.1	Initial conditions	122
6.2.1.4.2	Procedure	122
6.2.1.5	Test Requirements.....	123
6.2.2	Sensitivity Fine Time Assistance.....	124
6.2.2.1	Definition and applicability.....	124
6.2.2.2	Minimum requirements.....	124
6.2.2.3	Test purpose	125
6.2.2.4	Method of test	125
6.2.2.4.1	Initial conditions	125
6.2.2.4.2	Procedure	125
6.2.2.5	Test Requirements.....	126
6.3	Nominal Accuracy.....	127
6.3.1	Definition and applicability	127
6.3.2	Minimum requirements.....	127
6.3.3	Test purpose.....	128
6.3.4	Method of test	128
6.3.4.1	Initial conditions	128
6.3.4.2	Procedure	128
6.3.5	Test Requirements	129
6.4	Dynamic Range	130
6.4.1	Definition and applicability	130
6.4.2	Minimum requirements.....	130
6.4.3	Test purpose.....	131
6.4.4	Method of test	131
6.4.4.1	Initial conditions	131
6.4.4.2	Procedure	131
6.4.5	Test Requirements	132
6.5	Multi-path Performance	133
6.5.1	Definition and applicability	133
6.5.2	Minimum requirements.....	133

6.5.3	Test purpose.....	134
6.5.4	Method of test	134
6.5.4.1	Initial conditions	134
6.5.4.2	Procedure	134
6.5.5	Test Requirements	135
6.6	Moving Scenario and Periodic Update Performance.....	136
6.6.1	Definition and applicability	136
6.6.2	Minimum requirements.....	136
6.6.3	Test purpose.....	137
6.6.4	Method of test	137
6.6.4.1	Initial conditions	137
6.6.4.2	Procedure	138
6.6.5	Test Requirements	139
7	E-UTRA A-GNSS minimum performance requirements	141
7.0	General	141
7.1	Sensitivity	141
7.1.1	Sensitivity Coarse time assistance	141
7.1.1.1	Sub-tests.....	141
7.1.1.2	Test purpose	141
7.1.1.3	Test applicability.....	141
7.1.1.4	Minimum conformance requirements	141
7.1.1.5	Test description	142
7.1.1.5.1	Initial conditions.....	142
7.1.1.5.2	Test procedure	143
7.1.1.5.3	Message contents.....	144
7.1.1.6	Test requirement	145
7.1.2	Sensitivity Fine time assistance	146
7.1.2.1	Sub-tests.....	146
7.1.2.2	Test purpose	146
7.1.2.3	Test applicability.....	146
7.1.2.4	Minimum conformance requirements	146
7.1.2.5	Test description	147
7.1.2.5.1	Initial conditions.....	147
7.1.2.5.2	Test procedure	148
7.1.2.5.3	Message contents.....	148
7.1.2.6	Test requirement	149
7.2	Nominal Accuracy.....	150
7.2.1	Sub-tests.....	150
7.2.2	Test purpose	151
7.2.3	Test applicability.....	151
7.2.4	Minimum conformance requirements	151
7.2.5	Test description	152
7.2.5.1	Initial conditions.....	152
7.2.5.2	Test procedure	152
7.2.5.3	Message contents.....	153
7.2.6	Test requirement	154
7.3	Dynamic Range	155
7.3.1	Sub-tests.....	155
7.3.2	Test purpose	156
7.3.3	Test applicability.....	156
7.3.4	Minimum conformance requirements	156
7.3.5	Test description	157
7.3.5.1	Initial conditions.....	157
7.3.5.2	Test procedure	157
7.3.5.3	Message contents.....	158
7.3.6	Test requirement	159
7.4	Multi-Path scenario	160
7.4.1	Sub-tests.....	160
7.4.2	Test purpose	161
7.4.3	Test applicability.....	161
7.4.4	Minimum conformance requirements	161

7.4.5	Test description	162
7.4.5.1	Initial conditions	162
7.4.5.2	Test procedure	162
7.4.5.3	Message contents	163
7.4.6	Test requirement	164
7.5	Moving scenario and periodic update (Rel-9 to Rel-13)	165
7.5.1	Sub-tests	165
7.5.2	Test purpose	166
7.5.3	Test applicability	166
7.5.4	Minimum conformance requirements	166
7.5.5	Test description	167
7.5.5.1	Initial conditions	167
7.5.5.2	Test procedure	168
7.5.5.3	Message contents	169
7.5.6	Test requirement	170
7.5A	Moving scenario and periodic update (Rel-14 onwards)	171
7.5A.1	Sub-tests	171
7.5A.2	Test purpose	171
7.5A.3	Test applicability	171
7.5A.4	Minimum conformance requirements	171
7.5A.5	Test description	171
7.5A.6	Test requirement	171
8	E-UTRA ECID measurement requirements	171
8.0	General	171
8.1	UE Rx – Tx Time Difference	171
8.1.1	E-UTRAN FDD UE Rx – Tx time difference case (Rel-9 to Rel-11)	171
8.1.1.1	Test purpose	171
8.1.1.2	Test applicability	171
8.1.1.3	Minimum conformance requirements	172
8.1.1.4	Test description	172
8.1.1.4.1	Initial conditions	172
8.1.1.4.2	Test procedure	173
8.1.1.4.3	Message contents	174
8.1.1.5	Test requirement	176
8.1.1A	E-UTRAN FDD UE Rx – Tx time difference case (Rel-12 onwards)	178
8.1.1A.1	Test purpose	178
8.1.1A.2	Test applicability	178
8.1.1A.3	Minimum conformance requirements	178
8.1.1A.4	Test description	178
8.1.1A.4.1	Initial conditions	179
8.1.1A.4.2	Test procedure	179
8.1.1A.4.3	Message contents	179
8.1.1A.5	Test requirement	179
8.1.1B	E-UTRAN FDD UE Rx – Tx time difference case for UE Category 1bis	179
8.1.1B.1	Test purpose	179
8.1.1B.2	Test applicability	179
8.1.1B.3	Minimum conformance requirements	179
8.1.1B.4	Test description	179
8.1.1B.4.1	Initial conditions	179
8.1.1B.4.2	Test procedure	179
8.1.1B.4.3	Message contents	179
8.1.1B.5	Test requirement	180
8.1.2	E-UTRAN TDD UE Rx – Tx time difference case (Rel-9 to Rel-11)	180
8.1.2.1	Test purpose	180
8.1.2.2	Test applicability	180
8.1.2.3	Minimum conformance requirements	180
8.1.2.4	Test description	180
8.1.2.4.1	Initial conditions	180
8.1.2.4.2	Test procedure	181
8.1.2.4.3	Message contents	181
8.1.2.5	Test requirement	184

8.1.2A	E-UTRAN TDD UE Rx – Tx time difference case (Rel-12 onwards)	186
8.1.2A.1	Test purpose	186
8.1.2A.2	Test applicability	186
8.1.2A.3	Minimum conformance requirements	186
8.1.2A.4	Test description	186
8.1.2A.4.1	Initial conditions	186
8.1.2A.4.2	Test procedure	186
8.1.2A.4.3	Message contents	186
8.1.2A.5	Test requirement	186
8.1.2B	E-UTRAN TDD UE Rx – Tx time difference case for UE Category 1bis	187
8.1.2B.1	Test purpose	187
8.1.2B.2	Test applicability	187
8.1.2B.3	Minimum conformance requirements	187
8.1.2B.4	Test description	187
8.1.2B.4.1	Initial conditions	187
8.1.2B.4.2	Test procedure	187
8.1.2B.4.3	Message contents	187
8.1.2B.5	Test requirement	187
8.1.3	E-UTRAN FDD UE Rx–Tx Time Difference under Time-Domain Measurement Resource Restriction with Non-MBSFN ABS (eICIC)	187
8.1.3.1	Test purpose	187
8.1.3.2	Test applicability	187
8.1.3.3	Minimum conformance requirements	187
8.1.3.4	Test description	188
8.1.3.4.1	Initial conditions	189
8.1.3.4.2	Test procedure	189
8.1.3.4.3	Message contents	190
8.1.3.5	Test requirement	193
8.1.4	E-UTRAN TDD UE Rx–Tx Time Difference under Time-Domain Measurement Resource Restriction with Non-MBSFN ABS (eICIC)	195
8.1.4.1	Test purpose	195
8.1.4.2	Test applicability	195
8.1.4.3	Minimum conformance requirements	195
8.1.4.4	Test description	196
8.1.4.4.1	Initial conditions	196
8.1.4.4.2	Test procedure	197
8.1.4.4.3	Message contents	198
8.1.4.5	Test requirement	200
8.1.5	E-UTRAN FDD UE Rx–Tx time difference under Time Domain Measurement Resource Restriction with CRS Assistance Information and Non-MBSFN ABS (feICIC)	202
8.1.5.1	Test purpose	202
8.1.5.2	Test applicability	202
8.1.5.3	Minimum conformance requirements	202
8.1.5.4	Test description	203
8.1.5.4.1	Initial conditions	204
8.1.5.4.2	Test procedure	205
8.1.5.4.3	Message contents	205
8.1.5.5	Test requirement	209
8.1.6	E-UTRAN TDD UE Rx–Tx time difference under Time Domain Measurement Resource Restriction with CRS Assistance Information and Non-MBSFN ABS (feICIC)	211
8.1.6.1	Test purpose	211
8.1.6.2	Test applicability	211
8.1.6.3	Minimum conformance requirements	211
8.1.6.4	Test description	212
8.1.6.4.1	Initial conditions	213
8.1.6.4.2	Test procedure	214
8.1.6.4.3	Message contents	214
8.1.6.5	Test requirement	218
8.1.7	E-UTRAN FDD UE Rx-Tx time difference case for Category M1/M2 UE in CEModeA	220
8.1.7.1	Test purpose	220
8.1.7.2	Test applicability	220
8.1.7.3	Minimum conformance requirements	220

8.1.7.4	Test description	221
8.1.7.4.1	Initial conditions	221
8.1.7.4.2	Test procedure	221
8.1.7.4.3	Message contents	222
8.1.7.5	Test requirement	224
8.1.8	E-UTRAN HD-FDD UE Rx-Tx time difference case for Category M1/M2 UE in CEModeA	225
8.1.8.1	Test purpose	225
8.1.8.2	Test applicability	225
8.1.8.3	Minimum conformance requirements	225
8.1.8.4	Test description	225
8.1.8.4.1	Initial conditions	225
8.1.8.4.2	Test procedure	225
8.1.8.4.3	Message contents	226
8.1.8.5	Test requirement	226
8.1.9	E-UTRAN TDD UE Rx-Tx time difference case for Category M1/M2 UE in CEModeA	227
8.1.9.1	Test purpose	227
8.1.9.2	Test applicability	227
8.1.9.3	Minimum conformance requirements	227
8.1.9.4	Test description	227
8.1.9.4.1	Initial conditions	227
8.1.9.4.2	Test procedure	227
8.1.9.4.3	Message contents	228
8.1.9.5	Test requirement	228
9	E-UTRA OTDOA measurement requirements	230
9.0	General	230
9.1	RSTD Intra-Frequency Measurements	230
9.1.1	FDD RSTD Measurement Reporting Delay	230
9.1.1.1	Test purpose	230
9.1.1.2	Test applicability	230
9.1.1.3	Minimum conformance requirements	230
9.1.1.4	Test description	231
9.1.1.4.1	Initial conditions	231
9.1.1.4.2	Test procedure	233
9.1.1.4.3	Message contents	234
9.1.1.5	Test requirement	237
9.1.1A	FDD RSTD Measurement Reporting Delay for UE Category 1bis	239
9.1.1A.1	Test purpose	239
9.1.1A.2	Test applicability	239
9.1.1A.3	Minimum conformance requirements	239
9.1.1A.4	Test description	240
9.1.1A.4.1	Initial conditions	240
9.1.1A.4.2	Test procedure	241
9.1.1A.4.3	Message contents	241
9.1.1A.5	Test requirement	242
9.1.2	TDD RSTD Measurement Reporting Delay	242
9.1.2.1	Test purpose	242
9.1.2.2	Test applicability	242
9.1.2.3	Minimum conformance requirements	242
9.1.2.4	Test description	243
9.1.2.4.1	Initial conditions	243
9.1.2.4.2	Test procedure	245
9.1.2.4.3	Message contents	246
9.1.2.5	Test requirement	249
9.1.2A	TDD RSTD Measurement Reporting Delay for UE Category 1bis	251
9.1.2A.1	Test purpose	251
9.1.2A.2	Test applicability	251
9.1.2A.3	Minimum conformance requirements	251
9.1.2A.4	Test description	252
9.1.2A.4.1	Initial conditions	252
9.1.2A.4.2	Test procedure	253
9.1.2A.4.3	Message contents	253

9.1.2A.5	Test requirement	254
9.1.3	FDD RSTD Measurement Accuracy	254
9.1.3.1	Test purpose	254
9.1.3.2	Test applicability	254
9.1.3.3	Minimum conformance requirements.....	254
9.1.3.4	Test description	255
9.1.3.4.1	Initial conditions	255
9.1.3.4.2	Test procedure.....	257
9.1.3.4.3	Message contents	258
9.1.3.5	Test requirement.....	261
9.1.3A	FDD RSTD Measurement Accuracy for UE Category 1bis	262
9.1.3A.1	Test purpose	262
9.1.3A.2	Test applicability	262
9.1.3A.3	Minimum conformance requirements.....	262
9.1.3A.4	Test description	262
9.1.3A.4.1	Initial conditions	262
9.1.3A.4.2	Test procedure.....	263
9.1.3A.4.3	Message contents	263
9.1.3A.5	Test requirement.....	264
9.1.4	TDD RSTD Measurement Accuracy	264
9.1.4.1	Test purpose	264
9.1.4.2	Test applicability	264
9.1.4.3	Minimum conformance requirements.....	264
9.1.4.4	Test description	264
9.1.4.4.1	Initial conditions	264
9.1.4.4.2	Test procedure.....	266
9.1.4.4.3	Message contents	267
9.1.4.5	Test requirement.....	270
9.1.4A	TDD RSTD Measurement Accuracy for UE Category 1bis	271
9.1.4A.1	Test purpose	271
9.1.4A.2	Test applicability	271
9.1.4A.3	Minimum conformance requirements.....	271
9.1.4A.4	Test description	271
9.1.4A.4.1	Initial conditions	271
9.1.4A.4.2	Test procedure.....	273
9.1.4A.4.3	Message contents	273
9.1.4A.5	Test requirement.....	273
9.2	RSTD Inter-Frequency Measurements	274
9.2.1	FDD-FDD inter-frequency RSTD measurement reporting delay	274
9.2.1.1	Test purpose	274
9.2.1.2	Test applicability	274
9.2.1.3	Minimum conformance requirements.....	274
9.2.1.4	Test description	275
9.2.1.4.1	Initial conditions	275
9.2.1.4.2	Test procedure.....	277
9.2.1.4.3	Message contents	278
9.2.1.5	Test requirement.....	281
9.2.1A	FDD-FDD inter-frequency RSTD Measurement Reporting Delay for UE Category 1bis	283
9.2.1A.1	Test purpose	283
9.2.1A.2	Test applicability	283
9.2.1A.3	Minimum conformance requirements.....	284
9.2.1A.4	Test description	284
9.2.1A.4.1	Initial conditions	284
9.2.1A.4.2	Test procedure.....	286
9.2.1A.4.3	Message contents	286
9.2.1A.5	Test requirement.....	286
9.2.2	TDD-TDD inter-frequency RSTD measurement reporting delay.....	287
9.2.2.1	Test purpose	287
9.2.2.2	Test applicability	287
9.2.2.3	Minimum conformance requirements.....	287
9.2.2.4	Test description	288
9.2.2.4.1	Initial conditions	288

9.2.2.4.2	Test procedure.....	290
9.2.2.4.3	Message contents	291
9.2.2.5	Test requirement.....	294
9.2.2A	TDD-TDD inter-frequency RSTD Measurement Reporting Delay for UE Category 1bis	296
9.2.2A.1	Test purpose	296
9.2.2A.2	Test applicability	297
9.2.2A.3	Minimum conformance requirements.....	297
9.2.2A.4	Test description	297
9.2.2A.4.1	Initial conditions	297
9.2.2A.4.2	Test procedure.....	299
9.2.2A.4.3	Message contents	299
9.2.2A.5	Test requirement.....	299
9.2.3	Void	300
9.2.4	FDD-FDD inter-frequency RSTD Accuracy	300
9.2.4.1	Test purpose	300
9.2.4.2	Test applicability.....	300
9.2.4.3	Minimum conformance requirements	300
9.2.4.4	Test description	301
9.2.4.4.1	Initial conditions	301
9.2.4.4.2	Test procedure.....	303
9.2.4.4.3	Message contents	304
9.2.4.5	Test requirement	307
9.2.4A	FDD-FDD inter-frequency RSTD Accuracy for UE Category 1bis	308
9.2.4A.1	Test purpose	308
9.2.4A.2	Test applicability.....	308
9.2.4A.3	Minimum conformance requirements	308
9.2.4A.4	Test description	308
9.2.4A.4.1	Initial conditions	308
9.2.4A.4.2	Test procedure.....	309
9.2.4A.4.3	Message contents	309
9.2.4A.5	Test requirement	310
9.2.5	TDD-TDD inter-frequency RSTD Accuracy	310
9.2.5.1	Test purpose	310
9.2.5.2	Test applicability	310
9.2.5.3	Minimum conformance requirements	310
9.2.5.4	Test description	310
9.2.5.4.1	Initial conditions	310
9.2.5.4.2	Test procedure.....	312
9.2.5.4.3	Message contents	313
9.2.5.5	Test requirement	316
9.2.5A	TDD-TDD inter-frequency RSTD Accuracy for UE Category 1bis	317
9.2.5A.1	Test purpose	317
9.2.5A.2	Test applicability.....	317
9.2.5A.3	Minimum conformance requirements	317
9.2.5A.4	Test description	317
9.2.5A.4.1	Initial conditions	317
9.2.5A.4.2	Test procedure.....	318
9.2.5A.4.3	Message contents	318
9.2.5A.5	Test requirement	319
9.3	RSTD Intra-Frequency Measurements for UE Category M1/M2	320
9.3.1	FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A	320
9.3.1.1	FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A for Category M1	320
9.3.1.1.1	Test purpose.....	320
9.3.1.1.2	Test applicability.....	320
9.3.1.1.3	Minimum conformance requirements	320
9.3.1.1.4	Test description	322
9.3.1.1.4.1	Initial conditions.....	322
9.3.1.1.4.2	Test procedure.....	324
9.3.1.1.4.3	Message contents.....	325
9.3.1.1.5	Test requirement	327
9.3.1.2	FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A for Category M2	329
9.3.1.2.1	Test purpose.....	329

9.3.1.2.2	Test applicability.....	329
9.3.1.2.3	Minimum conformance requirements	329
9.3.1.2.4	Test description.....	329
9.3.1.2.4.1	Initial conditions.....	329
9.3.1.2.4.2	Test procedure	330
9.3.1.2.4.3	Message contents.....	330
9.3.1.2.5	Test requirement	330
9.3.2	HD-FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A	331
9.3.2.1	HD-FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A for Category M1	331
9.3.2.1.1	Test purpose.....	331
9.3.2.1.2	Test applicability.....	331
9.3.2.1.3	Minimum conformance requirements	331
9.3.2.1.4	Test description.....	331
9.3.2.1.4.1	Initial conditions.....	331
9.3.2.1.4.2	Test procedure	332
9.3.2.1.4.3	Message contents.....	332
9.3.2.1.5	Test requirement	332
9.3.2.2	HD-FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A for Category M2	333
9.3.2.2.1	Test purpose.....	333
9.3.2.2.2	Test applicability.....	333
9.3.2.2.3	Minimum conformance requirements	333
9.3.2.2.4	Test description.....	333
9.3.2.2.4.1	Initial conditions.....	333
9.3.2.2.4.2	Test procedure	334
9.3.2.2.4.3	Message contents.....	334
9.3.2.2.5	Test requirement	334
9.3.3	TDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A	335
9.3.3.1	TDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A for Category M1	335
9.3.3.1.1	Test purpose.....	335
9.3.3.1.2	Test applicability.....	335
9.3.3.1.3	Minimum conformance requirements	335
9.3.3.1.4	Test description.....	335
9.3.3.1.4.1	Initial conditions.....	335
9.3.3.1.4.2	Test procedure	337
9.3.3.1.4.3	Message contents.....	337
9.3.3.1.5	Test requirement	337
9.3.3.2	TDD intra-frequency RSTD Measurement Reporting Delay in CE Mode A for Category M2	339
9.3.3.2.1	Test purpose.....	339
9.3.3.2.2	Test applicability.....	339
9.3.3.2.3	Minimum conformance requirements	339
9.3.3.2.4	Test description.....	340
9.3.3.2.4.1	Initial conditions.....	340
9.3.3.2.4.2	Test procedure	341
9.3.3.2.4.3	Message contents.....	341
9.3.3.2.5	Test requirement	341
9.3.4	FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode B	342
9.3.4.1	FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode B for Category M1	342
9.3.4.1.1	Test purpose.....	342
9.3.4.1.2	Test applicability.....	342
9.3.4.1.3	Minimum conformance requirements	342
9.3.4.1.4	Test description.....	342
9.3.4.1.4.1	Initial conditions.....	342
9.3.4.1.4.2	Test procedure	344
9.3.4.1.4.3	Message contents.....	344
9.3.4.1.5	Test requirement	344
9.3.4.2	FDD intra-frequency RSTD Measurement Reporting Delay in CE Mode B for Category M2	346
9.3.4.2.1	Test purpose.....	346
9.3.4.2.2	Test applicability.....	346
9.3.4.2.3	Minimum conformance requirements	346
9.3.4.2.4	Test description.....	346
9.3.4.2.4.1	Initial conditions.....	346
9.3.4.2.4.2	Test procedure	348