



SLOVENSKI STANDARD
SIST EN 300 417-3-1 V1.1.2:2003
01-december-2003

DfYbcg]b'a i `hjd`Y_g]fUb`Y`fHAŁĚ; YbYf] bY'nU hYj Y'nUdfYbcgbc`Z b_V]cbUbcgh
cdfYa YĚ' !%`XY. : i b_W]Y`d`Ug]h`fY[YbYfUrcfg_Y[U]b'a i `hjd`Y_gbY[UcXgY_U'nU
g]b\ fcb]dfYbcgb]a cXi `!B`fGHA!BŁ

Transmission and Multiplexing (TM); Generic requirements of transport functionality of equipment; Part 3-1: Synchronous Transport Module-N (STM-N) regenerator and multiplex section layer functions

iteh STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/e91d5eb9-852a-4be9-9c7f-d2abf47b935/sist-en-300-417-3-1-v1-1-2-2003>

Ta slovenski standard je istoveten z: EN 300 417-3-1 Version 1.1.2

ICS:

33.040.20 Prenosni sistem Transmission systems

SIST EN 300 417-3-1 V1.1.2:2003 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 417-3-1 V1.1.2:2003](https://standards.iteh.ai/catalog/standards/sist/e91d5eb9-852a-4be9-9c7f-d2abf47b935/sist-en-300-417-3-1-v1-1-2-2003)

<https://standards.iteh.ai/catalog/standards/sist/e91d5eb9-852a-4be9-9c7f-d2abf47b935/sist-en-300-417-3-1-v1-1-2-2003>

EN 300 417-3-1 V1.1.2 (1998-11)

European Standard (Telecommunications series)

Transmission and Multiplexing (TM); Generic requirements of transport functionality of equipment; Part 3-1: Synchronous Transport Module-N (STM-N) regenerator and multiplex section layer functions

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 417-3-1 V1.1.2:2003](https://standards.iteh.ai/catalog/standards/sist/e91d5eb9-852a-4be9-9c7f-d2abf47b935/sist-en-300-417-3-1-v1-1-2-2003)

<https://standards.iteh.ai/catalog/standards/sist/e91d5eb9-852a-4be9-9c7f-d2abf47b935/sist-en-300-417-3-1-v1-1-2-2003>



Reference

REN/TM-01015-3-1 (3v0r9idc.PDF)

Keywords

Transmission, SDH, interface

ETSI**Postal address**

F-06921 Sophia Antipolis Cedex - FRANCE

Office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C

Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Internet

secretariat@etsi.fr

<http://www.etsi.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998.
All rights reserved.

Contents

Intellectual Property Rights.....	7
Foreword	7
1 Scope.....	9
2 References.....	9
3 Definitions, abbreviations and symbols.....	10
3.1 Definitions	10
3.2 Abbreviations.....	10
3.3 Symbols and Diagrammatic Conventions	12
3.4 Introduction.....	12
4 STM-1 Regenerator Section Layer Functions	13
4.1 STM-1 Regenerator Section Connection functions.....	14
4.2 STM-1 Regenerator Section Trail Termination functions.....	14
4.2.1 STM-1 Regenerator Section Trail Termination Source RS1_TT_So.....	14
4.2.2 STM-1 Regenerator Section Trail Termination Sink RS1_TT_Sk	16
4.3 STM-1 Regenerator Section Adaptation functions	18
4.3.1 STM-1 Regenerator Section to Multiplex Section Adaptation Source RS1/MS1_A_So	18
4.3.2 STM-1 Regenerator Section to Multiplex Section Adaptation Sink RS1/MS1_A_Sk	19
4.3.3 STM-1 Regenerator Section to DCC Adaptation Source RS1/DCC_A_So	20
4.3.4 STM-1 Regenerator Section to DCC Adaptation Sink RS1/DCC_A_Sk	21
4.3.5 STM-1 Regenerator Section to P0s Adaptation Source RS1/P0s_A_So/N.....	22
4.3.6 STM-1 Regenerator Section to P0s Adaptation Sink RS1/P0s_A_Sk/N.....	23
4.3.7 STM-1 Regenerator Section to V0x Adaptation Source RS1/V0x_A_So.....	24
4.3.8 STM-1 Regenerator Section to V0x Adaptation Sink RS1/V0x_A_Sk	25
5 STM-1 Multiplex Section Layer Functions.....	26
5.1 STM-1 Multiplex Section Connection functions.....	28
5.2 STM-1 Multiplex Section Trail Termination functions.....	28
5.2.1 STM-1 Multiplex Section Trail Termination Source MS1_TT_So	28
5.2.2 STM-1 Multiplex Section Trail Termination Sink MS1_TT_Sk	29
5.3 STM-1 Multiplex Section Adaptation functions	32
5.3.1 STM-1 Multiplex Section to S4 Layer Adaptation Source MS1/S4_A_So.....	32
5.3.2 STM-1 Multiplex Section to S4 Layer Adaptation Sink MS1/S4_A_Sk	35
5.3.3 STM-1 Multiplex Section to DCC Adaptation Source MS1/DCC_A_So.....	37
5.3.4 STM-1 Multiplex Section to DCC Adaptation Sink MS1/DCC_A_Sk.....	37
5.3.5 STM-1 Multiplex Section to P0s Adaptation Source MS1/P0s_A_So.....	38
5.3.6 STM-1 Multiplex Section to P0s Adaptation Sink MS1/P0s_A_Sk	40
5.3.7 STM-1 Multiplex Section to Synchronization Distribution Adaptation Source MS1/SD_A_So	41
5.3.8 STM-1 Multiplex Section to Synchronization Distribution Adaptation Sink MS1/SD_A_Sk	41
5.3.9 STM-1 Multiplex Section Layer Clock Adaptation Source MS1-LC_A_So	41
5.4 STM-1 Multiplex Section Layer Monitoring Functions.....	41
5.5 STM-1 Multiplex Section Linear Trail Protection Functions	41
5.5.1 STM-1 Multiplex Section Linear Trail Protection Connection Functions	41
5.5.1.1 STM-1 Multiplex Section 1+1 Linear Trail Protection Connection MS1P1+1_C	41
5.5.1.2 STM-1 Multiplex Section 1:n Linear Trail Protection Connection MS1P1:n_C.....	44
5.5.2 STM-1 Multiplex Section Linear Trail Protection Trail Termination Functions	46
5.5.2.1 Multiplex Section Protection Trail Termination Source MS1P_TT_So.....	46
5.5.2.2 Multiplex Section Protection Trail Termination Sink MS1P_TT_Sk.....	47
5.5.3 STM-1 Multiplex Section Linear Trail Protection Adaptation Functions	48
5.5.3.1 STM-1 Multiplex Section to STM-1 Multiplex Section Protection Layer Adaptation Source MS1/MS1P_A_So	48
5.5.3.2 STM-1 Multiplex Section to STM-1 Multiplex Section Protection Layer Adaptation Sink MS1/MS1P_A_Sk	49

6	STM-4 Regenerator Section Layer Functions	50
6.1	STM-4 Regenerator Section Connection functions.....	51
6.2	STM-4 Regenerator Section Trail Termination functions.....	51
6.2.1	STM-4 Regenerator Section Trail Termination Source RS4_TT_So.....	51
6.2.2	STM-4 Regenerator Section Trail Termination Sink RS4_TT_Sk	54
6.3	STM-4 Regenerator Section Adaptation functions	56
6.3.1	STM-4 Regenerator Section to Multiplex Section Adaptation Source RS4/MS4_A_So	56
6.3.2	STM-4 Regenerator Section to Multiplex Section Adaptation Sink RS4/MS4_A_Sk	57
6.3.3	STM-4 Regenerator Section to DCC Adaptation Source RS4/DCC_A_So	58
6.3.4	STM-4 Regenerator Section to DCC Adaptation Sink RS4/DCC_A_Sk	59
6.3.5	STM-4 Regenerator Section to P0s Adaptation Source RS4/P0s_A_So/N.....	60
6.3.6	STM-4 Regenerator Section to P0s Adaptation Sink RS4/P0s_A_Sk/N.....	61
6.3.7	STM-4 Regenerator Section to V0x Adaptation Source RS4/V0x_A_So.....	62
6.3.8	STM-4 Regenerator Section to V0x Adaptation Sink RS4/V0x_A_Sk	63
7	STM-4 Multiplex Section Layer Functions	64
7.1	STM-4 Multiplex Section Connection functions	66
7.2	STM-4 Multiplex Section Trail Termination functions	67
7.2.1	STM-4 Multiplex Section Trail Termination Source MS4_TT_So	67
7.2.2	STM-4 Multiplex Section Trail Termination Sink MS4_TT_Sk	69
7.3	STM-4 Multiplex Section Adaptation functions	72
7.3.1	STM-4 Multiplex Section to S4 Layer Adaptation Source MS4/S4_A_So/N.....	72
7.3.2	STM-4 Multiplex Section to S4 Layer Adaptation Sink MS4/S4_A_Sk/N	75
7.3.3	STM-4 Multiplex Section to S4-4c Layer Adaptation Source MS4/S4-4c_A_So	77
7.3.4	STM-4 Multiplex Section to S4-4c Layer Adaptation Sink MS4/S4-4c_A_Sk	80
7.3.5	STM-4 Multiplex Section to DCC Adaptation Source MS4/DCC_A_So	82
7.3.6	STM-4 Multiplex Section to DCC Adaptation Sink MS4/DCC_A_Sk	83
7.3.7	STM-4 Multiplex Section to P0s Adaptation Source MS4/P0s_A_So.....	84
7.3.8	STM-4 Multiplex Section to P0s Adaptation Sink MS4/P0s_A_Sk	85
7.3.9	STM-4 Multiplex Section to Synchronization Distribution Adaptation Source MS4/SD_A_So	86
7.3.10	STM-4 Multiplex Section to Synchronization Distribution Adaptation Sink MS4/SD_A_Sk	86
7.3.11	STM-4 Multiplex Section Layer Clock Adaptation Source MS4-LC_A_So	86
7.4	STM-4 Multiplex Section Layer Monitoring Functions	86
7.5	STM-4 Multiplex Section Linear Trail Protection Functions	86
7.5.1	STM-4 Multiplex Section Linear Trail Protection Connection Functions	86
7.5.1.1	STM-4 Multiplex Section 1+1 Linear Trail Protection Connection MS4P1+1_C	86
7.5.1.2	STM-4 Multiplex Section 1:n Linear Trail Protection Connection MS4P1:n_C.....	89
7.5.2	STM-4 Multiplex Section Linear Trail Protection Trail Termination Functions	91
7.5.2.1	Multiplex Section Protection Trail Termination Source MS4P_TT_So.....	91
7.5.2.2	Multiplex Section Protection Trail Termination Sink MS4P_TT_Sk.....	92
7.5.3	STM-4 Multiplex Section Linear Trail Protection Adaptation Functions	93
7.5.3.1	STM-4 Multiplex Section to STM-4 Multiplex Section Protection Layer Adaptation Source MS4/MS4P_A_So	93
7.5.3.2	STM-4 Multiplex Section to STM-4 Multiplex Section Protection Layer Adaptation Sink MS4/MS4P_A_Sk	94
8	STM-16 Regenerator Section Layer Functions	95
8.1	STM-16 Regenerator Section Connection functions.....	96
8.2	STM-16 Regenerator Section Trail Termination functions.....	96
8.2.1	STM-16 Regenerator Section Trail Termination Source RS16_TT_So.....	96
8.2.2	STM-16 Regenerator Section Trail Termination Sink RS16_TT_Sk	99
8.3	STM-16 Regenerator Section Adaptation functions	101
8.3.1	STM-16 Regenerator Section to Multiplex Section Adaptation Source RS16/MS16_A_So	101
8.3.2	STM-16 Regenerator Section to Multiplex Section Adaptation Sink RS16/MS16_A_Sk.....	102
8.3.3	STM-16 Regenerator Section to DCC Adaptation Source RS16/DCC_A_So	103
8.3.4	STM-16 Regenerator Section to DCC Adaptation Sink RS16/DCC_A_Sk.....	104
8.3.5	STM-16 Regenerator Section to P0s Adaptation Source RS16/P0s_A_So/N.....	105
8.3.6	STM-16 Regenerator Section to P0s Adaptation Sink RS16/P0s_A_Sk/N.....	106
8.3.7	STM-16 Regenerator Section to V0x Adaptation Source RS16/V0x_A_So.....	107
8.3.8	STM-16 Regenerator Section to V0x Adaptation Sink RS16/V0x_A_Sk	108

9	STM-16 Multiplex Section Layer Functions	109
9.1	STM-16 Multiplex Section Connection functions	114
9.2	STM-16 Multiplex Section Trail Termination functions	114
9.2.1	STM-16 Multiplex Section Trail Termination Source MS16_TT_So	114
9.2.2	STM-16 Multiplex Section Trail Termination Sink MS16_TT_Sk	116
9.3	STM-16 Multiplex Section Adaptation functions	118
9.3.1	STM-16 Multiplex Section to S4 Layer Adaptation Source MS16/S4_A_So/N	118
9.3.2	STM-16 Multiplex Section to S4 Layer Adaptation Sink MS16/S4_A_Sk/N	121
9.3.3	STM-16 Multiplex Section to S4-4c Layer Adaptation Source MS16/S4-4c_A_So/N	123
9.3.4	STM-16 Multiplex Section to S4-4c Layer Adaptation Sink MS16/S4-4c_A_Sk/N	126
9.3.5	STM-16 Multiplex Section to DCC Adaptation Source MS16/DCC_A_So	128
9.3.6	STM-16 Multiplex Section to DCC Adaptation Sink MS16/DCC_A_Sk	129
9.3.7	STM-16 Multiplex Section to P0s Adaptation Source MS16/P0s_A_So	130
9.3.8	STM-16 Multiplex Section to P0s Adaptation Sink MS16/P0s_A_Sk	131
9.3.9	STM-16 Multiplex Section to Synchronization Distribution Adaptation Source MS16/SD_A_So	132
9.3.10	STM-16 Multiplex Section to Synchronization Distribution Adaptation Sink MS16/SD_A_Sk	132
9.3.11	STM-16 Multiplex Section Layer Clock Adaptation Source MS16-LC_A_So	132
9.4	STM-16 Multiplex Section Layer Monitoring Functions	132
9.5	STM-16 Multiplex Section Linear Trail Protection Functions	132
9.5.1	STM-16 Multiplex Section Linear Trail Protection Connection Functions	132
9.5.1.1	STM-16 Multiplex Section 1+1 Linear Trail Protection Connection MS16P1+1_C	132
9.5.1.2	STM-16 Multiplex Section 1:n Linear Trail Protection Connection MS16P1:n_C	135
9.5.2	STM-16 Multiplex Section Linear Trail Protection Trail Termination Functions	137
9.5.2.1	Multiplex Section Protection Trail Termination Source MS16P_TT_So	137
9.5.2.2	Multiplex Section Protection Trail Termination Sink MS16P_TT_Sk	138
9.5.3	STM-16 Multiplex Section Linear Trail Protection Adaptation Functions	139
9.5.3.1	STM-16 Multiplex Section to STM-16 Multiplex Section Protection Layer Adaptation Source MS16/MS16P_A_So	139
9.5.3.2	STM-16 Multiplex Section to STM-16 Multiplex Section Protection Layer Adaptation Sink MS16/MS16P_A_Sk	140
9.6	STM-16 Multiplex Section 2 Fibre Shared Protection Ring Functions	141
9.6.1	STM-16 Multiplex Section 2 Fibre Shared Protection Ring Connection MS16P2fsh_C	141
9.6.2	STM-16 Multiplex Section 2 Fibre Shared Protection Ring Trail Termination Functions	145
9.6.2.1	STM-16 Multiplex Section 2 Fibre Shared Protection Ring Trail Termination Source MS16P2fsh_TT_So	145
9.6.2.2	STM-16 Multiplex Section 2 Fibre Shared Protection Ring Trail Termination Sink MS16P2fsh_TT_Sk	146
9.6.3	STM-16 Multiplex Section 2 Fibre Shared Protection Ring Adaptation Functions	147
9.6.3.1	STM-16 Multiplex Section to STM-16 Multiplex Section 2 Fibre Shared Protection Ring Adaptation Source MS16/MS16P2fsh_A_So	147
9.6.3.2	STM-16 Multiplex Section to STM-16 Multiplex Section 2 Fibre Shared Protection Ring Adaptation Sink MS16/MS16P2fsh_A_Sk	148
9.7	STM-16 Multiplex Section 4 Fibre Shared Protection Ring Functions	149
9.7.1	STM-16 Multiplex Section 4 Fibre Shared Protection Ring Connection MS16P4fsh_C	149
9.7.2	STM-16 Multiplex Section 4 Fibre Shared Protection Ring Trail Termination Functions	149
9.7.2.1	STM-16 Multiplex Section 4 Fibre Shared Protection Ring Trail Termination Source MS16P4fsh_TT_So	149
9.7.2.2	STM-16 Multiplex Section 4 Fibre Shared Protection Ring Trail Termination Sink MS16P4fsh_TT_Sk	149
9.7.3	STM-16 Multiplex Section 4 Fibre Shared Protection Ring Adaptation Functions	149
9.7.3.1	STM-16 Multiplex Section to STM-16 Multiplex Section 4 Fibre Shared Protection Ring Adaptation Source MS16/MS16P4fsh_A_So	149
9.7.3.2	STM-16 Multiplex Section to STM-16 Multiplex Section 4 Fibre Shared Protection Ring Adaptation Sink MS16/MS16P4fsh_A_Sk	149

10	STM-64 Regenerator Section layer functions.....	149
11	STM-64 Multiplex Section layer functions	149
Annex A (normative): Generic specification of linear protection switching operation		150
A.1	Protection process overview	151
A.2	External switch commands definition.....	152
A.3	Conditions of working and protection trail / connections.....	153
A.4	States within protection process	153
A.5	Numbering of working, protection, normal, extra traffic, null signals	154
A.6	Priority of request types (conditions, external commands, states)	155
A.7	APS signal definition	156
A.7.1	APS signal fields.....	156
A.7.2	STM-N MS-APS.....	157
A.7.3	STM-N VC-APS.....	158
A.8	Switch performance: switching and holdoff times	158
A.9	Subprocesses	158
Annex B (informative): STM-16 regenerator functional model (example)		166
Annex C (informative): AU-4-Xc numbering scheme & pointer allocation		167
Annex D (informative): MS protection examples.....		171
Bibliography		173
History		174

[SIST EN 300 417-3-1 V1.1.2:2003](https://standards.iteh.ai/catalog/standards/sist/e91d5eb9-852a-4be9-9c7f-d2abf47b935/sist-en-300-417-3-1-v1-1-2-2003)
<https://standards.iteh.ai/catalog/standards/sist/e91d5eb9-852a-4be9-9c7f-d2abf47b935/sist-en-300-417-3-1-v1-1-2-2003>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available **free of charge** from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Transmission and Multiplexing (TM).

The present document is one of a family of documents that has been produced in order to provide inter-vendor and inter-operator compatibility of Synchronous Digital Hierarchy (SDH) equipment.

The present document is part 3-1 of a multi-part EN covering the Generic requirements of transport functionality of equipment, as identified below:

Part 1-1: "Generic processes and performance".

Part 1-2: "General information about Implementation Conformance Statement (ICS) proforma".

Part 1-3 "Generic processes and performance; Abstract Test Suite (ATS)".

Part 2-1: "Synchronous Digital Hierarchy (SDH) and Plesiochronous Digital Hierarchy (PDH) physical section layer functions".

Part 2-2: "Synchronous Digital Hierarchy (SDH) and Plesiochronous Digital Hierarchy (PDH) physical section layer functions; Implementation Conformance Statement (ICS) proforma specification".

Part 2-3: "Synchronous Digital Hierarchy (SDH) and Plesiochronous Digital Hierarchy (PDH) physical section layer functions; Abstract Test Suite (ATS)".

Part 3-1: "Synchronous Transport Module-N (STM-N) regenerator and multiplex section layer functions".

Part 3-2: "Synchronous Transport Module-N (STM-N) regenerator and multiplex section layer functions; Implementation Conformance Statement (ICS) proforma specification".

Part 3-3: "Synchronous Transport Module-N (STM-N) regenerator and multiplex section layer functions; Abstract Test Suite (ATS)".

Part 4-1: "Synchronous Digital Hierarchy (SDH) path layer functions".

Part 4-2: "Synchronous Digital Hierarchy (SDH) path layer functions; Implementation Conformance Statement (ICS) proforma specification".

Part 4-3: "Synchronous Digital Hierarchy (SDH) path layer functions; Abstract Test Suite (ATS)".

Part 5-1: "Plesiochronous Digital Hierarchy (PDH) path layer functions".

Part 5-2: "Plesiochronous Digital Hierarchy (PDH) path layer functions; Implementation Conformance Statement (ICS) proforma specification".

Part 5-3: "Plesiochronous Digital Hierarchy (PDH) path layer functions; Abstract Test Suite (ATS)".

Part 6-1: "Synchronization layer functions".

Part 6-2: "Synchronization layer functions; Implementation Conformance Statement (ICS) proforma specification".

Part 6-3: "Synchronization layer functions; Abstract Test Suite (ATS)".

Part 7-1: "Auxiliary layer functions".

Part 7-2: "Auxiliary layer functions; Implementation Conformance Statement (ICS) proforma specification".

Part 7-3: "Auxiliary layer functions; Abstract Test Suite (ATS)".

Parts 2 to 7 specify the layers and their atomic functions.

NOTE 1: The present document does not currently address configuration management.

NOTE 2: The SDH radio equipment functional blocks are addressed by ETSI WG TM4.

Various of the above parts have previously been published as parts of ETS 300 417.

They have been converted to parts of EN 300 417 without technical changes, but some editorial changes have been necessary (e.g. references). In particular:

- Parts 2-1 and 3-2 have been modified to take account of editorial errors present in edition 1.
- Part 1-1 has had its title change of to align with other parts published at a later date.

Also note that in the meantime parts 8-1, 8-2 and 8-3 have been stopped.

Transposition dates	
Date of adoption of this EN:	4 April 1997
Date of latest announcement of this EN (doa):	30 September 1997
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 March 1998
Date of withdrawal of any conflicting National Standard (dow):	31 March 1998

1 Scope

The present document specifies a library of basic building blocks and a set of rules by which they are combined in order to describe transport functionality of equipment. The library comprises the functional building blocks needed to completely specify the generic functional structure of the European Transmission Hierarchies. Equipment which is compliant with the present document needs to be describable as an interconnection of a subset of these functional blocks contained within the present document. The interconnections of these blocks need to obey the combination rules given. The generic functionality is described in EN 300 417-1-1 [3].

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- [1] ETS 300 147: "Transmission and Multiplexing (TM); Synchronous Digital Hierarchy (SDH); Multiplexing structure".
- [2] ETS 300 166 (1993): "Transmission and Multiplexing (TM); Physical and electrical characteristics of hierarchical digital interfaces for equipment using the 2 048 kbit/s - based plesiochronous or synchronous digital hierarchies".
<https://standards.iteh.ai/catalog/standards/sist/e91d5eb9-852a-4be9-9c7f-300417-3-1-v1.1.2-2003>
- [3] EN 300 417-1-1: "Transmission and Multiplexing (TM); Generic requirements of transport functionality of equipment; Part 1-1: Generic processes and performance".
- [4] EN 300 417-4-1: "Transmission and Multiplexing (TM); Generic requirements of transport functionality of equipment; Part 4-1: Synchronous Digital Hierarchy (SDH) path layer functions".
- [5] EN 300 417-6-1: "Transmission and Multiplexing (TM); Generic requirements of transport functionality of equipment; Part 6-1: Synchronization distribution layer functions".
- [6] ETS 300 746: "Transmission and Multiplexing (TM); Synchronous Digital Hierarchy (SDH); Network protection schemes; Automatic Protection Switch (APS) protocols and operation".
- [7] ITU-T Recommendation G.783: "Characteristics of synchronous digital hierarchy (SDH) equipment functional blocks".

3 Definitions, abbreviations and symbols

3.1 Definitions

The functional definitions are described in EN 300 417-1-1 [3].

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

A	Adaptation function
AcTI	Accepted Trace Identifier
ADM	Add-Drop Multiplexer
AI	Adapted Information
AIS	Alarm Indication Signal
AP	Access Point
APId	Access Point Identifier
APS	Automatic Protection Switch
AU	Administrative Unit
AUG	Administrative Unit Group
AU-n	Administrative Unit, level n
BER	Bit Error Ratio
BIP	Bit Interleaved Parity
BIP-N	Bit Interleaved Parity, width N
C	Connection function
CI	Characteristic Information
CK	ClocK
CM	Connection Matrix
CP	Connection Point
CS	Clock Source
D	Data
DCC	Data Communications Channel
DEC	DECrement
DEG	DEGraded
DEGTHR	DEGraded THReshold
EBC	Errored Block Count
ECC	Embedded Communications Channel
ECC(x)	Embedded Communications Channel, layer x
EDC	Error Detection Code
EDCV	Error Detection Code Violation
EMF	Equipment Management Function
EQ	EQUIPMENT
ES	Electrical Section
ES	Errored Second
ExTI	Expected Trace Identifier
F_B	Far-end Block
FAS	Frame Alignment Signal
FOP	Failure Of Protocol
FS	Frame Start signal
HO	Higher Order
HOVC	Higher Order Virtual Container
HP	Higher order Path
ID	IDentifier
IF	In Frame state
INC	INCrement
INV	INValid
LC	Link Connection
LO	Lower Order

LOA	Loss Of Alignment; generic for LOF, LOM, LOP
LOF	Loss Of Frame
LOP	Loss Of Pointer
LOS	Loss Of Signal
LOVC	Lower Order Virtual Container
MC	Matrix Connection
MCF	Message Communications Function
MDT	Mean Down Time
mei	maintenance event information
MI	Management Information
MO	Managed Object
MON	MONitored
MP	Management Point
MS	Multiplex Section
MS1	STM-1 Multiplex Section
MS16	STM-16 Multiplex Section
MS4	STM-4 Multiplex Section
MSB	Most Significant Bit
MSOH	Multiplex Section OverHead
MSP	Multiplex Section Protection
MSPG	Multiplex Section Protection Group
NC	Not Connected
N_B	Near-end Block
NC	Network Connection
NDF	New Data Flag
NE	Network Element
NMON	Not MONitored
NNI	Network Node Interface
NU	National Use (bits, bytes)
NUx	National Use, bit rate order x
OAM	Operation, Administration and Maintenance
OFS	Out of Frame Second
OOF	Out Of Frame state
OS	Optical Section
OSI(x)	Open Systems Interconnection, layer x
OW	Order Wire
P	Protection
P_A	Protection Adaptation
P_C	Protection Connection
P_TT	Protection Trail Termination
PDH	Plesiochronous Digital Hierarchy
PJE	Pointer Justification Event
PM	Performance Monitoring
Pn	Plesiochronous signal, level n
POH	Path OverHead
PRC	Primary Reference Clock
PS	Protection Switching
PSC	Protection Switch Count
PTR	PoinTeR
QOS	Quality Of Service
RDI	Remote Defect Indication
REI	Remote Error Indication
RI	Remote Information
RP	Remote Point
RS	Regenerator Section
RS1	STM-1 Regenerator Section
RS16	STM-16 Regenerator Section
RS4	STM-4 Regenerator Section
RSOH	Regenerator Section OverHead
RxTI	Received Trace Identifier

S4	VC-4 path layer
SASE	Stand-Alone Synchronization Equipment
SD	Synchronization Distribution layer, Signal Degrade
SDH	Synchronous Digital Hierarchy
SEC	SDH Equipment Clock
SF	Signal Fail
Sk	Sink
SNC	Sub-Network Connection
SNC/I	Inherently monitored Sub-Network Connection protection
SNC/N	Non-intrusively monitored Sub-Network Connection protection
SNC/S	Sublayer monitored Sub-Network Connection protection
So	Source
SOH	Section OverHead
SPRING	Shared Protection RING
SR	Selected Reference
SSD	Server Signal Degrade
SSF	Server Signal Fail
SSM	Synchronization Status Message
SSU	Synchronization Supply Unit
STM	Synchronous Transport Module
STM-N	Synchronous Transport Module, level N
TCP	Termination Connection Point
TI	Timing Information
TIM	Trace Identifier Mismatch
TM	Transmission_Medium
TMN	Telecommunications Management Network
TP	Timing Point
TPmode	Termination Point mode
TS	Time Slot
TSD	Trail Signal Degrade
TSF	Trail Signal Fail
TT	Trail Termination function
TTI	Trail Trace Identifier
TTs	Trail Termination supervisory function
TxTI	Transmitted Trace Identifier
UNEQ	UNEQuipped
UNI	User Network Interface
USR	USeR channels
V0	64 kbit/s contradirectional data layer
VC	Virtual Container
VC-n	Virtual Container, level-n
W	Working

STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 417-3-1 V1.1.2:2003

<https://standards.iteh.ai/catalog/standards/sist/e91d5eb9-852a-4be9-9c7f-42a0747b1935/sist-en-300-417-3-1-v1-1-2-2003>

SIST EN 300 417-3-1 V1.1.2:2003

3.3 Symbols and Diagrammatic Conventions

The symbols and diagrammatic conventions are described in EN 300 417-1-1 [3].

3.4 Introduction

The atomic functions defining the regenerator and multiplex section layers are described below (clause 4 onwards).

4 STM-1 Regenerator Section Layer Functions




Figure 1: STM-1 Regenerator Section atomic functions

RS1 Layer CP

The CI at this point is an octet structured, 125 μ s framed data stream with co-directional timing. It is the entire STM-1 signal as defined in ETS 300 147 [1]. Figure 2 depicts only bytes handled in the RS1 layer.

NOTE 1: The unmarked bytes [2, 6], [3, 6], [3, 8], [3, 9] in rows 2,3 (figure 2) are reserved for future international standardization. Currently, they are undefined.

NOTE 2: The unmarked bytes [2, 2], [2, 3], [2, 5], [3, 2], [3, 3], [3, 5] in rows 2,3 (figure 2) are reserved for media specific usage (e.g. radio sections). In optical and electrical section applications they are undefined.

NOTE 3: The bytes for National Use (NU) in rows 1,2 (figure 2) are reserved for operator specific usage. Their processing is not within the province of the present document. If NU bytes [1, 8] and [1, 9] are unused, care should be taken in selecting the binary content of the bytes which are excluded from the scrambling process of the STM-N signal to ensure that long sequences of "1"s or "0"s do not occur.

	1	2	3	4	5	6	7	8	9	10	270
1	A1	A1	A1	A2	A2	A2	J0	NU	NU			
2	B1			E1			F1	NU	NU			
3	D1			D2			D3					
4												
5												
6												
7												
8												
9												

Figure 2: RS1_CI_D signal

RS1 Layer AP

The AI at this point is octet structured and 125 μ s framed with co-directional timing and represents the combination of adapted information from the MS1 layer (2 403 bytes per frame), the management communication DCC layer (3 bytes per frame if supported), the OW layer (1 byte per frame if supported) and the user channel F1 (1 byte per frame if supported). The location of these four components in the frame is defined in ETS 300 147 [1] and depicted in figure 3.

NOTE 4: Bytes E1, F1 and D1-D3 will be undefined when the adaptation functions sourcing these bytes are not present in the network element.