INTERNATIONAL STANDARD

ISO/IEC 30146

First edition 2019-10

Information technology — Smart city ICT indicators

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/IEC 30146:2019

https://standards.iteh.ai/catalog/standards/iso/f60a9962-4581-4046-ba45-38900ed3cc75/iso-iec-30146-2019



iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/IEC 30146:2019

https://standards.iteh.ai/catalog/standards/iso/f60a9962-4581-4046-ba45-38900ed3cc75/iso-iec-30146-2019



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org

Website: www.iso.org Published in Switzerland

Fores	vord	ix	
Introd	duction		
1	Scope	1	
2	Normative references	1	
3	Terms and definitions	1	
4	Abbreviations	2	
5	General architecture	2	
6	General principles		
O	6.1 Indicators selection		
	6.2 Indicators description		
7	Indicators description	4	
	7.1 Citizen service		
	7.1.1 E-government service	4	
	7.1.2 Transportation service		
	7.1.3 Social insurance service		
	7.1.4 Medical service		
	7.1.5 Education service		
	7.1.6 Employment service		
	7.1.7 City public service Statitudi US		
	7.1.8 Service for poor and disabled people		
	7.1.9 E-commerce service		
	7.2 Efficient governance		
	7.2.1 City management	 ი	
	7.2.2 Public safety		
	7.3.1 Environmental protection 1.46:2019		
	ards itel 7.3.2 tal Green energy and energy efficiency 4.6 ha.45 2.8000 add. a		
	7.4 Smart facility		
	7.4.1 Network infrastructure		
	7.4.2 City model		
	7.5 Information resource		
	7.5.1 Open data and data sharing		
	7.5.2 Exploitation and utilization	13	
	7.6 Cyber security		
	7.6.1 Network security management		
	7.6.2 System and data security	15	
Annex	x A (informative) City model ^[9]	17	
D:1.1: -	ography	10	

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see http://patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

https://standards.iteh.ai/catalog/standards/iso/f60a9962-4581-4046-ba45-38900ed3cc75/iso-iec-30146-2019

Introduction

Smart city is a concept that has been widely used by city administrators, planners and implementers for decades. Although the precise definition of smart city has not been agreed upon among different international standardization organizations, the significance of information and communication technology (ICT) as indispensable key enablers is universally recognized. During the global development of smart cities, the issue of effectively adopting ICT in smart city programs as key enablers has become a common focus among scientific research institutions, industries, city administrators and construction implementers. This document supports the United Nations Sustainable Development Goals [1][7][8].

It is an urgent and important task to develop standard evaluation methods and indicators focusing on the area of ICT within the smart city, with which the city stakeholders can understand the smart city performance from the perspective of ICT. The evaluation methods and indicators focus on the individual efficient functioning of different systems, infrastructures and facilities. In addition, they also provide the guidance on how cities function holistically and facilitate innovation and growth in an integrated and coherent way.

The purpose of establishing smart city ICT indicator systems and conducting smart city evaluations is to guide and promote a systematic construction of a smart city. The indicators can be used as a whole package to evaluate a smart city holistically. The package can also be tailored as individual parts when evaluating cities or certain aspects of cities. The indicators can be used to:

- evaluate the city ICT preparation state before starting the smart city construction;
- evaluate the effect of city ICT during and after the smart city construction;
- compare the smart city construction between cities in the area of city ICT in a certain area to promote smart city healthy competition and development.

This document establishes criteria to evaluate in making cities smarter. This document can be used to evaluate the level of smart city development. It is applicable to city, municipality or the local government. For city administration organizations, it can be used for self-evaluation and to develop corresponding ICT strategies to make cities smarter. For related evaluation agencies and scientific research institutions, it also provides guidance and reference in developing smart city ICT indicators.

The indicators in this document are consistent with the overall work of ISO/TC 268/WG 2 on smart city indicators.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/IEC 30146:2019

https://standards.iteh.aj/catalog/standards/iso/f60a9962-4581-4046-ba45-38900ed3cc75/iso-jec-30146-2019

Information technology — Smart city ICT indicators

1 Scope

This document defines a comprehensive set of evaluation indicators specially related to information and communication technologies (ICT) adoption and usage in smart cities. Firstly, it establishes an overall framework for all the indicators. Then, it specifies the name, description, classification and measurement method for each indicator.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purpose of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

3 1

performance indicators

<generic> category of quantized and pre-authorized benchmarks that reflect the realization of the goals

[SOURCE: ISO 15746-1:2015, 2.7]

3.2 ndards.iteh.ai/catalog/standards/iso/f60a9962-4581-4046-ba45-38900ed3cc75/iso-iec-30146-2019

performance indicators

<smart city> set of indicators used to measure the level of convenience, habitability, comfort, security and happiness felt by city users for related ICT infrastructures, applications and services in developing a smart city

3.3

capability indicators

<smart city> set of indicators used to measure the level of design, development, innovation and coverage area of ICT infrastructures, applications and services in developing a smart city

3.4

e-government

digital interaction between a government and citizens, government and businesses, and between government agencies

[SOURCE: ISO 19101-1:2014,4.1.10]

3.5

city model

appropriate set of data which models those physical and social aspects of the city that are relevant for its objectives

ISO/IEC 30146:2019(E)

3.6

real-world feature

physical or social feature that exists in the city

EXAMPLE Buildings and voting districts.

3.7

feature catalogue

agreed set of feature types which represent those real-world features (3.6) in the city model (3.5)

4 Abbreviations

API application programming interface

APP application

CCTV closed circuit television

FTTH fiber to the home

ICT information and communication technologies

5 General architecture

The general architecture of smart city ICT indicators is shown in Figure 1. From the figure, the taxonomy of indicators in this document is defined.




Figure 1 — General architecture of smart city ICT indicators

Smart city ICT indicators are classified as performance indicators and capability indicators. The smart city performance indicators include citizen service level, efficient governance level and liveable environment level. The smart city capability indicators include the smart facility level, information resource level and cyber security level.

The system of smart city ICT indicators is categorized into two dimensions and each dimension includes three levels. First-level and second-level indicators are basic classifications of indicators. Third-level indicators are specific indicators which are used in the smart city evaluation process.

6 General principles

6.1 Indicators selection

The design principles of the smart city ICT indicators are provided as below:

- Clear and unambiguous
 - Each indicator needs to have a clear definition and measurement method.
 - A measurement method needs to be a simple formula.
- Scientific and reasonable
 - The indicators need to reflect the connotations and characteristics of the smart city.
 - The quantity of listed indicators needs to be reasonable. There is no need to have too many indicators.
- Representative
 - The indicators need to be citizen oriented and performance oriented. A large proportion of performance indicators are related with citizen benefits and citizen experience.
 - The indicators need to take the vision of the city into account.
- Collectable and quantifiable comment Preview
 - The indicators need to be objective, not subjective.
- The indicators need to have a clear data source. O46-ba45-38900ed3cc75/iso-icc-30146-2019
 - Consistent
 - The indicators need to be in line with related International Standards.
 - Continuously updated
 - The indicators need to be continuously updated with the development status of the smart city.

6.2 Indicators description

In this document, tables are used to describe the indicators. Each table has 4 columns named by number, indicator name, description and measurement method.

The system of smart city ICT indicators includes three levels, as shown in <u>Figure 1</u>. This document uses "L1" to "Ln" to represent the first-level indicators. For example, it uses "L1" to represent the first-level indicator. "L1.1" represents the second-level indicator which is categorized into the first-level indicator "L1.1.1" represents the third-level indicator which is classified to the second-level indicator "L1.1".

When specifying the measuring method of each indicator, a hundred-mark system is adopted in this document.

7 Indicators description

7.1 Citizen service

7.1.1 E-government service

The indicator "e-government service" is used to assess the convenience of government services. This indicator is used to assess the ICT's contribution to the performance of the government to promote innovative services for citizens.

Related third-level indicators are shown in Table 1.

Table 1 — Evaluation indicators related to e-government service

Number	Indicator name	Description	Measurement method
L1.1.1	Percentage of one- stop government services	Physical convenience evaluation of government services, that all required procedures can be processed at one physical location	(number of one-stop government services/ total number of government services) × 100
L1.1.2	Percentage of govern- ment services which can be solved via single sign in	Online convenience evaluation of government services	(number of government services which can be accessed via single web portal/total num- ber of government services) × 100
L1.1.3	Implementation of electronic or digital signature	Effectiveness of implementation of electronic/digital signatures	(number of governmental services or departments using digital signatures/total number of governmental services in the city) × 100
L1.1.4 https://stan	Percentage of citizen service requests which can be processed appropriately by government [410g/s]	Evaluation of government service effectiveness based on citizen requests	(number of citizen requests processed correctly/total number of citizen requests) × 100 NOTE Citizen requests from citizens to local government to cope with the problems in public services, which are submitted through the phone call, e-mail, social media and messages through APPs.

7.1.2 Transportation service

The indicator "transportation service" is used to assess the ICT's contribution to the convenience of public transportation services and travel information services.

Related third-level indicators are shown in Table 2.