



SLOVENSKI STANDARD
SIST EN ISO 6346:2000/oprA4:2020
01-september-2020

Tovorni zabojnik - Kodiranje, identifikacija in označevanje - Dopolnilo A4 (ISO 6346:1995/DAM 4:2020)

Freight containers - Coding, identification and marking - Amendment 4 (ISO 6346:1995/DAM 4:2020)

Frachtcontainer - Kodierung, Identifizierung und Kennzeichnung - Änderung 4 (ISO 6346:1995/DAM 4:2020)

Conteneurs pour le transport de marchandises - Codage, identification et marquage - Amendement 4 (ISO 6346:1995/DAM 4:2020)

ITeh STANDARD PREVIEW
(standards.iteh.ai)
SIST EN ISO 6346:2000/oprA4:2020
<https://standards.iteh.ai/catalog/standards/sist/a8d6e036-f267-4042-bb71-299a90f6b087/sist-en-iso-6346-2000/oprA4-2020>

Ta slovenski standard je istoveten z: EN ISO 6346:1995/prA4

ICS:

55.180.10 Večnamenski kontejnerji General purpose containers

SIST EN ISO 6346:2000/oprA4:2020 en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 6346:2000/oprA4:2020](https://standards.iteh.ai/catalog/standards/sist/a8d6e036-f267-4042-bb71-299a90fcb087/sist-en-iso-6346-2000-opra4-2020)

<https://standards.iteh.ai/catalog/standards/sist/a8d6e036-f267-4042-bb71-299a90fcb087/sist-en-iso-6346-2000-opra4-2020>

DRAFT AMENDMENT ISO 6346:1995/DAM 4

ISO/TC 104/SC 4

Secretariat: AFNOR

Voting begins on:
2020-07-22Voting terminates on:
2020-10-14

Freight containers — Coding, identification and marking AMENDMENT 4

Conteneurs pour le transport de marchandises — Codage, identification et marquage
AMENDEMENT 4: ISO 6346 — -Amendement 4

ICS: 55.180.10

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 6346:2000/oprA4:2020](https://standards.iteh.ai/catalog/standards/sist/a8d6e036-f267-4042-bb71-299a90fcb087/sist-en-iso-6346-2000-opra4-2020)
<https://standards.iteh.ai/catalog/standards/sist/a8d6e036-f267-4042-bb71-299a90fcb087/sist-en-iso-6346-2000-opra4-2020>

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.

ISO/CEN PARALLEL PROCESSING



Reference number
ISO 6346:1995/DAM 4:2020(E)

© ISO 2020

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 6346:2000/oprA4:2020
https://standards.iteh.ai/catalog/standards/sist/a8d6e036-f267-4042-bb71-299a90fcb087/sist-en-iso-6346-2000-opra4-2020](https://standards.iteh.ai/catalog/standards/sist/a8d6e036-f267-4042-bb71-299a90fcb087/sist-en-iso-6346-2000-opra4-2020)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 104- *Freight containers*, Subcommittee SC 4, *Identification and communication*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 6346:2000/oprA4:2020](https://standards.iteh.ai/catalog/standards/sist/a8d6e036-f267-4042-bb71-299a90fcb087/sist-en-iso-6346-2000-opra4-2020)

<https://standards.iteh.ai/catalog/standards/sist/a8d6e036-f267-4042-bb71-299a90fcb087/sist-en-iso-6346-2000-opra4-2020>

Freight containers — Coding, identification and marking

AMENDMENT 4

1 The existing sub-clause 1.5 is replaced by:

1.5 This International Standard does not cover temporary operational marks of any kind, permanent marks, data plates, etc. which may be required by intergovernmental agreements, national legislation or nongovernmental organizations other than ISO.

NOTE 2 Some of the major international conventions whose container-marking requirements are not covered in this International Standard are as follows:

- International Convention for Safe Containers (1972, as amended) (CSC), International Maritime Organization (IMO);
- Customs Convention on Containers 1956 and 1972, related to temporary admission and transport under customs seal.
- Convention on Temporary Admission (Istanbul, 26 June 1990), related to temporary admission.

It should not be assumed that this list is exhaustive.

This International Standard does not cover the display of technical data on tank containers (see ISO 1496-3), nor does it, in any way, include identification marks or safety signs for items of cargo which may be carried in freight containers.

2 Clause 2 is replaced by:

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 668: Series 1 freight containers — Classification, dimensions and ratings.

ISO 1496-1: Series 1 freight containers — Specification and testing — Part 1: General cargo containers for general purposes.

ISO 1496-2: Series 1 freight containers — Specification and testing — Part 2: Thermal containers.

ISO 1496-3: Series 1 freight containers — Specification and testing — Part 3: Tank containers for liquids, gases and pressurized dry bulk.

ISO 1496-4: Series 1 freight containers — Specification and testing — Part 4: Non-pressurized containers for dry bulk.

ISO 1496-5: Series 1 freight containers — Specification and testing — Part 5: Platform and platform-based containers.

ISO 8323: Freight containers — Air/surface (intermodal) general purpose containers — Specification and tests.

ISO 10374: Freight containers — Automatic identification.

ISO 6346:1995/DAM 4:2020(E)

3 Delete footnotes 1 and 2 from the bottom of page 3**4 The existing sub-clause 3.1.1 is replaced by:**

The container owner's code shall consist of three capital letters, shall be unique and shall be registered with the Bureau International des Containers (BIC), either through an affiliated National Registration Organization (NRO), or directly with the BIC.

All information related to the BIC (address, contact details, NROs, etc.), and the procedure for registration can be found on the BIC website (www.bic-code.org).

5 Footnote 3 shall be deleted from the 3rd paragraph of sub-clause 5.1.1 and from the foot of the page.**6 Footnote 4 in 4th paragraph of sub-clause 5.1.1 and at the bottom of the page shall be renumbered as footnote 1.****7 Add a new sub-clause 5.1.5**

5.1.5 Width mark for containers with an overall width greater than 2.438 m (8 ft).

All containers with an overall width greater than 2.438 m (8 ft) shall bear a mark similar to that described in annex G on both ends.

8 Replace the existing sub-clause 5.2 with:

(standards.iteh.ai)

5.2 Optional operational mark (maximum mass of payload)

It is common industry practice to mark containers with maximum payload in addition to the maximum gross and tare masses.

If used, the maximum mass of payload should be marked on a container in accordance with the requirements of 5.1.1, positioned after the maximum gross and tare masses as follows:

MAX GROSS **00 000 kg**
 00 000 lb

TARE **00 000 kg**
 00 000 lb

PAYLOAD **00 000 kg**
 00 000 lb

9 Add new paragraph to sub-clause 6.2.1.2

The layout for the width mark for containers having a width greater than 2.438 m shall be as stated in annex G

after the existing final paragraph:

The layout of the height mark for containers having a height greater than 2,6 m shall be as stated in annex F.

10 In sub-clause 6.2.2.2 replace:

The location of the height warning symbol shall be as given in annex F

With:

The location of the height mark shall be as given in annex F and shown in figure 5.

The location of the width mark shall be as given in annex G and shown in figure 5.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 6346:2000/oprA4:2020](https://standards.iteh.ai/catalog/standards/sist/a8d6e036-f267-4042-bb71-299a90fcb087/sist-en-iso-6346-2000-opra4-2020)

<https://standards.iteh.ai/catalog/standards/sist/a8d6e036-f267-4042-bb71-299a90fcb087/sist-en-iso-6346-2000-opra4-2020>