
Plinske jeklenke - Ventili jeklenk za hitro razbremenitev - Specifikacija in preskušanje tipa (ISO/DIS 17871:2019)

Gas cylinders - Quick-release cylinder valves - Specification and type testing (ISO/DIS 17871:2019)

Gasflaschen - Schnellöffnungs-Flaschenventile - Spezifikation und Baumusterprüfung (ISO/DIS 17871:2019)

Bouteilles à gaz -- Robinets de bouteilles à ouverture rapide - Spécifications et essais de type (ISO/DIS 17871:2019)

Ta slovenski standard je istoveten z: prEN ISO 17871

ICS:

23.020.35	Plinske jeklenke	Gas cylinders
23.060.40	Tlačni regulatorji	Pressure regulators

oSIST prEN ISO 17871:2020**en,fr,de**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/ee8cf78-6a71-406c-9b7f-611fd74049e8/osist-pren-iso-17871-2020>

DRAFT INTERNATIONAL STANDARD

ISO/DIS 17871

ISO/TC 58/SC 2

Secretariat: AFNOR

Voting begins on:
2019-11-28Voting terminates on:
2020-02-20

Gas cylinders — Quick-release cylinder valves — Specification and type testing

Bouteilles à gaz — Robinets de bouteilles à ouverture rapide — Spécifications et essais de type

ICS: 23.020.35

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/ee8cf78-6a71-406c-9b7f-611fd74049e8/osist-pren-iso-17871-2020>

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.

ISO/CEN PARALLEL PROCESSING



Reference number
ISO/DIS 17871:2019(E)

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/ee8cf78-6a71-406c-9b7f-611fd74049e8/osist-pren-iso-17871-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Requirements.....	2
4.1 General requirements.....	2
4.2 Differing/additional requirements.....	3
4.2.1 Valve connections.....	3
4.2.2 Resistance to mechanical impact.....	3
4.2.3 Valve operating mechanism.....	3
4.2.4 Valve operating device.....	3
4.2.5 Leakage.....	3
4.2.6 Documentation.....	3
4.2.7 Valve burst test pressure.....	4
4.2.8 Valve test pressure.....	4
4.2.9 Leak tightness tests.....	4
4.2.10 Endurance test.....	4
4.2.11 Securing arrangements.....	5
4.3 Manufacturing tests and examinations.....	5
5 Marking.....	5
Annex A (normative) Manufacturing tests and examinations.....	7
Bibliography.....	8

ISO/DIS 17871:2019(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 58, *Gas cylinders*, Subcommittee SC 2, *Cylinder fittings*.

This second edition cancels and replaces the first edition (ISO 17871:2015), which has been technically revised.

The main changes compared to the previous edition are as follows:

- introduction of the draft amendment published in 2018;
- extension of the scope to pressure drums and tubes;
- addition of the valve burst test pressure;
- deletion of the flame impingement test;
- complete revision of the subclause Securing arrangements and [Annex A](#) Manufacturing tests end examination.

Introduction

This document covers the function of a quick-release cylinder valve as a closure (defined by the UN Model Regulations). Additional features of a quick-release cylinder valve (e.g. pressure regulators, residual pressure-retaining devices, non-return devices, and pressure-relief devices) might be covered by other standards and/or regulations.

This document has been written to be in conformity with the UN Model Regulations. When published, it will be submitted to the UN Subcommittee of Experts on the Transport of Dangerous Goods with a request that it be included in the UN Model Regulations.

Where there is any conflict between this International Standard and any applicable regulation, the regulation always takes precedence

In this document, the unit bar is used due to its universal use in the field of technical gases. However, it is noted that bar is not an SI unit, and that the corresponding SI unit for pressure is Pa (1 bar = 10^5 Pa = 10^5 N/m²).

Pressure values given in this document are given as gauge pressure (pressure exceeding atmospheric pressure) unless noted otherwise.

Charging of agents with a compressed gas is in some areas, e.g. fire-fighting, referred to as super-pressurization.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/ee8cf78-6a1f-406c-9b7f-611fd74049e8/osist-pren-iso-17871-2020>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/ee8cf78-6a71-406c-9b7f-611fd74049e8/osist-pren-iso-17871-2020>

Gas cylinders — Quick-release cylinder valves — Specification and type testing

1 Scope

This document, in conjunction with ISO 10297:2014 and ISO 14246:2014, specifies design, type testing, marking and manufacturing tests, and examinations requirements for quick-release cylinder valves intended to be fitted to refillable transportable gas cylinders, pressure drums and tubes which convey non-toxic, non-oxidizing, non-flammable and non-corrosive compressed or liquefied gases or extinguishing agents charged with compressed gases to be used for fire-extinguishing, explosion protection, and rescue applications.

NOTE 1 The main application of such quick-release cylinder valves is in the fire-fighting industry. However, there are other applications such as to avalanche airbags, life raft inflation, and similar applications.

NOTE 2 Where there is no risk of ambiguity, gas cylinders, pressure drums and tubes are addressed with the collective term “cylinders” within this document.

This document covers the function of a quick-release cylinder valve as a closure.

This document does not apply to quick-release cylinder valves for cryogenic equipment, for portable fire extinguishers, or for liquefied petroleum gas (LPG).

NOTE 3 Quick-release cylinder valves of refillable propellant gas cylinders used as part of portable fire extinguishers are also covered by this document, if these cylinders are transported separately.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10286, *Gas cylinders — Terminology*

ISO 10297:2014, *Gas cylinders — Cylinder valves — Specification and type testing*

ISO 14246:2014, *Gas cylinders — Cylinder valves — Manufacturing tests and examinations*

ISO 22435, *Gas cylinders — Cylinder valves with integrated pressure regulators — Specification and type testing*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 10286, ISO 10297:2014 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>