

First edition  
2014-05-15

**AMENDMENT 2**  
2020-05

---

---

**Microbiology of food, animal feed and  
water — Preparation, production,  
storage and performance testing of  
culture media**

**AMENDMENT 2**

**iTeh STANDARD PREVIEW**  
*Microbiologie des aliments, des aliments pour animaux et de l'eau —  
Préparation, production, stockage et essais de performance des  
milieux de culture*  
**(standards.iteh.ai)**

**AMENDEMENT 2**

**ISO 11133:2014/Amd 2:2020**

<https://standards.iteh.ai/catalog/standards/sist/f05cc026-70d0-41e6-b06c-3b5e24d0b17f/iso-11133-2014-amd-2-2020>



Reference number  
ISO 11133:2014/Amd.2:2020(E)

© ISO 2020

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

ISO 11133:2014/Amd 2:2020  
<https://standards.iteh.ai/catalog/standards/sist/f05cc026-70d0-41e6-b06c-3b5e24d0b17f/iso-11133-2014-amd-2-2020>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 9, *Microbiology*, in collaboration with Technical Committee ISO/TC 147, *Water quality*, Subcommittee SC 4, *Microbiological methods*, and in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 463, *Microbiology of the food chain*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO 11133:2014/Amd 2:2020](https://standards.iteh.ai/catalog/standards/sist/f05cc026-70d0-41e6-b06c-3b5e24d0b17f/iso-11133-2014-amd-2-2020)

<https://standards.iteh.ai/catalog/standards/sist/f05cc026-70d0-41e6-b06c-3b5e24d0b17f/iso-11133-2014-amd-2-2020>

# Microbiology of food, animal feed and water — Preparation, production, storage and performance testing of culture media

## AMENDMENT 2

*End of 5.2 (before the NOTE)*

Add the following sentence:

Annex K gives the test microorganisms to be used for confirmation media and reagents in specified food and water microbiology International Standards.

*5.4.1, first sentence*

Replace the sentence with the following text:

Suitable microorganisms for routine performance testing are listed in Annexes E, F and K.

**(standards.iteh.ai)**

*End of 6.6.1*

[ISO 11133:2014/Amd 2:2020](https://standards.iteh.ai/catalog/standards/sist/f05cc026-70d0-41e6-b06c-3b5e24d0b17f/iso-11133-2014-amd-2-2020)

Add the following sentence: <https://standards.iteh.ai/catalog/standards/sist/f05cc026-70d0-41e6-b06c-3b5e24d0b17f/iso-11133-2014-amd-2-2020>

Suitable test organisms are described in Annex K.

*6.6.2, after the second sentence*

Add the following sentence:

Suitable test organisms are described in Annex K.

*Annex K*

Add the following text as a new annex.

## Annex K (normative)

### Performance testing of confirmation media and reagents

This annex specifies control strains for the performance testing of confirmation and characterization media, reagents, dyes, stains and materials described in standards for the microbiological examination of samples from the food chain and water.

For the microbiological media and reagents under test, the inoculum used is a subculture of an isolated colony. Therefore, the method of performance testing for these products is qualitative.

The shortest permissible incubation time specified in the relevant International Standard for the confirmation or characterization test should be used for the positive control organism(s), while the longest permissible incubation time should be used for the negative control organism(s).

The strains chosen in [Table K.1](#) have been selected preferentially from those already cited in this document. If a suitable strain was not available from this source, a strain from the catalogue of organisms compiled by the World Data Centre for Microorganisms (WDCM)<sup>[20]</sup> has been selected.

In most cases, more than one control strain has been listed in [Table K.1](#) for both positive and negative reactions. The user may choose any of the strains cited for positive and negative reactions.

If control strains for performance testing of confirmation or characterization media, reagents, dyes, stains and materials are already specified in the International Standard, for example, as in ISO 10272-1 and ISO 10272-2 (*Campylobacter*) and ISO 10273 (*Yersinia enterocolitica*), they have not been included in [Table K.1](#). In addition, serological reagents have not been included.

If commercially sourced media or reagents are used, follow the manufacturer's instructions, including time, temperature and conditions of performance. If the instructions do not include control strains, choose a positive and a negative strain from [Table K.1](#). See Clause 6 for requirements.

**Table K.1 — Control strains for confirmation and characterization media, reagents, dyes, stains and materials included in documents from ISO/TC 34/SC 9, ISO/TC 34/SC 5 and ISO/TC 147/SC 4**

Medium/reagent	International Standard	Function	Control strains <sup>a</sup>	WDCM <sup>b</sup> numbers	Characteristic reactions
Acetamide broth with Nessler's reagent	ISO 16266	Detection of ammonia production from acetamide	<i>Pseudomonas aeruginosa</i>	00024 00025 00026	Positive reaction: Yellow to brick red after adding 1 to 2 drops of Nessler's reagent
			<i>Escherichia coli</i>	00012 00013 00090 00179	Negative reaction: No yellow to brick red colour
Acetate agar (Sodium acetate agar)	ISO 21567	Growth on acetate agar	<i>Escherichia coli</i>	00012 00013 00090 00179	Positive reaction: Blue colonies with surrounding medium blue/green
			<i>Shigella sonnei</i> <i>Shigella flexneri</i>	00127 00125	Negative reaction: No growth or very weak growth, no colour change of the medium (remains green)
Acid phosphatase reagent	ISO 14189	Detection of acid phosphatase	<i>Clostridium perfringens</i>	00007 00080 00174	Positive reaction: Mauve/purple/violet colour
			<i>Clostridium bifermentans</i>	00079	Negative reaction: No mauve/purple/violet colour
Arginine dihydrolase saline medium	ISO 21872-1	Detection of L-Arginine dihydrolase	<i>Vibrio fluvialis</i>	00137 00136c	Positive reaction: Turbidity and violet/purple colour
			<i>Vibrio parahaemolyticus</i>	00037 00185	Negative reaction: Yellow colour
Bile aesculin azide agar	ISO 7899-2	Detection of aesculin hydrolysis	<i>Enterococcus faecalis</i>	00009 00087 00176	Positive reaction: Tan to black colour in the surrounding medium
			<i>Enterococcus faecium</i> <i>Aerococcus viridans</i> <i>Escherichia coli</i>	00177 00178 00061 00012 00013 00090 00179	Negative reaction: No tan to black colour in the surrounding medium

<sup>a</sup> Strain free of choice; one of the strains has to be used as a minimum.

<sup>b</sup> Refer to the reference strain catalogue available on <http://www.wfcc.info> for information on culture collection strain numbers and contact details<sup>[20]</sup>.

<sup>c</sup> Some national restrictions and directions can require the use of a different serovar. Refer to national requirements relating to the choice of *Salmonella* serovars.

<sup>d</sup> Weak coagulase-producing strain of *S. aureus*.

Table K.1 (continued)

Medium/reagent	International Standard	Function	Control strains <sup>a</sup>	WDCM <sup>b</sup> numbers	Characteristic reactions
Brilliant green lactose bile broth	ISO 4831 ISO 4832	Detection of gas production	<i>Escherichia coli</i>	00012 00013 00090 00179	Positive reaction: Gas produced in Durham tube
			<i>Enterococcus faecalis</i>	00009 00087 00176	Negative reaction: No gas produced in Durham tube
CAMP medium with <i>Staphylococcus aureus</i> WDCM 00034 and <i>Rhodococcus equi</i> WDCM 00028	ISO 11290-1 ISO 11290-2	Detection of CAMP reaction	<i>Listeria monocytogenes</i>	00020 00021	Positive reaction: Narrow enhanced zone of β-haemolysis at the intersection of the test strain with <i>Staphylococcus aureus</i> .
			<i>Listeria ivanovii</i>	00018	Wide arrowhead zone of β-haemolysis at the intersection with <i>Rhodococcus equi</i>
			<i>Listeria ivanovii</i>	00018	Negative reaction: Zone not enhanced with <i>Staphylococcus aureus</i>
			<i>Listeria innocua</i>	00017	No zone
Carbohydrate utilization broths with different carbohydrates and different indicators	ISO 11290-1 ISO 11290-2 ISO 21567 ISO 10273 ISO 22964	Detection of carbohydrate fermentation	<i>Escherichia coli</i>	00012 00013 00090 00179	Positive reaction: Change of colour to yellow
			<i>Listeria monocytogenes</i>	00021 00109	Rhamnose: yellow
			<i>Proteus mirabilis</i>	00023	Negative reaction: No change in colour
			<i>Listeria monocytogenes</i>	00021 00109	Xylose; no change

<sup>a</sup> Strain free of choice; one of the strains has to be used as a minimum.

<sup>b</sup> Refer to the reference strain catalogue available on <http://www.wfcc.info> for information on culture collection strain numbers and contact details<sup>[20]</sup>.

<sup>c</sup> Some national restrictions and directions can require the use of a different serovar. Refer to national requirements relating to the choice of *Salmonella* serovars.

<sup>d</sup> Weak coagulase-producing strain of *S. aureus*.



Table K.1 (continued)

Medium/reagent	International Standard	Function	Control strains <sup>a</sup>	WDCM <sup>b</sup> numbers	Characteristic reactions
Catalase reagent (3 % hydrogen peroxide solution)	ISO 9232 ISO 10272-1 ISO 10272-2 ISO 11290-1 ISO 11290-2	Detection of catalase after adding hydrogen peroxide solution	<i>Staphylococcus aureus</i>	00032 00034	Positive reaction: Formation of bubbles of oxygen
			<i>Campylobacter jejuni</i>	00005	
			<i>Listeria monocytogenes</i>	00020 00021	Negative reaction: No formation of bubbles of oxygen
			<i>Listeria innocua</i>	00017	
			<i>Listeria ivanovii</i>	00018	
			<i>Enterococcus faecalis</i>	00009 00087 00176	
			<i>Enterococcus faecium</i>	00177 00178	
			<i>Lactobacillus delbrueckii</i> subsp. <i>bulgaricus</i>	00121	
Citrate agar (Christensen's citrate agar)	ISO 21567	Growth on citrate agar	<i>Enterobacter aerogenes</i>	00175	Positive reaction: Cream/pink growth with surrounding medium red
			<i>Enterobacter cloacae</i>	00083	
			<i>Shigella sonnei</i>	00127	Negative reaction: No growth
			<i>Shigella flexneri</i>	00125	
Glucose agar	ISO/TS 11059	Production of acid from glucose	<i>Escherichia coli</i>	00012 00013 00090 00179	Positive reaction: Yellow colour
O-F medium with overlay	ISO 21528-1 ISO 21528-2		<i>Pseudomonas aeruginosa</i>	00024 00025 00026	Negative reaction: Growth, but no yellow colour development
Glucose MRS broth with overlay agar	ISO 9232	Detection of CO <sub>2</sub> production	<i>Pseudomonas fluorescens</i>	00115	
			<i>Lactobacillus brevis</i>	00099	Positive reaction: Agar layer detaches itself from the underlying contents
			<i>Lactobacillus delbrueckii</i> subsp. <i>bulgaricus</i>	00102	Negative reaction: No gas production, agar layer not detached

<sup>a</sup> Strain free of choice; one of the strains has to be used as a minimum.

<sup>b</sup> Refer to the reference strain catalogue available on <http://www.wfcc.info> for information on culture collection strain numbers and contact details<sup>[20]</sup>.

<sup>c</sup> Some national restrictions and directions can require the use of a different serovar. Refer to national requirements relating to the choice of *Salmonella* serovars.

<sup>d</sup> Weak coagulase-producing strain of *S. aureus*.