



**5G;
5G System;
Common Data Types for Service Based Interfaces;
Stage 3
(3GPP TS 29.571 version 18.5.0 Release 18)**

[ETSI TS 129 571 V18.5.0 \(2024-05\)](#)

<https://standards.iteh.ai/catalog/standards/etsi/33fa42ef-b2b9-4ce4-a8bb-85f40f6a02f1/etsi-ts-129-571-v18-5-0-2024-05>



Reference

RTS/TSGC-0429571vi50

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:
<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our
Coordinated Vulnerability Disclosure Program:
<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice (<https://standards.iteh.ai>)

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2024-05)

<https://standards.iteh.ai/catalog/standards/etsi/33fa42ef-b2b9-4ce4-a8bb-85f40f6a02f1/etsi-ts-129-571-v18-5-0-2024-05>
The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

| | |
|---|----|
| Intellectual Property Rights | 2 |
| Legal Notice | 2 |
| Modal verbs terminology..... | 2 |
| Foreword..... | 9 |
| 1 Scope | 11 |
| 2 References | 11 |
| 3 Definitions and abbreviations..... | 13 |
| 3.1 Definitions | 13 |
| 3.2 Abbreviations | 13 |
| 4 Overview | 14 |
| 5 Common Data Types..... | 14 |
| 5.1 Introduction | 14 |
| 5.2 Data Types for Generic Usage | 14 |
| 5.2.1 Introduction..... | 14 |
| 5.2.1A Re-used Data Types..... | 14 |
| 5.2.2 Simple Data Types..... | 15 |
| 5.2.3 Enumerations | 20 |
| 5.2.3.1 Enumeration: PatchOperation | 20 |
| 5.2.3.2 Enumeration: UriScheme | 20 |
| 5.2.3.3 Enumeration: ChangeType..... | 21 |
| 5.2.3.4 Enumeration: HttpMethod | 24 |
| 5.2.3.5 Enumeration: NullValue | 24 |
| 5.2.3.6 Enumeration: MatchingOperator..... | 24 |
| 5.2.4 Structured Data Types | 25 |
| 5.2.4.1 Type: ProblemDetails..... | 25 |
| 5.2.4.2 Type: Link..... | 27 |
| 5.2.4.3 Type: PatchItem | 27 |
| 5.2.4.4 Type: LinksValueSchema | 27 |
| 5.2.4.5 Type: SelfLink | 27 |
| 5.2.4.6 Type: InvalidParam | 28 |
| 5.2.4.7 Type: LinkRm | 28 |
| 5.2.4.8 Type: ChangeItem | 29 |
| 5.2.4.9 Type: NotifyItem | 29 |
| 5.2.4.10 Type: ComplexQuery | 30 |
| 5.2.4.11 Type: Cnf | 30 |
| 5.2.4.12 Type: Dnf | 30 |
| 5.2.4.13 Type: CnfUnit | 30 |
| 5.2.4.14 Type: DnfUnit | 30 |
| 5.2.4.15 Type: Atom | 31 |
| 5.2.4.16 Type: Void | 31 |
| 5.2.4.17 Type: PatchResult | 31 |
| 5.2.4.18 Type: ReportItem | 31 |
| 5.2.4.19 Type: HalTemplate | 32 |
| 5.2.4.20 Type: Property | 32 |
| 5.2.4.21 Type: RedirectResponse | 32 |
| 5.2.4.22 Type: TunnelAddress | 33 |
| 5.2.4.23 Type: FqdnPatternMatchingRule | 33 |
| 5.2.4.24 Type: StringMatchingRule | 33 |
| 5.2.4.25 Type: StringMatchingCondition | 34 |
| 5.2.4.26 Type: Ipv4AddressRange | 34 |
| 5.2.4.27 Type: Ipv6AddressRange | 34 |
| 5.2.4.28 Type: Ipv6PrefixRange | 34 |
| 5.3 Data Types related to Subscription, Identification and Numbering | 34 |

| | | |
|----------|--|----|
| 5.3.1 | Introduction..... | 34 |
| 5.3.2 | Simple Data Types..... | 35 |
| 5.3.3 | Enumerations | 39 |
| 5.3.3.1 | Enumeration: GroupServiceId..... | 39 |
| 5.3.4 | Structured Data Types | 40 |
| 5.3.4.1 | Type: Guami | 40 |
| 5.3.4.2 | Type: NetworkId | 40 |
| 5.3.4.3 | Type: GuamiRm..... | 40 |
| 5.4 | Data Types related to 5G Network | 40 |
| 5.4.1 | Introduction..... | 40 |
| 5.4.2 | Simple Data Types..... | 40 |
| 5.4.3 | Enumerations | 47 |
| 5.4.3.1 | Enumeration: AccessType | 47 |
| 5.4.3.2 | Enumeration: RatType | 48 |
| 5.4.3.3 | Enumeration: PduSessionType | 48 |
| 5.4.3.4 | Enumeration: UpIntegrity | 49 |
| 5.4.3.5 | Enumeration: UpConfidentiality | 49 |
| 5.4.3.6 | Enumeration: SscMode | 49 |
| 5.4.3.7 | Enumeration: DnaiChangeType..... | 49 |
| 5.4.3.8 | Enumeration: RestrictionType | 50 |
| 5.4.3.9 | Enumeration: CoreNetworkType | 50 |
| 5.4.3.10 | Enumeration: AccessTypeRm..... | 50 |
| 5.4.3.11 | Enumeration: RatTypeRm | 50 |
| 5.4.3.12 | Enumeration: PduSessionTypeRm..... | 50 |
| 5.4.3.13 | Enumeration: UpIntegrityRm..... | 50 |
| 5.4.3.14 | Enumeration: UpConfidentialityRm | 50 |
| 5.4.3.15 | Enumeration: SscModeRm | 50 |
| 5.4.3.17 | Enumeration: DnaiChangeTypeRm | 50 |
| 5.4.3.18 | Enumeration: RestrictionTypeRm..... | 50 |
| 5.4.3.19 | Enumeration: CoreNetworkType | 51 |
| 5.4.3.20 | Enumeration: PresenceState | 51 |
| 5.4.3.21 | Enumeration: StationaryIndication | 51 |
| 5.4.3.22 | Enumeration: StationaryIndicationRm..... | 51 |
| 5.4.3.23 | Enumeration: ScheduledCommunicationType..... | 51 |
| 5.4.3.24 | Enumeration: ScheduledCommunicationTypeRm..... | 51 |
| 5.4.3.25 | Enumeration: TrafficProfile | 52 |
| 5.4.3.26 | Enumeration: TrafficProfileRm | 52 |
| 5.4.3.27 | Enumeration: LcsServiceAuth | 52 |
| 5.4.3.28 | Enumeration: UeAuth | 52 |
| 5.4.3.29 | Enumeration: DlDataDeliveryStatus..... | 52 |
| 5.4.3.30 | Enumeration: DlDataDeliveryStatusRm | 53 |
| 5.4.3.31 | Void..... | 53 |
| 5.4.3.32 | Enumeration: AuthStatus | 53 |
| 5.4.3.33 | Enumeration: LineType | 53 |
| 5.4.3.34 | Enumeration: LineTypeRm..... | 53 |
| 5.4.3.35 | Void..... | 53 |
| 5.4.3.36 | Void..... | 53 |
| 5.4.3.37 | Enumeration: NotificationFlag | 53 |
| 5.4.3.38 | Enumeration: TransportProtocol | 54 |
| 5.4.3.39 | Enumeration: SatelliteBackhaulCategory | 54 |
| 5.4.3.40 | Enumeration: SatelliteBackhaulCategoryRm..... | 54 |
| 5.4.3.41 | Enumeration: BufferedNotificationsAction | 54 |
| 5.4.3.42 | Enumeration: SubscriptionAction | 55 |
| 5.4.3.43 | Enumeration: SnssaiStatus | 55 |
| 5.4.3.44 | Enumeration: TerminationIndication | 55 |
| 5.4.4 | Structured Data Types | 55 |
| 5.4.4.1 | Type: SubscribedDefaultQos | 55 |
| 5.4.4.2 | Type: Snssai | 56 |
| 5.4.4.3 | Type: PlmnId..... | 56 |
| 5.4.4.4 | Type: Tai..... | 57 |
| 5.4.4.5 | Type: Ecgi | 57 |
| 5.4.4.6 | Type: Ncgi..... | 57 |

| | | |
|----------|--|----|
| 5.4.4.7 | Type: UserLocation..... | 58 |
| 5.4.4.8 | Type: EutraLocation..... | 59 |
| 5.4.4.9 | Type: NrLocation..... | 60 |
| 5.4.4.10 | Type: N3gaLocation..... | 61 |
| 5.4.4.11 | Type: UpSecurity | 63 |
| 5.4.4.12 | Type: NgApCause..... | 63 |
| 5.4.4.13 | Type: BackupAmfInfo | 64 |
| 5.4.4.14 | Type: RefToBinaryData..... | 64 |
| 5.4.4.15 | Type RouteToLocation | 64 |
| 5.4.4.16 | Type RouteInformation..... | 64 |
| 5.4.4.17 | Type: Area..... | 65 |
| 5.4.4.18 | Type: ServiceAreaRestriction | 65 |
| 5.4.4.19 | Type: PlmnIdRm..... | 65 |
| 5.4.4.20 | Type: TaiRm | 65 |
| 5.4.4.21 | Type: EcgiRm | 65 |
| 5.4.4.22 | Type: NcgiRm..... | 65 |
| 5.4.4.23 | Type: EutraLocationRm..... | 65 |
| 5.4.4.24 | Type: NrLocationRm | 66 |
| 5.4.4.25 | Type: UpSecurityRm | 66 |
| 5.4.4.26 | Type: RefToBinaryDataRm | 66 |
| 5.4.4.27 | Type: PresenceInfo..... | 67 |
| 5.4.4.28 | Type: GlobalRanNodeId | 68 |
| 5.4.4.29 | Type: GNBId | 69 |
| 5.4.4.30 | Type: PresenceInfoRm..... | 69 |
| 5.4.4.31 | Void..... | 69 |
| 5.4.4.32 | Type: AtsssCapability | 70 |
| 5.4.4.33 | Type: PlmnIdNid..... | 70 |
| 5.4.4.34 | Type: PlmnIdNidRm..... | 70 |
| 5.4.4.35 | Type: SmallDataRateStatus..... | 71 |
| 5.4.4.36 | Type: HfcNodeId | 71 |
| 5.4.4.37 | Type: HfcNodeIdRm..... | 71 |
| 5.4.4.38 | Type: WirelineArea | 72 |
| 5.4.4.39 | Type: WirelineServiceAreaRestriction | 72 |
| 5.4.4.40 | Type: ApnRateStatus | 73 |
| 5.4.4.41 | Type: ScheduledCommunicationTime..... | 73 |
| 5.4.4.42 | Type: ScheduledCommunicationTimeRm | 73 |
| 5.4.4.43 | Type: BatteryIndication | 74 |
| 5.4.4.44 | Type: BatteryIndicationRm..... | 74 |
| 5.4.4.45 | Type: AcsInfo | 74 |
| 5.4.4.46 | Type: AcsInfoRm..... | 74 |
| 5.4.4.47 | Type: NrV2xAuth | 74 |
| 5.4.4.48 | Type: LteV2xAuth | 75 |
| 5.4.4.49 | Type: Pc5QoSPara | 75 |
| 5.4.4.50 | Type: Pc5QosFlowItem | 75 |
| 5.4.4.51 | Type: Pc5FlowBitRates | 75 |
| 5.4.4.52 | Type: UtraLocation | 76 |
| 5.4.4.53 | Type: GeraLocation | 77 |
| 5.4.4.54 | Type: CellGlobalId..... | 77 |
| 5.4.4.55 | Type: ServiceAreaId | 78 |
| 5.4.4.56 | Type: LocationAreaId | 78 |
| 5.4.4.57 | Type: RoutingAreaId | 78 |
| 5.4.4.58 | Type: DddTrafficDescriptor..... | 78 |
| 5.4.4.59 | Type: MoExpDataCounter | 78 |
| 5.4.4.60 | Type: NSSAAStatus | 79 |
| 5.4.4.61 | Type: NSSAAStatusRm | 79 |
| 5.4.4.62 | Type: TnapId..... | 79 |
| 5.4.4.63 | Type: TnapIdRm | 79 |
| 5.4.4.64 | Type: TwapId | 80 |
| 5.4.4.65 | Type: TwapIdRm | 80 |
| 5.4.4.66 | Type: SnssaiExtension | 80 |
| 5.4.4.67 | Type: SdRange | 80 |
| 5.4.4.68 | Type: ProseServiceAuth..... | 81 |

| | | |
|----------|--|-----|
| 5.4.4.69 | Type: EcsServerAddr | 81 |
| 5.4.4.70 | Type: EcsServerAddrRm | 82 |
| 5.4.4.71 | Type: IpAddr | 82 |
| 5.4.4.72 | Type: SACInfo | 83 |
| 5.4.4.73 | Type: SACEventStatus | 86 |
| 5.4.4.74 | Type: SpatialValidityCond | 86 |
| 5.4.4.75 | Type: SpatialValidityCondRm | 86 |
| 5.4.4.76 | Type: ServerAddressingInfo | 86 |
| 5.4.4.77 | Type PcfUeCallbackInfo | 87 |
| 5.4.4.78 | Type PduSessionInfo | 87 |
| 5.4.4.79 | Type EasIpReplacementInfo | 87 |
| 5.4.4.80 | Type EasServerAddress | 87 |
| 5.4.4.81 | Type RoamingRestrictions | 88 |
| 5.4.4.82 | Type GeoServiceArea | 88 |
| 5.4.4.83 | Type MutingExceptionInstructions | 88 |
| 5.4.4.84 | Type MutingNotificationsSettings | 88 |
| 5.4.4.85 | Type VplmnOffloadingInfo | 89 |
| 5.4.4.86 | Type PartiallyAllowedSnssai | 89 |
| 5.4.4.87 | Type VarRepPeriod | 90 |
| 5.4.4.88 | Type RangingSIPosAuth | 90 |
| 5.4.4.89 | Type NrA2xAuth | 90 |
| 5.4.4.90 | Type LteA2xAuth | 90 |
| 5.4.4.91 | Type SliceUsageControlInfo | 91 |
| 5.4.4.92 | Type CombGciAndHfcNIDs | 91 |
| 5.4.4.93 | Type SnssaiDnnItem | 91 |
| 5.4.4.94 | Type NtnTaiInfo | 91 |
| 5.4.4.95 | Type MitigationInfo | 92 |
| 5.4.5 | Data types describing alternative data types or combinations of data types | 92 |
| 5.4.5.1 | Type: ExtSnssai | 92 |
| 5.4.5.2 | Type: SnssaiReplaceInfo | 93 |
| 5.5 | Data Types related to 5G QoS | 93 |
| 5.5.1 | Introduction | 93 |
| 5.5.2 | Simple Data Types | 93 |
| 5.5.3 | Enumerations | 97 |
| 5.5.3.1 | Enumeration: PreemptionCapability | 97 |
| 5.5.3.2 | Enumeration: PreemptionVulnerability | 97 |
| 5.5.3.3 | Enumeration: ReflectiveQosAttribute | 97 |
| 5.5.3.4 | Void | 97 |
| 5.5.3.5 | Enumeration: NotificationControl | 97 |
| 5.5.3.6 | Enumeration: QosResourceType | 98 |
| 5.5.3.7 | Enumeration: PreemptionCapabilityRm | 98 |
| 5.5.3.8 | Enumeration: PreemptionVulnerabilityRm | 98 |
| 5.5.3.9 | Enumeration: ReflectiveQosAttributeRm | 98 |
| 5.5.3.10 | Enumeration: NotificationControlRm | 98 |
| 5.5.3.11 | Enumeration: QosResourceTypeRm | 98 |
| 5.5.3.12 | Enumeration: AdditionalQosFlowInfo | 98 |
| 5.5.3.13 | Enumeration: PartitioningCriteria | 99 |
| 5.5.3.14 | Enumeration: PartitioningCriteriaRm | 99 |
| 5.5.3.15 | Enumeration: PduSetHandlingInfo | 99 |
| 5.5.3.16 | Enumeration: MediaTransportProto | 99 |
| 5.5.3.17 | Enumeration: RtpHeaderExtType | 99 |
| 5.5.3.18 | Enumeration: RtpPayloadFormat | 100 |
| 5.5.4 | Structured Data Types | 100 |
| 5.5.4.1 | Type: Arp | 100 |
| 5.5.4.2 | Type: Ambr | 100 |
| 5.5.4.3 | Type: Dynamic5Qi | 101 |
| 5.5.4.4 | Type: NonDynamic5Qi | 102 |
| 5.5.4.5 | Type: ArpRm | 102 |
| 5.5.4.6 | Type: AmbrRm | 102 |
| 5.5.4.7 | Void | 102 |
| 5.5.4.8 | Void | 103 |
| 5.5.4.9 | Type: SliceMbr | 103 |

| | | |
|----------|--|-----|
| 5.5.4.10 | Type: SliceMbrRm..... | 103 |
| 5.5.4.11 | Type: PduSetQosPara..... | 103 |
| 5.5.4.12 | Type: PduSetQosParaRm..... | 103 |
| 5.5.4.13 | Type ProtocolDescription | 104 |
| 5.5.4.14 | Type RtpHeaderExtInfo | 105 |
| 5.5.4.15 | Type RtpPayloadInfo | 105 |
| 5.6 | Data Types related to 5G Trace..... | 106 |
| 5.6.1 | Introduction..... | 106 |
| 5.6.2 | Simple Data Types..... | 106 |
| 5.6.3 | Enumerations | 106 |
| 5.6.3.1 | Enumeration: TraceDepth | 106 |
| 5.6.3.2 | Enumeration: TraceDepthRm | 107 |
| 5.6.3.3 | Enumeration: JobType | 107 |
| 5.6.3.4 | Enumeration: ReportTypeMdt | 107 |
| 5.6.3.5 | Enumeration: MeasurementLteForMdt..... | 107 |
| 5.6.3.6 | Enumeration: MeasurementNrForMdt..... | 108 |
| 5.6.3.7 | Enumeration: SensorMeasurement | 108 |
| 5.6.3.8 | Enumeration: ReportingTrigger | 108 |
| 5.6.3.9 | Enumeration: ReportIntervalMdt | 109 |
| 5.6.3.10 | Enumeration: ReportAmountMdt | 109 |
| 5.6.3.11 | Enumeration: EventForMdt | 109 |
| 5.6.3.12 | Enumeration: LoggingIntervalMdt | 110 |
| 5.6.3.13 | Enumeration: LoggingDurationMdt..... | 110 |
| 5.6.3.14 | Enumeration: PositioningMethodMdt..... | 110 |
| 5.6.3.15 | Enumeration: CollectionPeriodRmmLteMdt | 110 |
| 5.6.3.16 | Enumeration: MeasurementPeriodLteMdt | 111 |
| 5.6.3.17 | Enumeration: ReportIntervalNrMdt..... | 111 |
| 5.6.3.18 | Enumeration: LoggingIntervalNrMdt | 111 |
| 5.6.3.19 | Enumeration: CollectionPeriodRmmNrMdt | 112 |
| 5.6.3.20 | Enumeration: LoggingDurationNrMdt..... | 112 |
| 5.6.3.21 | Enumeration: QoeServiceType | 112 |
| 5.6.3.22 | Enumeration: AvailableRanVisibleQoeMetric | 113 |
| 5.6.4 | Structured Data Types | 114 |
| 5.6.4.1 | Type: TraceData..... | 114 |
| 5.6.4.2 | Type: MdtConfiguration | 117 |
| 5.6.4.3 | Type: AreaScope | 121 |
| 5.6.4.4 | Type: TacInfo | 121 |
| 5.6.4.5 | Type: MbsfnArea | 121 |
| 5.6.4.6 | Type: InterFreqTargetInfo | 122 |
| 5.6.4.7 | Type: QmcConfigInfo | 123 |
| 5.6.4.8 | Type: QmcAreaScope | 124 |
| 5.6.4.9 | Type: QoeTarget | 124 |
| 5.6.4.10 | Type: CagInfo | 124 |
| 5.6.4.11 | Type: NidInfo..... | 124 |
| 5.7 | Data Types related to 5G Operator Determined Barring | 124 |
| 5.7.1 | Introduction..... | 124 |
| 5.7.2 | Simple Data Types..... | 124 |
| 5.7.3 | Enumerations | 125 |
| 5.7.3.1 | Enumeration: RoamingOdb | 125 |
| 5.7.3.2 | Enumeration: OdbPacketServices | 125 |
| 5.7.4 | Structured Data Types | 125 |
| 5.7.4.1 | Type: OdbData | 125 |
| 5.8 | Data Types related to Charging | 125 |
| 5.8.1 | Introduction..... | 125 |
| 5.8.2 | Simple Data Types..... | 125 |
| 5.8.3 | Enumerations | 126 |
| 5.8.4 | Structured Data Types | 126 |
| 5.8.4.1 | Type: SecondaryRatUsageReport | 126 |
| 5.8.4.2 | Type: QoSFlowUsageReport | 127 |
| 5.8.4.3 | Type: SecondaryRatUsageInfo | 127 |
| 5.8.4.4 | Type: VolumeTimedReport | 127 |
| 5.9 | Data Types related to MBS | 127 |

| | | |
|-------------------------------|--|------------|
| 5.9.1 | Introduction..... | 127 |
| 5.9.2 | Simple Data Types..... | 127 |
| 5.9.3 | Enumerations | 128 |
| 5.9.3.1 | Enumeration: MbsServiceType..... | 128 |
| 5.9.3.2 | Enumeration: MbsSessionActivityStatus..... | 128 |
| 5.9.3.3 | Enumeration: MbsSessionEventType | 129 |
| 5.9.3.4 | Enumeration: BroadcastDeliveryStatus | 129 |
| 5.9.3.5 | Enumeration: NrRedCapUeInfo..... | 129 |
| 5.9.4 | Structured Data Types | 129 |
| 5.9.4.1 | Type: MbsSessionId..... | 129 |
| 5.9.4.2 | Type: Tmgi..... | 130 |
| 5.9.4.3 | Type: Ssm | 130 |
| 5.9.4.4 | Type: MbsServiceArea..... | 130 |
| 5.9.4.5 | Type: NcgiTai | 130 |
| 5.9.4.6 | Type: MbsSession | 131 |
| 5.9.4.7 | Type: MbsSessionSubscription | 135 |
| 5.9.4.8 | Type: MbsSessionEventReportList..... | 135 |
| 5.9.4.9 | Type: MbsSessionEvent..... | 136 |
| 5.9.4.10 | Type: MbsSessionEventReport | 136 |
| 5.9.4.11 | Type: ExternalMbsServiceArea | 136 |
| 5.9.4.12 | Type: MbsSecurityContext | 136 |
| 5.9.4.13 | Type: MbsKeyInfo | 137 |
| 5.9.4.14 | Type: IngressTunAddrInfo..... | 137 |
| 5.9.4.15 | Type: MbsServiceAreaInfo | 138 |
| 5.9.4.16 | Type: MbsServiceInfo..... | 138 |
| 5.9.4.17 | Type: MbsMediaComp | 138 |
| 5.9.4.18 | Type: MbsMediaCompRm..... | 138 |
| 5.9.4.19 | Type: MbsQoSReq..... | 139 |
| 5.9.4.20 | Type: MbsMediaInfo | 139 |
| 5.9.4.21 | Data types describing alternative data types or combinations of data types | 139 |
| 5.9.4.21.1 | Type: AssociatedSessionId..... | 139 |
| 5.10 | Data Types related to Time Synchronization | 139 |
| 5.10.1 | Introduction..... | 139 |
| 5.10.2 | Simple Data Types..... | 139 |
| 5.10.3 | Enumerations | 140 |
| 5.10.3.1 | Enumeration: SynchronizationState..... | 140 |
| 5.10.3.2 | Enumeration: TimeSource | 140 |
| 5.10.3.3 | Enumeration: ClockQualityDetailLevel..... | 140 |
| 5.10.4 | Structured Data Types | 140 |
| 5.10.4.1 | Type: ClockQualityAcceptanceCriterion | 140 |
| 5.10.4.2 | Type: ClockQuality | 141 |
| 5.11 | Data Types related to IMS SBA | 141 |
| 5.11.1 | Introduction..... | 141 |
| 5.11.2 | Simple Data Types..... | 141 |
| 5.11.3 | Enumerations | 141 |
| 5.11.3.1 | Enumeration: MediaResourceType..... | 141 |
| 5.11.3.2 | Enumeration: MediaProxy | 142 |
| 5.11.3.3 | Enumeration: SecuritySetup..... | 142 |
| 5.11.4 | Structured Data Types | 143 |
| 5.11.4.1 | Type: DcEndpoint | 143 |
| 5.11.4.2 | Type: DcStream | 144 |
| 5.11.4.3 | Type: ReplaceHttpUrl | 144 |
| 5.11.4.4 | Type: Endpoint..... | 145 |
| Annex A (normative): | OpenAPI specification..... | 146 |
| A.1 | General | 146 |
| A.2 | Data related to Common Data Types | 146 |
| Annex B (informative): | Change history | 229 |
| History | 237 | |

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

In the present document, modal verbs have the following meanings:

shall indicates a mandatory requirement to do something

shall not indicates an interdiction (prohibition) to do something

The constructions "shall" and "shall not" are confined to the context of normative provisions, and do not appear in Technical Reports.

The constructions "must" and "must not" are not used as substitutes for "shall" and "shall not". Their use is avoided insofar as possible, and they are not used in a normative context except in a direct citation from an external, referenced, non-3GPP document, or so as to maintain continuity of style when extending or modifying the provisions of such a referenced document.

should indicates a recommendation to do something

should not indicates a recommendation not to do something

may indicates permission to do something

need not indicates permission not to do something

The construction "may not" is ambiguous and is not used in normative elements. The unambiguous constructions "might not" or "shall not" are used instead, depending upon the meaning intended.

can indicates that something is possible

cannot indicates that something is impossible

The constructions "can" and "cannot" are not substitutes for "may" and "need not".

will indicates that something is certain or expected to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document

will not indicates that something is certain or expected not to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document

might indicates a likelihood that something will happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

might not indicates a likelihood that something will not happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

In addition:

is (or any other verb in the indicative mood) indicates a statement of fact

is not (or any other negative verb in the indicative mood) indicates a statement of fact

The constructions "is" and "is not" do not indicate requirements.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[ETSI TS 129 571 V18.5.0 \(2024-05\)](#)

<https://standards.iteh.ai/catalog/standards/etsi/33fa42ef-b2b9-4ce4-a8bb-85f40f6a02f1/etsi-ts-129-571-v18-5-0-2024-05>

1 Scope

The present document specifies the stage 3 protocol and data model for common data types that are used or may be expected to be used by multiple Service Based Interface APIs supported by the same or different Network Function(s).

The Principles and Guidelines for Services Definition are specified in 3GPP TS 29.501 [2].

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 29.501: "5G System; Principles and Guidelines for Services Definition; Stage 3".
- [3] OpenAPI: "OpenAPI Specification Version 3.0.0", <https://spec.openapis.org/oas/v3.0.0>.
- [4] IETF RFC 1166: "Internet Numbers".
- [5] IETF RFC 5952: "A recommendation for IPv6 address text representation".
- [6] IETF RFC 3986: "Uniform Resource Identifier (URI): Generic Syntax".
- [7] 3GPP TS 23.003: "Numbering, addressing and identification".
- [8] 3GPP TS 23.501: "System Architecture for the 5G System; Stage 2".
- [9] IETF RFC 9457: "Problem Details for HTTP APIs".
- [10] IETF RFC 3339: "Date and Time on the Internet: Timestamps".
- [11] 3GPP TS 38.413: "NG-RAN; NG Application Protocol (NGAP)".
- [12] IETF RFC 6901: "JavaScript Object Notation (JSON) Pointer".
- [13] 3GPP TS 24.007: "Mobile radio interface signalling layer 3; General aspects".
- [14] IETF RFC 6902: "JavaScript Object Notation (JSON) Patch".
- [15] IETF RFC 4122: "A Universally Unique IDentifier (UUID) URN Namespace".
- [16] 3GPP TS 36.413: "Evolved Universal Terrestrial Radio Access Network (E-UTRAN); S1 Application Protocol (S1AP)".
- [17] IETF RFC 7042: "IANA Considerations and IETF Protocol and Documentation Usage for IEEE 802 Parameters".
- [18] IETF RFC 6733: "Diameter Base Protocol".
- [19] 3GPP TS 32.422: "Telecommunication management; Subscriber and equipment trace; Trace control and configuration management".
- [20] 3GPP TS 24.501: "Non-Access-Stratum (NAS) Protocol for 5G System (5GS); Stage 3".

- [21] 3GPP TS 29.002: "Mobile Application Part (MAP) specification".
- [22] Void.
- [23] 3GPP TS 23.032: "Universal Geographical Area Description (GAD)".
- [24] ITU-T Recommendation Q.763 (1999): "Specifications of Signalling System No.7; Formats and codes".
- [25] 3GPP TS 29.500: "5G System; Technical Realization of Service Based Architecture; Stage 3".
- [26] 3GPP TS 23.015: "Technical Realization of Operator Determined Barring".
- [27] 3GPP TR 21.900: "Technical Specification Group working methods".
- [28] 3GPP TS 23.502: "Procedures for the 5G System; Stage 2".
- [29] 3GPP TS 29.510: "5G System; Network Function Repository Services; Stage 3".
- [30] 3GPP TS 23.316: "Wireless and wireline convergence access support for the 5G System (5GS)".
- [31] IEEE Std 802.11-2012: "IEEE Standard for Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications".
- [32] CableLabs WR-TR-5WWC-ARCH: "5G Wireless Wireline Converged Core Architecture".
- [33] 3GPP TS 23.401: "General Packet Radio Service (GPRS) enhancements for Evolved Universal Terrestrial Radio Access Network (E-UTRAN) access; Stage 2".
- [34] BBF TR-069: "CPE WAN Management Protocol".
- [35] BBF TR-369: "User Services Platform (USP)".
- [36] 3GPP TS 23.287: "Architecture enhancements for 5G System (5GS) to support Vehicle-to-Everything (V2X) services".
- [37] BBF TR-470: "5G Wireless Wireline Convergence Architecture".
- [38] IEEE "Guidelines for Use of Extended Unique Identifier (EUI), Organizationally Unique Identifier (OUI), and Company ID (CID)", <https://standards.ieee.org/content/dam/ieee-standards/standards/web/documents/tutorials/eui.pdf>
- [39] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification".
- [40] IETF RFC 5580: "Carrying Location Objects in RADIUS and Diameter".
- [41] BBF TR-456: "AGF Functional Requirements".
- [42] 3GPP TS 38.331: "NR; Radio Resource Control (RRC); Protocol specification".
- [43] 3GPP TS 29.572: "5G System; Location Management Services; Stage 3".
- [44] ECMA-262: "ECMAScript® Language Specification", <https://www.ecma-international.org/ecma-262/5.1/>.
- [45] 3GPP TS 33.246: "Security of Multimedia Broadcast/Multicast Service (MBMS)".
- [46] 3GPP TS 33.501: "Security architecture and procedures for 5G system; Stage 2".
- [47] IETF RFC 7542: "The Network Access Identifier".
- [48] 3GPP TS 23.402: "Architecture enhancements for non-3GPP accesses".
- [49] 3GPP TS 23.558: "Architecture for enabling Edge Applications (EA)".

- [50] 3GPP TS 33.503: "Security Aspects of Proximity based Services (ProSe) in the 5G System (5GS)".
- [51] IEEE Std 1588: "IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems", Edition 2019.
- [52] 3GPP TS 29.573: "5G System: Public Land Mobile Network (PLMN) Interconnection; Stage 3".
- [53] IETF RFC 8122: "Connection-Oriented Media Transport over the Transport Layer Security (TLS) Protocol in the Session Description Protocol (SDP)".
- [54] IETF RFC 8842: "Session Description Protocol (SDP) Offer/Answer Considerations for Datagram Transport Layer Security (DTLS) and Transport Layer Security (TLS)".
- [55] IETF RFC 8841: "Session Description Protocol (SDP) Offer/Answer Procedures for Stream Control Transmission Protocol (SCTP) over Datagram Transport Layer Security (DTLS) Transport".
- [56] 3GPP TS 28.405: "Telecommunication management; Quality of Experience (QoE) measurement collection; Control and configuration".
- [57] 3GPP TS 24.554: "Proximity-services (ProSe) in 5G System (5GS) protocol aspects; Stage 3".
- [58] 3GPP TS 32.255: "Charging management; 5G data connectivity domain charging; stage 2".
- [59] 3GPP TS 26.522: "5G Real-time Media Transport Protocol Configurations".
- [60] IETF RFC 8285: "A General Mechanism for RTP Header Extensions".
- [61] IETF RFC 3550: "RTP: A Transport Protocol for Real-Time Applications".
- [62] IETF RFC 3711: "The Secure Real-time Transport Protocol (SRTP)".
- [63] IETF RFC 6184: "RTP Payload Format for H.264 Video".
- [64] IETF RFC 7798: "RTP Payload Format for High Efficiency Video Coding (HEVC)".
- [65] 3GPP TS 38.306: "NR; User Equipment (UE) radio access capabilities".

<https://standards.iteh.ai/catalog/standards/etsi/33fa42ef-b2b9-4ce4-a8bb-85f40f6a02f1/etsi-ts-129-571-v18-5-0-2024-05>

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [1].

| | |
|------------|---|
| 5GC | 5G Core Network |
| DNAI | Data Network Access Identifier |
| eRedCap UE | a UE with enhanced reduced capabilities as specified in clause 4.2.22.1 in 3GPP TS 38.306 [65]. |
| EUI | Extended Unique Identifier |
| GEO | Geosynchronous Orbit |
| GPSI | Generic Public Subscription Identifier |