
INTERNATIONAL STANDARD



2246

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Dense shaped refractory products – Nomenclature of manufacturing processes

First edition – 1972-06-15

ITeH STANDARD PREVIEW
(standards.itech.ai)

ISO 2246:1972

<https://standards.itech.ai/catalog/standards/sist/5015a7eb-9b88-4a54-b483-e56bbc14998a/iso-2246-1972>

UDC 666.76.002.2 : 001.4

Ref. No. ISO 2246-1972 (E)

Descriptors : refractory products, nomenclature, bonding, shaping, manufacturing.

Price based on 1 page

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO Member Bodies). The work of developing International Standards is carried out through ISO Technical Committees. Every Member Body interested in a subject for which a Technical Committee has been set up has the right to be represented on that Committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the Technical Committees are circulated to the Member Bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 2246 was drawn up by Technical Committee ISO/TC 33, *Refractories*.

It was approved in August 1971 by the Member Bodies of the following countries:

Australia	India	Spain
Canada	Ireland	Sweden
Czechoslovakia	Italy	Switzerland
Egypt, Arab Rep. of	Netherlands	Turkey
France	Portugal	United Kingdom
Germany	Romania	U.S.S.R.
Hungary	South Africa, Rep. of	

The Member Body of the following country expressed disapproval of the document on technical grounds:

New Zealand

Dense shaped refractory products – Nomenclature of manufacturing processes

1 SCOPE AND FIELD OF APPLICATION

This International Standard gives the nomenclature of manufacturing processes of dense shaped refractory products (total porosity below 45 %).

The classification of dense shaped products¹⁾ is based on the nature of their principal constituent (for example alumina, silica, magnesia). Details of the manufacturing process used may, in certain cases, provide supplementary information on the characteristics of the product manufactured, and consequently add information to the basic classification criteria.

The nomenclature of manufacturing processes given in this International Standard is based on two criteria:

- method of bonding the material;
- process of shaping the products.

2 REFERENCE

ISO/R 1109, *Classification of dense refractory products*.

3 NOMENCLATURE

3.1 Method of bonding

3.1.1 Bonding at a low temperature (below 150 °C) – unfired products – by:

- a) a fireclay bond;
- b) an inorganic chemical bond;
- c) a hydraulic bond;
- d) an organic bond.

3.1.2 Bonding at a moderate temperature (between 150 and 800 °C) – products which have been submitted to thermal treatment – by:

- a) an inorganic chemical bond;
- b) a hydraulic bond;
- c) an organic bond.

3.1.3 Bonding at a high temperature (above 800 °C) – fired or fused products – by:

- a) firing;
- b) fusion and solidification.

3.2 Shaping process

3.2.1 Binding of a non-coherent mix.

3.2.2 Shaping of a plastic body.

3.2.3 Casting (at ambient temperature) of a fluid mass or casting slip.

3.2.4 Casting (at high temperature) of fused material.

3.2.5 Shaping by special processes.

1) See ISO/R 1109.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 2246:1972

<https://standards.iteh.ai/catalog/standards/sist/5015a7eb-9b88-4a54-b483-e56bbc14998a/iso-2246-1972>