

ETSI TS 138 413 V18.1.0 (2024-05)



5G; NG-RAN; NG Application Protocol (NGAP) (3GPP TS 38.413 version 18.1.0 Release 18)

[ETSI TS 138 413 V18.1.0 \(2024-05\)](https://standards.iteh.ai/catalog/standards/etsi/c109540d-4297-4ca9-bed6-0c369deeb431/etsi-ts-138-413-v18-1-0-2024-05)

<https://standards.iteh.ai/catalog/standards/etsi/c109540d-4297-4ca9-bed6-0c369deeb431/etsi-ts-138-413-v18-1-0-2024-05>



ReferenceRTS/TSGR-0338413vi10

Keywords5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2024-05)

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	19
1 Scope	20
2 References	20
3 Definitions and abbreviations.....	22
3.1 Definitions	22
3.2 Abbreviations	23
4 General	24
4.1 Procedure Specification Principles.....	24
4.2 Forwards and Backwards Compatibility	25
4.3 Specification Notations	25
5 NGAP Services	25
6 Services Expected from Signalling Transport.....	25
7 Functions of NGAP	25
8 NGAP Procedures	26
8.1 List of NGAP Elementary Procedures.....	26
8.2 PDU Session Management Procedures	29
8.2.1 PDU Session Resource Setup	29
8.2.1.1 General	29
8.2.1.2 Successful Operation.....	29
8.2.1.3 Unsuccessful Operation	33
8.2.1.4 Abnormal Conditions	33
8.2.2 PDU Session Resource Release	34
8.2.2.1 General	34
8.2.2.2 Successful Operation.....	34
8.2.2.3 Unsuccessful Operation	35
8.2.2.4 Abnormal Conditions	35
8.2.3 PDU Session Resource Modify	35
8.2.3.1 General	35
8.2.3.2 Successful Operation.....	35
8.2.3.3 Unsuccessful Operation	39
8.2.3.4 Abnormal Conditions	39
8.2.4 PDU Session Resource Notify.....	40
8.2.4.1 General	40
8.2.4.2 Successful Operation.....	40
8.2.4.3 Abnormal Conditions	41
8.2.5 PDU Session Resource Modify Indication	41
8.2.5.1 General	41
8.2.5.2 Successful Operation.....	41
8.2.5.3 Unsuccessful Operation	43
8.2.5.4 Abnormal Conditions	43
8.3 UE Context Management Procedures.....	43
8.3.1 Initial Context Setup	43
8.3.1.1 General	43
8.3.1.2 Successful Operation.....	43
8.3.1.3 Unsuccessful Operation	48
8.3.1.4 Abnormal Conditions	48
8.3.2 UE Context Release Request (NG-RAN node initiated)	48
8.3.2.1 General	48

8.3.2.2	Successful Operation.....	49
8.3.2.3	Abnormal Conditions	49
8.3.3	UE Context Release (AMF initiated).....	49
8.3.3.1	General	49
8.3.3.2	Successful Operation.....	49
8.3.3.3	Unsuccessful Operation	50
8.3.3.4	Abnormal Conditions	50
8.3.4	UE Context Modification.....	50
8.3.4.1	General	50
8.3.4.2	Successful Operation.....	50
8.3.4.3	Unsuccessful Operation	54
8.3.4.4	Abnormal Conditions	54
8.3.5	RRC Inactive Transition Report	54
8.3.5.1	General	54
8.3.5.2	Successful Operation.....	55
8.3.5.3	Abnormal Conditions	55
8.3.6	Connection Establishment Indication	55
8.3.6.1	General	55
8.3.6.2	Successful Operation.....	55
8.3.6.3	Abnormal Conditions	56
8.3.7	AMF CP Relocation Indication	56
8.3.7.1	General	56
8.3.7.2	Successful Operation.....	57
8.3.7.3	Abnormal Conditions	57
8.3.8	RAN CP Relocation Indication.....	57
8.3.8.1	General	57
8.3.8.2	Successful Operation.....	58
8.3.8.3	Abnormal Conditions	58
8.3.9	Retrieve UE Information	58
8.3.9.1	General	58
8.3.9.2	Successful Operation.....	59
8.3.9.3	Abnormal Conditions	59
8.3.10	UE Information Transfer	59
8.3.10.1	General	59
8.3.10.2	Successful Operation.....	59
8.3.10.3	Abnormal Conditions	60
8.3.11	UE Context Suspend	60
8.3.11.1	General	60
8.3.11.2	Successful Operation.....	60
8.3.11.3	Unsuccessful Operation	61
8.3.11.4	Abnormal Conditions	61
8.3.12	UE Context Resume.....	61
8.3.12.1	General	61
8.3.12.2	Successful Operation.....	61
8.3.12.3	Unsuccessful Operation	62
8.3.12.4	Abnormal Conditions	62
8.3.13	MT Communication Handling.....	62
8.3.13.1	General	62
8.3.13.2	Successful Operation.....	63
8.3.13.3	Unsuccessful Operation	63
8.3.13.4	Abnormal Conditions	63
8.3.14	RAN Paging Request.....	63
8.3.14.1	General	63
8.3.14.2	Successful Operation.....	64
8.3.14.3	Abnormal Conditions	64
8.4	UE Mobility Management Procedures	64
8.4.1	Handover Preparation	64
8.4.1.1	General	64
8.4.1.2	Successful Operation.....	64
8.4.1.3	Unsuccessful Operation	67
8.4.1.4	Abnormal Conditions	67
8.4.2	Handover Resource Allocation	67

8.4.2.1	General	67
8.4.2.2	Successful Operation.....	68
8.4.2.3	Unsuccessful Operation	75
8.4.2.4	Abnormal Conditions	75
8.4.3	Handover Notification	76
8.4.3.1	General	76
8.4.3.2	Successful Operation.....	76
8.4.3.3	Abnormal Conditions	77
8.4.4	Path Switch Request	77
8.4.4.1	General	77
8.4.4.2	Successful Operation.....	77
8.4.4.3	Unsuccessful Operation	82
8.4.4.4	Abnormal Conditions	82
8.4.5	Handover Cancellation	83
8.4.5.1	General	83
8.4.5.2	Successful Operation.....	83
8.4.5.3	Unsuccessful Operation	83
8.4.5.4	Abnormal Conditions	83
8.4.6	Uplink RAN Status Transfer.....	83
8.4.6.1	General	83
8.4.6.2	Successful Operation.....	83
8.4.6.3	Abnormal Conditions	84
8.4.7	Downlink RAN Status Transfer.....	84
8.4.7.1	General	84
8.4.7.2	Successful Operation.....	84
8.4.7.3	Abnormal Conditions	84
8.4.8	Handover Success.....	85
8.4.8.1	General	85
8.4.8.2	Successful Operation.....	85
8.4.8.3	Abnormal Conditions	85
8.4.9	Uplink RAN Early Status Transfer	85
8.4.9.1	General	85
8.4.9.2	Successful Operation.....	85
8.4.9.3	Abnormal Conditions	86
8.4.10	Downlink RAN Early Status Transfer	86
8.4.10.1	General	86
8.4.10.2	Successful Operation.....	86
8.4.10.3	Abnormal Conditions	86
8.5	Paging Procedures	86
8.5.1	Paging	86
8.5.1.1	General	86
8.5.1.2	Successful Operation.....	87
8.5.1.3	Abnormal Conditions	88
8.5.2	Multicast Group Paging	88
8.5.2.1	General	88
8.5.2.2	Successful Operation.....	88
8.5.2.3	Abnormal Conditions	89
8.6	Transport of NAS Messages Procedures	89
8.6.1	Initial UE Message.....	89
8.6.1.1	General	89
8.6.1.2	Successful Operation.....	89
8.6.1.3	Abnormal Conditions	90
8.6.2	Downlink NAS Transport.....	90
8.6.2.1	General	90
8.6.2.2	Successful Operation.....	90
8.6.2.3	Abnormal Conditions	92
8.6.3	Uplink NAS Transport.....	92
8.6.3.1	General	92
8.6.3.2	Successful Operation.....	92
8.6.3.3	Abnormal Conditions	93
8.6.4	NAS Non Delivery Indication	93
8.6.4.1	General	93

8.6.4.2	Successful Operation.....	93
8.6.4.3	Abnormal Conditions	93
8.6.5	Reroute NAS Request.....	93
8.6.5.1	General	93
8.6.5.2	Successful Operation.....	93
8.6.5.3	Abnormal Conditions	94
8.7	Interface Management Procedures	94
8.7.1	NG Setup	94
8.7.1.1	General	94
8.7.1.2	Successful Operation.....	94
8.7.1.3	Unsuccessful Operation	95
8.7.1.4	Abnormal Conditions	96
8.7.2	RAN Configuration Update	96
8.7.2.1	General	96
8.7.2.2	Successful Operation.....	96
8.7.2.3	Unsuccessful Operation	97
8.7.2.4	Abnormal Conditions	97
8.7.3	AMF Configuration Update.....	98
8.7.3.1	General	98
8.7.3.2	Successful Operation.....	98
8.7.3.3	Unsuccessful Operation	99
8.7.3.4	Abnormal Conditions	99
8.7.4	NG Reset.....	100
8.7.4.1	General	100
8.7.4.2	Successful Operation.....	100
8.7.4.2.1	NG Reset initiated by the AMF	100
8.7.4.2.2	NG Reset initiated by the NG-RAN node	101
8.7.4.3	Unsuccessful Operation	101
8.7.4.4	Abnormal Conditions	101
8.7.4.4.1	Abnormal Condition at the 5GC.....	101
8.7.4.4.2	Abnormal Condition at the NG-RAN.....	102
8.7.4.4.3	Crossing of NG RESET Messages	102
8.7.5	Error Indication.....	102
8.7.5.1	General	102
8.7.5.2	Successful Operation.....	102
8.7.5.3	Abnormal Conditions	103
8.7.6	AMF Status Indication.....	103
8.7.6.1	General	103
8.7.6.2	Successful Operation.....	103
8.7.6.3	Abnormal Conditions	104
8.7.7	Overload Start	104
8.7.7.1	General	104
8.7.7.2	Successful Operation.....	104
8.7.7.3	Abnormal Conditions	105
8.7.8	Overload Stop	105
8.7.8.1	General	105
8.7.8.2	Successful Operation.....	105
8.7.8.3	Abnormal Conditions	105
8.8	Configuration Transfer Procedures	105
8.8.1	Uplink RAN Configuration Transfer	105
8.8.1.1	General	105
8.8.1.2	Successful Operation.....	106
8.8.1.3	Abnormal Conditions	106
8.8.2	Downlink RAN Configuration Transfer	106
8.8.2.1	General	106
8.8.2.2	Successful Operation.....	106
8.8.2.3	Abnormal Conditions	107
8.9	Warning Message Transmission Procedures.....	107
8.9.1	Write-Replace Warning	107
8.9.1.1	General	107
8.9.1.2	Successful Operation.....	108
8.9.1.3	Unsuccessful Operation	109

8.9.1.4	Abnormal Conditions	109
8.9.2	PWS Cancel	109
8.9.2.1	General	109
8.9.2.2	Successful Operation	109
8.9.2.3	Unsuccessful Operation	110
8.9.2.4	Abnormal Conditions	110
8.9.3	PWS Restart Indication	110
8.9.3.1	General	110
8.9.3.2	Successful Operation	110
8.9.3.3	Abnormal Conditions	110
8.9.4	PWS Failure Indication	110
8.9.4.1	General	110
8.9.4.2	Successful Operation	111
8.9.4.3	Abnormal Conditions	111
8.10	NRPPa Transport Procedures	111
8.10.1	General	111
8.10.2	Successful Operations	111
8.10.2.1	DOWNLINK UE ASSOCIATED NRPPA TRANSPORT	111
8.10.2.2	UPLINK UE ASSOCIATED NRPPA TRANSPORT	112
8.10.2.3	DOWNLINK NON UE ASSOCIATED NRPPA TRANSPORT	112
8.10.2.4	UPLINK NON UE ASSOCIATED NRPPA TRANSPORT	112
8.10.3	Unsuccessful Operations	113
8.10.4	Abnormal Conditions	113
8.11	Trace Procedures	113
8.11.1	Trace Start	113
8.11.1.1	General	113
8.11.1.2	Successful Operation	113
8.11.1.3	Abnormal Conditions	114
8.11.2	Trace Failure Indication	114
8.11.2.1	General	114
8.11.2.2	Successful Operation	114
8.11.2.3	Abnormal Conditions	114
8.11.3	Deactivate Trace	115
8.11.3.1	General	115
8.11.3.2	Successful Operation	115
8.11.3.3	Abnormal Conditions	115
8.11.4	Cell Traffic Trace	115
8.11.4.1	General	115
8.11.4.2	Successful Operation	115
8.11.4.3	Abnormal Conditions	116
8.12	Location Reporting Procedures	116
8.12.1	Location Reporting Control	116
8.12.1.1	General	116
8.12.1.2	Successful Operation	116
8.12.1.3	Abnormal Conditions	117
8.12.2	Location Reporting Failure Indication	117
8.12.2.1	General	117
8.12.2.2	Successful Operation	117
8.12.2.3	Abnormal Conditions	117
8.12.3	Location Report	118
8.12.3.1	General	118
8.12.3.2	Successful Operation	118
8.12.3.3	Abnormal Conditions	118
8.13	UE TNLA Binding Procedures	118
8.13.1	UE TNLA Binding Release	118
8.13.1.1	General	118
8.13.1.2	Successful Operation	118
8.13.1.3	Abnormal Conditions	119
8.14	UE Radio Capability Management Procedures	119
8.14.1	UE Radio Capability Info Indication	119
8.14.1.1	General	119
8.14.1.2	Successful Operation	119

8.14.1.3	Abnormal Conditions	119
8.14.2	UE Radio Capability Check.....	120
8.14.2.1	General	120
8.14.2.2	Successful Operation.....	120
8.14.2.3	Unsuccessful Operation	120
8.14.2.4	Abnormal Conditions	120
8.14.3	UE Radio Capability ID Mapping	120
8.14.3.1	General	120
8.14.3.2	Successful Operation.....	121
8.14.3.3	Unsuccessful Operation	121
8.14.3.4	Abnormal Conditions	121
8.15	Data Usage Reporting Procedures.....	121
8.15.1	Secondary RAT Data Usage Report	121
8.15.1.1	General	121
8.15.1.2	Successful Operation.....	121
8.15.1.3	Abnormal Conditions	122
8.16	RIM Information Transfer Procedures	122
8.16.1	Uplink RIM Information Transfer	122
8.16.1.1	General	122
8.16.1.2	Successful Operation.....	122
8.16.1.3	Abnormal Conditions	122
8.16.2	Downlink RIM Information Transfer	122
8.16.2.1	General	122
8.16.2.2	Successful Operation.....	123
8.16.2.3	Abnormal Conditions	123
8.17	Broadcast Session Management Procedures	123
8.17.1	Broadcast Session Setup	123
8.17.1.1	General	123
8.17.1.2	Successful Operation.....	123
8.17.1.3	Unsuccessful Operation	124
8.17.1.4	Abnormal Conditions	124
8.17.2	Broadcast Session Modification	124
8.17.2.1	General	124
8.17.2.2	Successful Operation.....	124
8.17.2.3	Unsuccessful Operation	125
8.17.2.4	Abnormal Conditions	125
8.17.3	Broadcast Session Release	125
8.17.3.1	General	125
8.17.3.2	Successful Operation.....	125
8.17.3.3	Unsuccessful Operation	126
8.17.3.4	Abnormal Conditions	126
8.17.4	Broadcast Session Release Required	126
8.17.4.1	General	126
8.17.4.2	Successful Operation.....	126
8.17.4.3	Abnormal Conditions	126
8.17.5	Broadcast Session Transport.....	126
8.17.5.1	General	126
8.17.5.2	Successful Operation.....	127
8.17.5.3	Unsuccessful Operation	127
8.17.5.4	Abnormal Conditions	127
8.18	Multicast Session Management Procedures	127
8.18.1	Distribution Setup	127
8.18.1.1	General	127
8.18.1.2	Successful Operation.....	128
8.18.1.3	Unsuccessful Operation	128
8.18.1.4	Abnormal Conditions	128
8.18.2	Distribution Release.....	128
8.18.2.1	General	128
8.18.2.2	Successful Operation.....	129
8.18.2.3	Unsuccessful Operation	129
8.18.2.4	Abnormal Conditions	129
8.18.3	Multicast Session Activation	129

8.18.3.1	General	129
8.18.3.2	Successful Operation.....	130
8.18.3.3	Unsuccessful Operation	130
8.18.3.4	Abnormal Conditions	130
8.18.4	Multicast Session Deactivation.....	131
8.18.4.1	General	131
8.18.4.2	Successful Operation.....	131
8.18.4.3	Unsuccessful Operation	131
8.18.4.4	Abnormal Conditions	131
8.18.5	Multicast Session Update.....	131
8.18.5.1	General	131
8.18.5.2	Successful Operation.....	132
8.18.5.3	Unsuccessful Operation	133
8.18.5.4	Abnormal Conditions	133
8.19	Timing Synchronisation Status Reporting Procedures.....	133
8.19.1	Timing Synchronisation Status	133
8.19.1.1	General	133
8.19.1.2	Successful Operation.....	133
8.19.1.3	Unsuccessful Operation	134
8.19.1.4	Abnormal Conditions	134
8.19.2	Timing Synchronisation Status Report	134
8.19.2.1	General	134
8.19.2.2	Successful Operation.....	134
8.19.2.3	Abnormal Conditions	134
9	Elements for NGAP Communication.....	135
9.0	General	135
9.1	Tabular Format Contents.....	135
9.1.1	Presence	135
9.1.2	Criticality	135
9.1.3	Range	135
9.1.4	Assigned Criticality	136
9.2	Message Functional Definition and Content	136
9.2.1	PDU Session Management Messages	136
9.2.1.1	PDU SESSION RESOURCE SETUP REQUEST	136
9.2.1.2	PDU SESSION RESOURCE SETUP RESPONSE	136
9.2.1.3	PDU SESSION RESOURCE RELEASE COMMAND	137
9.2.1.4	PDU SESSION RESOURCE RELEASE RESPONSE	138
9.2.1.5	PDU SESSION RESOURCE MODIFY REQUEST	138
9.2.1.6	PDU SESSION RESOURCE MODIFY RESPONSE	140
9.2.1.7	PDU SESSION RESOURCE NOTIFY	140
9.2.1.8	PDU SESSION RESOURCE MODIFY INDICATION.....	141
9.2.1.9	PDU SESSION RESOURCE MODIFY CONFIRM.....	142
9.2.2	UE Context Management Messages	142
9.2.2.1	INITIAL CONTEXT SETUP REQUEST	142
9.2.2.2	INITIAL CONTEXT SETUP RESPONSE	145
9.2.2.3	INITIAL CONTEXT SETUP FAILURE.....	146
9.2.2.4	UE CONTEXT RELEASE REQUEST	147
9.2.2.5	UE CONTEXT RELEASE COMMAND	147
9.2.2.6	UE CONTEXT RELEASE COMPLETE	147
9.2.2.7	UE CONTEXT MODIFICATION REQUEST.....	148
9.2.2.8	UE CONTEXT MODIFICATION RESPONSE.....	150
9.2.2.9	UE CONTEXT MODIFICATION FAILURE	150
9.2.2.10	RRC INACTIVE TRANSITION REPORT.....	151
9.2.2.11	CONNECTION ESTABLISHMENT INDICATION.....	151
9.2.2.12	AMF CP RELOCATION INDICATION	152
9.2.2.13	RAN CP RELOCATION INDICATION.....	152
9.2.2.14	RETRIEVE UE INFORMATION	152
9.2.2.15	UE INFORMATION TRANSFER	152
9.2.2.16	UE CONTEXT SUSPEND REQUEST	153
9.2.2.17	UE CONTEXT SUSPEND RESPONSE	153
9.2.2.18	UE CONTEXT SUSPEND FAILURE	154

9.2.2.19	UE CONTEXT RESUME REQUEST	154
9.2.2.20	UE CONTEXT RESUME RESPONSE	155
9.2.2.21	UE CONTEXT RESUME FAILURE	156
9.2.2.22	MT COMMUNICATION HANDLING REQUEST	156
9.2.2.23	MT COMMUNICATION HANDLING RESPONSE	157
9.2.2.24	MT COMMUNICATION HANDLING FAILURE	157
9.2.2.25	RAN PAGING REQUEST	157
9.2.3	UE Mobility Management Messages	158
9.2.3.1	HANDOVER REQUIRED	158
9.2.3.2	HANDOVER COMMAND	158
9.2.3.3	HANDOVER PREPARATION FAILURE	159
9.2.3.4	HANDOVER REQUEST	160
9.2.3.5	HANDOVER REQUEST ACKNOWLEDGE	163
9.2.3.6	HANDOVER FAILURE	164
9.2.3.7	HANDOVER NOTIFY	164
9.2.3.8	PATH SWITCH REQUEST	165
9.2.3.9	PATH SWITCH REQUEST ACKNOWLEDGE	166
9.2.3.10	PATH SWITCH REQUEST FAILURE	169
9.2.3.11	HANDOVER CANCEL	169
9.2.3.12	HANDOVER CANCEL ACKNOWLEDGE	169
9.2.3.13	UPLINK RAN STATUS TRANSFER	170
9.2.3.14	DOWNLINK RAN STATUS TRANSFER	170
9.2.3.15	HANDOVER SUCCESS	170
9.2.3.16	UPLINK RAN EARLY STATUS TRANSFER	170
9.2.3.17	DOWNLINK RAN EARLY STATUS TRANSFER	171
9.2.4	Paging Messages	171
9.2.4.1	PAGING	171
9.2.4.2	MULTICAST GROUP PAGING	172
9.2.5	NAS Transport Messages	173
9.2.5.1	INITIAL UE MESSAGE	173
9.2.5.2	DOWNLINK NAS TRANSPORT	174
9.2.5.3	UPLINK NAS TRANSPORT	174
9.2.5.4	NAS NON DELIVERY INDICATION	175
9.2.5.5	REROUTE NAS REQUEST	175
9.2.6	Interface Management Messages	176
9.2.6.1	NG SETUP REQUEST	176
9.2.6.2	NG SETUP RESPONSE	177
9.2.6.3	NG SETUP FAILURE	178
9.2.6.4	RAN CONFIGURATION UPDATE	178
9.2.6.5	RAN CONFIGURATION UPDATE ACKNOWLEDGE	180
9.2.6.6	RAN CONFIGURATION UPDATE FAILURE	180
9.2.6.7	AMF CONFIGURATION UPDATE	180
9.2.6.8	AMF CONFIGURATION UPDATE ACKNOWLEDGE	182
9.2.6.9	AMF CONFIGURATION UPDATE FAILURE	182
9.2.6.10	AMF STATUS INDICATION	183
9.2.6.11	NG RESET	183
9.2.6.12	NG RESET ACKNOWLEDGE	183
9.2.6.13	ERROR INDICATION	184
9.2.6.14	OVERLOAD START	184
9.2.6.15	OVERLOAD STOP	184
9.2.7	Configuration Transfer Messages	185
9.2.7.1	UPLINK RAN CONFIGURATION TRANSFER	185
9.2.7.2	DOWNLINK RAN CONFIGURATION TRANSFER	185
9.2.8	Warning Message Transmission Messages	185
9.2.8.1	WRITE-REPLACE WARNING REQUEST	185
9.2.8.2	WRITE-REPLACE WARNING RESPONSE	186
9.2.8.3	PWS CANCEL REQUEST	186
9.2.8.4	PWS CANCEL RESPONSE	186
9.2.8.5	PWS RESTART INDICATION	187
9.2.8.6	PWS FAILURE INDICATION	187
9.2.9	NRPPa Transport Messages	188
9.2.9.1	DOWNLINK UE ASSOCIATED NRPPA TRANSPORT	188

9.2.9.2	UPLINK UE ASSOCIATED NRPPA TRANSPORT	188
9.2.9.3	DOWNLINK NON UE ASSOCIATED NRPPA TRANSPORT	189
9.2.9.4	UPLINK NON UE ASSOCIATED NRPPA TRANSPORT	189
9.2.10	Trace Messages.....	189
9.2.10.1	TRACE START.....	189
9.2.10.2	TRACE FAILURE INDICATION	189
9.2.10.3	DEACTIVATE TRACE	189
9.2.10.4	CELL TRAFFIC TRACE	190
9.2.11	Location Reporting Messages.....	190
9.2.11.1	LOCATION REPORTING CONTROL	190
9.2.11.2	LOCATION REPORTING FAILURE INDICATION.....	191
9.2.11.3	LOCATION REPORT	191
9.2.12	UE TNLA Binding Messages	191
9.2.12.1	UE TNLA BINDING RELEASE REQUEST.....	191
9.2.13	UE Radio Capability Management Messages.....	192
9.2.13.1	UE RADIO CAPABILITY INFO INDICATION	192
9.2.13.2	UE RADIO CAPABILITY CHECK REQUEST.....	192
9.2.13.3	UE RADIO CAPABILITY CHECK RESPONSE.....	192
9.2.13.4	UE RADIO CAPABILITY ID MAPPING REQUEST	192
9.2.13.5	UE RADIO CAPABILITY ID MAPPING RESPONSE	193
9.2.14	Data Usage Reporting Messages	193
9.2.14.1	SECONDARY RAT DATA USAGE REPORT	193
9.2.15	RIM Information Transfer Messages.....	193
9.2.15.1	UPLINK RIM INFORMATION TRANSFER	193
9.2.15.2	DOWNLINK RIM INFORMATION TRANSFER	194
9.2.16	Broadcast Session Management Messages.....	194
9.2.16.1	BROADCAST SESSION SETUP REQUEST	194
9.2.16.2	BROADCAST SESSION SETUP RESPONSE	194
9.2.16.3	BROADCAST SESSION SETUP FAILURE	195
9.2.16.4	BROADCAST SESSION MODIFICATION REQUEST	195
9.2.16.5	BROADCAST SESSION MODIFICATION RESPONSE	195
9.2.16.6	BROADCAST SESSION MODIFICATION FAILURE	196
9.2.16.7	BROADCAST SESSION RELEASE REQUEST	196
9.2.16.8	BROADCAST SESSION RELEASE RESPONSE	196
9.2.16.9	BROADCAST SESSION RELEASE REQUIRED.....	196
9.2.16.10	BROADCAST SESSION TRANSPORT REQUEST	197
9.2.16.11	BROADCAST SESSION TRANSPORT RESPONSE	197
9.2.16.12	BROADCAST SESSION TRANSPORT FAILURE	197
9.2.17	Multicast Session Management Messages.....	198
9.2.17.1	DISTRIBUTION SETUP REQUEST.....	198
9.2.17.2	DISTRIBUTION SETUP RESPONSE.....	198
9.2.17.3	DISTRIBUTION SETUP FAILURE.....	198
9.2.17.4	DISTRIBUTION RELEASE REQUEST	199
9.2.17.5	DISTRIBUTION RELEASE RESPONSE	199
9.2.17.6	MULTICAST SESSION ACTIVATION REQUEST	199
9.2.17.7	MULTICAST SESSION ACTIVATION RESPONSE	199
9.2.17.8	MULTICAST SESSION ACTIVATION FAILURE	200
9.2.17.9	MULTICAST SESSION DEACTIVATION REQUEST	200
9.2.17.10	MULTICAST SESSION DEACTIVATION RESPONSE	200
9.2.17.11	MULTICAST SESSION UPDATE REQUEST	200
9.2.17.12	MULTICAST SESSION UPDATE RESPONSE	201
9.2.17.13	MULTICAST SESSION UPDATE FAILURE	201
9.2.18	Timing Synchronisation Status Reporting Messages.....	201
9.2.18.1	TIMING SYNCHRONISATION STATUS REQUEST.....	201
9.2.18.2	TIMING SYNCHRONISATION STATUS RESPONSE.....	202
9.2.18.3	TIMING SYNCHRONISATION STATUS FAILURE.....	202
9.2.18.4	TIMING SYNCHRONISATION STATUS REPORT	202
9.3	Information Element Definitions.....	202
9.3.1	Radio Network Layer Related IEs	202
9.3.1.1	Message Type	202
9.3.1.2	Cause.....	203
9.3.1.3	Criticality Diagnostics.....	209

9.3.1.4	Bit Rate	210
9.3.1.5	Global RAN Node ID.....	210
9.3.1.6	Global gNB ID	210
9.3.1.7	NR CGI	210
9.3.1.8	Global ng-eNB ID	211
9.3.1.9	E-UTRA CGI	211
9.3.1.10	GBR QoS Flow Information	211
9.3.1.11	Void.....	212
9.3.1.12	QoS Flow Level QoS Parameters.....	212
9.3.1.13	QoS Flow List with Cause	213
9.3.1.14	Trace Activation.....	214
9.3.1.15	Core Network Assistance Information for RRC INACTIVE.....	215
9.3.1.16	User Location Information.....	216
9.3.1.17	Slice Support List.....	218
9.3.1.18	Dynamic 5QI Descriptor	218
9.3.1.19	Allocation and Retention Priority	220
9.3.1.20	Source to Target Transparent Container	220
9.3.1.21	Target to Source Transparent Container	221
9.3.1.22	Handover Type.....	221
9.3.1.23	MICO Mode Indication.....	222
9.3.1.24	S-NSSAI	222
9.3.1.25	Target ID.....	222
9.3.1.26	Emergency Fallback Indicator	223
9.3.1.27	Security Indication	223
9.3.1.28	Non Dynamic 5QI Descriptor	224
9.3.1.29	Source NG-RAN Node to Target NG-RAN Node Transparent Container	225
9.3.1.30	Target NG-RAN Node to Source NG-RAN Node Transparent Container	228
9.3.1.31	Allowed NSSAI	230
9.3.1.32	Relative AMF Capacity.....	230
9.3.1.33	DL Forwarding.....	230
9.3.1.34	DRBs to QoS Flows Mapping List	230
9.3.1.35	Message Identifier.....	231
9.3.1.36	Serial Number	231
9.3.1.37	Warning Area List.....	231
9.3.1.38	Number of Broadcasts Requested	231
9.3.1.39	Warning Type	232
9.3.1.40	Void.....	232
9.3.1.41	Data Coding Scheme.....	232
9.3.1.42	Warning Message Contents.....	232
9.3.1.43	Broadcast Completed Area List	232
9.3.1.44	Broadcast Cancelled Area List.....	233
9.3.1.45	Number of Broadcasts.....	235
9.3.1.46	Concurrent Warning Message Indicator.....	235
9.3.1.47	Cancel-All Warning Messages Indicator	235
9.3.1.48	Emergency Area ID.....	235
9.3.1.49	Repetition Period.....	235
9.3.1.50	PDU Session ID	236
9.3.1.51	QoS Flow Identifier.....	236
9.3.1.52	PDU Session Type	236
9.3.1.53	DRB ID	236
9.3.1.54	Masked IMEISV	236
9.3.1.55	New Security Context Indicator.....	237
9.3.1.56	Time to Wait	237
9.3.1.57	Global N3IWF ID	237
9.3.1.58	UE Aggregate Maximum Bit Rate	237
9.3.1.59	Security Result	238
9.3.1.60	User Plane Security Information	238
9.3.1.61	Index to RAT/Frequency Selection Priority.....	238
9.3.1.62	Data Forwarding Accepted.....	238
9.3.1.63	Data Forwarding Not Possible	238
9.3.1.64	Direct Forwarding Path Availability	239
9.3.1.65	Location Reporting Request Type.....	239

9.3.1.66	Area of Interest.....	241
9.3.1.67	UE Presence in Area of Interest List.....	241
9.3.1.68	UE Radio Capability for Paging.....	241
9.3.1.69	Assistance Data for Paging.....	242
9.3.1.70	Assistance Data for Recommended Cells.....	242
9.3.1.71	Recommended Cells for Paging.....	242
9.3.1.72	Paging Attempt Information.....	242
9.3.1.73	NG-RAN CGI.....	243
9.3.1.74	UE Radio Capability.....	243
9.3.1.74a	UE Radio Capability – E-UTRA Format.....	243
9.3.1.75	Time Stamp.....	243
9.3.1.76	Location Reporting Reference ID.....	244
9.3.1.77	Data Forwarding Response DRB List.....	244
9.3.1.78	Paging Priority.....	244
9.3.1.79	Packet Loss Rate.....	244
9.3.1.80	Packet Delay Budget.....	244
9.3.1.81	Packet Error Rate.....	245
9.3.1.82	Averaging Window.....	245
9.3.1.83	Maximum Data Burst Volume.....	245
9.3.1.84	Priority Level.....	245
9.3.1.85	Mobility Restriction List.....	245
9.3.1.86	UE Security Capabilities.....	247
9.3.1.87	Security Key.....	249
9.3.1.88	Security Context.....	249
9.3.1.89	IMS Voice Support Indicator.....	249
9.3.1.90	Paging DRX.....	249
9.3.1.91	RRC Inactive Transition Report Request.....	250
9.3.1.92	RRC State.....	250
9.3.1.93	Expected UE Behaviour.....	250
9.3.1.94	Expected UE Activity Behaviour.....	251
9.3.1.95	UE History Information.....	252
9.3.1.96	Last Visited Cell Information.....	252
9.3.1.97	Last Visited NG-RAN Cell Information.....	253
9.3.1.98	Cell Type.....	253
9.3.1.99	Associated QoS Flow List.....	254
9.3.1.100	Information on Recommended Cells and RAN Nodes for Paging.....	254
9.3.1.101	Recommended RAN Nodes for Paging.....	254
9.3.1.102	PDU Session Aggregate Maximum Bit Rate.....	255
9.3.1.103	Maximum Integrity Protected Data Rate.....	255
9.3.1.104	Overload Response.....	255
9.3.1.105	Overload Action.....	255
9.3.1.106	Traffic Load Reduction Indication.....	256
9.3.1.107	Slice Overload List.....	256
9.3.1.108	RAN Status Transfer Transparent Container.....	256
9.3.1.109	COUNT Value for PDCP SN Length 12.....	258
9.3.1.110	COUNT Value for PDCP SN Length 18.....	258
9.3.1.111	RRC Establishment Cause.....	258
9.3.1.112	Warning Area Coordinates.....	259
9.3.1.113	Network Instance.....	259
9.3.1.114	Secondary RAT Usage Information.....	259
9.3.1.115	Volume Timed Report List.....	260
9.3.1.116	Redirection for Voice EPS Fallback.....	260
9.3.1.117	UE Retention Information.....	261
9.3.1.118	UL Forwarding.....	261
9.3.1.119	CN Assisted RAN Parameters Tuning.....	261
9.3.1.120	Common Network Instance.....	261
9.3.1.121	Data Forwarding Response E-RAB List.....	261
9.3.1.122	gNB Set ID.....	262
9.3.1.123	RNC-ID.....	262
9.3.1.124	Extended RNC-ID.....	262
9.3.1.125	RAT Information.....	262
9.3.1.126	Extended RAT Restriction Information.....	262