

ETSI TS 138 423 V18.1.0 (2024-05)



**5G;
NG-RAN;
Xn Application Protocol (XnAP)
(3GPP TS 38.423 version 18.1.0 Release 18)**

ETSI TS 138 423 V18.1.0 (2024-05)

<https://standards.iteh.ai/catalog/standards/etsi/5264368d-19b7-4bc5-b571-abcaff28f352/etsi-ts-138-423-v18-1-0-2024-05>



ReferenceRTS/TSGR-0338423vi10

Keywords5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2024-05)

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	16
1 Scope	17
2 References	17
3 Definitions, symbols and abbreviations	19
3.1 Definitions	19
3.2 Abbreviations	20
4 General	21
4.1 Procedure specification principles.....	21
4.2 Forwards and backwards compatibility	21
4.3 Specification notations	21
5 XnAP services	22
5.1 XnAP procedure modules	22
5.2 Parallel transactions.....	22
6 Services expected from signalling transport.....	22
7 Functions of XnAP.....	22
8 XnAP procedures	22
8.1 Elementary procedures	22
8.2 Basic mobility procedures	25
8.2.1 Handover Preparation	25
8.2.1.1 General	25
8.2.1.2 Successful Operation.....	25
8.2.1.3 Unsuccessful Operation	33
8.2.1.4 Abnormal Conditions	33
8.2.2 SN Status Transfer	34
8.2.2.1 General	34
8.2.2.2 Successful Operation.....	34
8.2.2.3 Unsuccessful Operation	35
8.2.2.4 Abnormal Conditions	35
8.2.3 Handover Cancel	35
8.2.3.1 General	35
8.2.3.2 Successful Operation.....	35
8.2.3.3 Unsuccessful Operation	36
8.2.3.4 Abnormal Conditions	36
8.2.4 Retrieve UE Context.....	36
8.2.4.1 General	36
8.2.4.2 Successful Operation.....	36
8.2.4.3 Unsuccessful Operation	40
8.2.4.4 Abnormal Conditions	40
8.2.5 RAN Paging.....	40
8.2.5.1 General	40
8.2.5.2 Successful operation.....	41
8.2.5.3 Unsuccessful Operation	42
8.2.5.4 Abnormal Condition.....	42
8.2.6 XN-U Address Indication	42
8.2.6.1 General	42
8.2.6.2 Successful Operation.....	42
8.2.6.3 Unsuccessful Operation	43
8.2.6.4 Abnormal Conditions	43

8.2.7	UE Context Release	44
8.2.7.1	General	44
8.2.7.2	Successful Operation.....	44
8.2.7.3	Unsuccessful Operation	45
8.2.7.4	Abnormal Conditions	45
8.2.8	Handover Success.....	45
8.2.8.1	General	45
8.2.8.2	Successful Operation.....	46
8.2.8.3	Unsuccessful Operation	46
8.2.8.4	Abnormal Conditions	46
8.2.9	Conditional Handover Cancel.....	46
8.2.9.1	General	46
8.2.9.2	Successful Operation.....	47
8.2.9.3	Unsuccessful Operation	47
8.2.9.4	Abnormal Conditions	47
8.2.10	Early Status Transfer	47
8.2.10.1	General	47
8.2.10.2	Successful Operation.....	48
8.2.10.3	Unsuccessful Operation	49
8.2.10.4	Abnormal Conditions	49
8.2.11	RAN Multicast Group Paging.....	49
8.2.11.1	General	49
8.2.11.2	Successful operation.....	49
8.2.12	Retrieve UE Context Confirm	50
8.2.12.1	General	50
8.2.12.2	Successful Operation.....	50
8.2.12.3	Unsuccessful Operation	50
8.2.12.4	Abnormal Conditions	50
8.2.13	Partial UE Context Transfer.....	51
8.2.13.1	General	51
8.2.13.2	Successful Operation.....	51
8.2.13.3	Unsuccessful Operation	51
8.2.13.4	Abnormal Condition.....	52
8.3	Procedures for Dual Connectivity	52
8.3.1	S-NG-RAN node Addition Preparation	52
8.3.1.1	General	52
8.3.1.2	Successful Operation.....	52
8.3.1.3	Unsuccessful Operation	59
8.3.1.4	Abnormal Conditions	59
8.3.2	S-NG-RAN node Reconfiguration Completion.....	60
8.3.2.1	General	60
8.3.2.2	Successful Operation.....	60
8.3.2.3	Abnormal Conditions	60
8.3.3	M-NG-RAN node initiated S-NG-RAN node Modification Preparation	61
8.3.3.1	General	61
8.3.3.2	Successful Operation.....	61
8.3.3.3	Unsuccessful Operation	70
8.3.3.4	Abnormal Conditions	70
8.3.4	S-NG-RAN node initiated S-NG-RAN node Modification	71
8.3.4.1	General	71
8.3.4.2	Successful Operation.....	71
8.3.4.3	Unsuccessful Operation	74
8.3.4.4	Abnormal Conditions	75
8.3.5	S-NG-RAN node initiated S-NG-RAN node Change.....	76
8.3.5.1	General	76
8.3.5.2	Successful Operation.....	76
8.3.5.3	Unsuccessful Operation	77
8.3.5.4	Abnormal Conditions	77
8.3.6	M-NG-RAN node initiated S-NG-RAN node Release	78
8.3.6.1	General	78
8.3.6.2	Successful Operation.....	78
8.3.6.3	Unsuccessful Operation	79

8.3.6.4	Abnormal Conditions	79
8.3.7	S-NG-RAN node initiated S-NG-RAN node Release	79
8.3.7.1	General	79
8.3.7.2	Successful Operation.....	79
8.3.7.3	Unsuccessful Operation	80
8.3.7.4	Abnormal Conditions	80
8.3.8	S-NG-RAN node Counter Check.....	80
8.3.8.1	General	80
8.3.8.2	Successful Operation.....	80
8.3.8.3	Unsuccessful Operation	81
8.3.8.4	Abnormal Conditions	81
8.3.9	RRC Transfer.....	81
8.3.9.1	General	81
8.3.9.2	Successful Operation.....	81
8.3.9.3	Unsuccessful Operation	82
8.3.9.4	Abnormal Conditions	82
8.3.10	Notification Control Indication.....	82
8.3.10.1	General	82
8.3.10.2	Successful Operation – M-NG-RAN node initiated.....	83
8.3.10.3	Successful Operation – S-NG-RAN node initiated	83
8.3.10.4	Abnormal Conditions	83
8.3.11	Activity Notification	84
8.3.11.1	General	84
8.3.11.2	Successful Operation.....	84
8.3.11.3	Abnormal Conditions	84
8.3.12	E-UTRA - NR Cell Resource Coordination	85
8.3.12.1	General	85
8.3.12.2	Successful Operation.....	85
8.3.13	Secondary RAT Data Usage Report	86
8.3.13.1	General	86
8.3.13.2	Successful Operation.....	86
8.3.13.3	Unsuccessful Operation	86
8.3.13.4	Abnormal Conditions	86
8.3.14	Trace Start.....	86
8.3.14.1	General	86
8.3.14.2	Successful Operation.....	87
8.3.14.3	Abnormal Conditions	87
8.3.15	Deactivate Trace	88
8.3.15.1	General	88
8.3.15.2	Successful Operation.....	88
8.3.15.3	Abnormal Conditions	88
8.3.16	Cell Traffic Trace.....	88
8.3.16.1	General	88
8.3.16.2	Successful Operation.....	89
8.3.17	SCG Failure Information Report	89
8.3.17.1	General	89
8.3.17.2	Successful Operation.....	89
8.3.17.3	Unsuccessful Operation	90
8.3.17.4	Abnormal Conditions	90
8.3.18	SCG Failure Transfer.....	90
8.3.18.1	General	90
8.3.18.2	Successful Operation.....	90
8.3.18.3	Unsuccessful Operation	90
8.3.18.4	Abnormal Conditions	90
8.3.19	Conditional PSCell Change Cancel	90
8.3.19.1	General	90
8.3.19.2	Successful Operation.....	91
8.3.19.3	Unsuccessful Operation	91
8.3.19.4	Abnormal Conditions	91
8.3.20	RACH Indication	91
8.3.20.1	General	91
8.3.20.2	Successful Operation.....	91

8.3.20.3	Abnormal Conditions	91
8.4	Global procedures.....	92
8.4.1	Xn Setup	92
8.4.1.1	General	92
8.4.1.2	Successful Operation.....	92
8.4.1.3	Unsuccessful Operation	94
8.4.1.4	Abnormal Conditions	95
8.4.2	NG-RAN node Configuration Update	95
8.4.2.1	General	95
8.4.2.2	Successful Operation.....	96
8.4.2.3	Unsuccessful Operation	100
8.4.2.4	Abnormal Conditions	100
8.4.3	Cell Activation.....	101
8.4.3.1	General	101
8.4.3.2	Successful Operation.....	101
8.4.3.3	Unsuccessful Operation	102
8.4.3.4	Abnormal Conditions	102
8.4.4	Reset	102
8.4.4.1	General	102
8.4.4.2	Successful Operation.....	102
8.4.4.3	Unsuccessful Operation	103
8.4.4.4	Abnormal Conditions	103
8.4.5	Error Indication.....	103
8.4.5.1	General	103
8.4.5.2	Successful Operation.....	104
8.4.5.3	Unsuccessful Operation	104
8.4.5.4	Abnormal Conditions	104
8.4.6	Xn Removal.....	104
8.4.6.1	General	104
8.4.6.2	Successful Operation.....	105
8.4.6.3	Unsuccessful Operation	105
8.4.6.4	Abnormal Conditions	105
8.4.7	Failure Indication.....	106
8.4.7.1	General	106
8.4.7.2	Successful Operation.....	106
8.4.7.3	Unsuccessful Operation	106
8.4.7.4	Abnormal Conditions	106
8.4.8	Handover Report.....	106
8.4.8.1	General	106
8.4.8.2	Successful Operation.....	107
8.4.8.3	Unsuccessful Operation	107
8.4.8.4	Abnormal Conditions	107
8.4.9	Mobility Settings Change	108
8.4.9.1	General	108
8.4.9.2	Successful Operation.....	108
8.4.9.3	Unsuccessful Operation	108
8.4.9.4	Abnormal Conditions	109
8.4.10	Resource Status Reporting Initiation	109
8.4.10.1	General	109
8.4.10.2	Successful Operation.....	109
8.4.10.3	Unsuccessful Operation	110
8.4.10.4	Abnormal Conditions	110
8.4.11	Resource Status Reporting.....	111
8.4.11.1	General	111
8.4.11.2	Successful Operation.....	111
8.4.11.3	Unsuccessful Operation	111
8.4.11.4	Abnormal Conditions	111
8.4.12	Access And Mobility Indication	111
8.4.12.1	General	111
8.4.12.2	Successful Operation.....	112
8.4.12.3	Abnormal Conditions	112
8.4.13	Data Collection Reporting Initiation.....	112

8.4.13.1	General	112
8.4.13.2	Successful Operation.....	112
8.4.13.3	Unsuccessful Operation	114
8.4.13.4	Abnormal Conditions	114
8.4.14	Data Collection Reporting	115
8.4.14.1	General	115
8.4.14.2	Successful Operation.....	115
8.4.14.3	Unsuccessful Operation	115
8.4.14.4	Abnormal Conditions	115
8.5	IAB Procedures	115
8.5.1	F1-C Traffic Transfer.....	115
8.5.1.1	General	115
8.5.1.2	Successful Operation.....	116
8.5.1.3	Unsuccessful Operation	116
8.5.1.4	Abnormal Conditions.....	116
8.5.2	IAB Transport Migration Management	116
8.5.2.1	General	116
8.5.2.2	Successful Operation.....	117
8.5.2.3	Unsuccessful Operation	118
8.5.2.4	Abnormal Conditions	118
8.5.3	IAB Transport Migration Modification	118
8.5.3.1	General	118
8.5.3.2	Successful Operation.....	118
8.5.3.3	Unsuccessful Operation	119
8.5.3.4	Abnormal Conditions	119
8.5.4	IAB Resource Coordination.....	119
8.5.4.1	General	119
8.5.4.2	Successful Operation.....	120
8.5.4.3	Unsuccessful Operation	120
8.5.4.4	Abnormal Conditions	120
9	Elements for XnAP Communication.....	121
9.0	General	121
9.1	Message Functional Definition and Content	121
9.1.1	Messages for Basic Mobility Procedures.....	121
9.1.1.1	HANDOVER REQUEST	121
9.1.1.2	HANDOVER REQUEST ACKNOWLEDGE.....	125
9.1.1.3	HANDOVER PREPARATION FAILURE	126
9.1.1.4	SN STATUS TRANSFER	127
9.1.1.5	UE CONTEXT RELEASE	127
9.1.1.6	HANDOVER CANCEL	128
9.1.1.7	RAN PAGING	128
9.1.1.8	RETRIEVE UE CONTEXT REQUEST.....	129
9.1.1.9	RETRIEVE UE CONTEXT RESPONSE.....	131
9.1.1.10	RETRIEVE UE CONTEXT FAILURE.....	132
9.1.1.11	XN-U ADDRESS INDICATION	133
9.1.1.12	HANDOVER SUCCESS	134
9.1.1.13	CONDITIONAL HANDOVER CANCEL	135
9.1.1.14	EARLY STATUS TRANSFER	136
9.1.1.15	RAN MULTICAST GROUP PAGING	137
9.1.1.16	RETRIEVE UE CONTEXT CONFIRM	138
9.1.1.17	PARTIAL UE CONTEXT TRANSFER.....	138
9.1.1.18	PARTIAL UE CONTEXT TRANSFER ACKNOWLEDGE.....	139
9.1.1.19	PARTIAL UE CONTEXT TRANSFER FAILURE.....	139
9.1.2	Messages for Dual Connectivity Procedures	139
9.1.2.1	S-NODE ADDITION REQUEST.....	139
9.1.2.2	S-NODE ADDITION REQUEST ACKNOWLEDGE	144
9.1.2.3	S-NODE ADDITION REQUEST REJECT.....	146
9.1.2.4	S-NODE RECONFIGURATION COMPLETE	147
9.1.2.5	S-NODE MODIFICATION REQUEST	147
9.1.2.6	S-NODE MODIFICATION REQUEST ACKNOWLEDGE	152
9.1.2.7	S-NODE MODIFICATION REQUEST REJECT	156

9.1.2.8	S-NODE MODIFICATION REQUIRED	156
9.1.2.9	S-NODE MODIFICATION CONFIRM.....	159
9.1.2.10	S-NODE MODIFICATION REFUSE	160
9.1.2.11	S-NODE CHANGE REQUIRED	161
9.1.2.12	S-NODE CHANGE CONFIRM	162
9.1.2.13	S-NODE CHANGE REFUSE.....	164
9.1.2.14	S-NODE RELEASE REQUEST.....	164
9.1.2.15	S-NODE RELEASE REQUEST ACKNOWLEDGE	165
9.1.2.16	S-NODE RELEASE REJECT	165
9.1.2.17	S-NODE RELEASE REQUIRED	165
9.1.2.18	S-NODE RELEASE CONFIRM	166
9.1.2.19	S-NODE COUNTER CHECK REQUEST	166
9.1.2.20	RRC TRANSFER	167
9.1.2.21	NOTIFICATION CONTROL INDICATION	170
9.1.2.22	ACTIVITY NOTIFICATION.....	170
9.1.2.23	E-UTRA - NR CELL RESOURCE COORDINATION REQUEST	171
9.1.2.24	E-UTRA - NR CELL RESOURCE COORDINATION RESPONSE	173
9.1.2.25	SECONDARY RAT DATA USAGE REPORT	174
9.1.2.26	TRACE START	174
9.1.2.27	DEACTIVATE TRACE	175
9.1.2.28	CELL TRAFFIC TRACE	175
9.1.2.29	SCG FAILURE INFORMATION REPORT	175
9.1.2.30	SCG FAILURE TRANSFER.....	176
9.1.2.31	CONDITIONAL PSCell CHANGE CANCEL	176
9.1.2.32	RACH INDICATION	177
9.1.3	Messages for Global Procedures.....	177
9.1.3.1	XN SETUP REQUEST.....	177
9.1.3.2	XN SETUP RESPONSE.....	179
9.1.3.3	XN SETUP FAILURE.....	180
9.1.3.4	NG-RAN NODE CONFIGURATION UPDATE.....	181
9.1.3.5	NG-RAN NODE CONFIGURATION UPDATE ACKNOWLEDGE	183
9.1.3.6	NG-RAN NODE CONFIGURATION UPDATE FAILURE	185
9.1.3.7	CELL ACTIVATION REQUEST	185
9.1.3.8	CELL ACTIVATION RESPONSE	186
9.1.3.9	CELL ACTIVATION FAILURE	187
9.1.3.10	RESET REQUEST	187
9.1.3.11	RESET RESPONSE.....	188
9.1.3.12	ERROR INDICATION.....	189
9.1.3.13	XN REMOVAL REQUEST	189
9.1.3.14	XN REMOVAL RESPONSE	189
9.1.3.15	XN REMOVAL FAILURE	190
9.1.3.16	FAILURE INDICATION	190
9.1.3.17	HANDOVER REPORT	191
9.1.3.18	RESOURCE STATUS REQUEST	193
9.1.3.19	RESOURCE STATUS RESPONSE	194
9.1.3.20	RESOURCE STATUS FAILURE	195
9.1.3.21	RESOURCE STATUS UPDATE	195
9.1.3.22	MOBILITY CHANGE REQUEST.....	197
9.1.3.23	MOBILITY CHANGE ACKNOWLEDGE.....	197
9.1.3.24	MOBILITY CHANGE FAILURE.....	198
9.1.3.25	ACCESS AND MOBILITY INDICATION	198
9.1.3.26	DATA COLLECTION REQUEST.....	200
9.1.3.27	DATA COLLECTION RESPONSE.....	201
9.1.3.28	DATA COLLECTION FAILURE.....	203
9.1.3.29	DATA COLLECTION UPDATE	203
9.1.4	Messages for IAB Procedures.....	205
9.1.4.1	F1-C TRAFFIC TRANSFER.....	205
9.1.4.2	IAB TRANSPORT MIGRATION MANAGEMENT REQUEST	205
9.1.4.3	IAB TRANSPORT MIGRATION MANAGEMENT RESPONSE	206
9.1.4.3a	IAB TRANSPORT MIGRATION MANAGEMENT REJECT	207
9.1.4.4	IAB TRANSPORT MIGRATION MODIFICATION REQUEST	208
9.1.4.5	IAB TRANSPORT MIGRATION MODIFICATION RESPONSE	209

9.1.4.6	IAB RESOURCE COORDINATION REQUEST	210
9.1.4.7	IAB RESOURCE COORDINATION RESPONSE	211
9.2	Information Element definitions	212
9.2.0	General	212
9.2.1	Container and List IE definitions	212
9.2.1.1	PDU Session Resources To Be Setup List	212
9.2.1.2	PDU Session Resources Admitted List	214
9.2.1.3	PDU Session Resources Not Admitted List	214
9.2.1.4	QoS Flow List with Cause	215
9.2.1.4a	QoS Flow List	215
9.2.1.5	PDU Session Resource Setup Info – SN terminated	215
9.2.1.6	PDU Session Resource Setup Response Info – SN terminated	216
9.2.1.7	PDU Session Resource Setup Info – MN terminated	219
9.2.1.8	PDU Session Resource Setup Response Info – MN terminated	220
9.2.1.9	PDU Session Resource Modification Info – SN terminated	222
9.2.1.10	PDU Session Resource Modification Response Info – SN terminated	224
9.2.1.11	PDU Session Resource Modification Info – MN terminated	228
9.2.1.12	PDU Session Resource Modification Response Info – MN terminated	230
9.2.1.13	UE Context Information – Retrieve UE Context Response	232
9.2.1.14	DRBs Subject To Status Transfer List	233
9.2.1.15	DRB to QoS Flow Mapping List	235
9.2.1.16	Data Forwarding Info from target NG-RAN node	236
9.2.1.17	Data Forwarding and Offloading Info from source NG-RAN node	237
9.2.1.18	PDU Session Resource Change Required Info – SN terminated	238
9.2.1.19	PDU Session Resource Change Confirm Info – SN terminated	238
9.2.1.20	PDU Session Resource Modification Required Info – SN terminated	238
9.2.1.21	PDU Session Resource Modification Confirm Info – SN terminated	241
9.2.1.22	PDU Session Resource Modification Required Info – MN terminated	242
9.2.1.23	PDU Session Resource Modification Confirm Info – MN terminated	243
9.2.1.24	PDU Session List with data forwarding request info	243
9.2.1.25	PDU Session List with data forwarding info from the target node	244
9.2.1.26	PDU Session List with Cause	244
9.2.1.27	PDU Session List	244
9.2.1.28	DRB List with Cause	245
9.2.1.29	DRB List	245
9.2.1.30	PDU Session Resource Setup Complete Info – SN terminated	245
9.2.1.31	Secondary Data Forwarding Info from target NG-RAN node List	246
9.2.1.32	Additional UL NG-U UP TNL Information at UPF List	246
9.2.1.33	DAPS Request Information	246
9.2.1.34	DAPS Response Information	247
9.2.1.35	Data Forwarding Info from target E-UTRAN node	247
9.2.1.36	MBS Session Information List	247
9.2.1.37	MBS Session Associated Information	248
9.2.1.38	MBS Session Information Response List	249
9.2.1.39	MBS Mapping and Data Forwarding Request Info from source NG-RAN node	249
9.2.1.40	MBS Data Forwarding Response Info from target NG-RAN node	249
9.2.2	NG-RAN Node and Cell Configuration related IE definitions	250
9.2.2.1	Global gNB ID	250
9.2.2.2	Global ng-eNB ID	250
9.2.2.3	Global NG-RAN Node ID	250
9.2.2.4	PLMN Identity	251
9.2.2.5	TAC	251
9.2.2.6	RAN Area Code	251
9.2.2.7	NR CGI	251
9.2.2.8	E-UTRA CGI	251
9.2.2.9	NG-RAN Cell Identity	252
9.2.2.10	NG-RAN Cell PCI	252
9.2.2.11	Served Cell Information NR	252
9.2.2.12	Served Cell Information E-UTRA	258
9.2.2.13	Neighbour Information NR	262
9.2.2.14	Neighbour Information E-UTRA	262
9.2.2.15	Served Cells To Update NR	263

9.2.2.16	Served Cells to Update E-UTRA	264
9.2.2.17	Cell Assistance Information NR	264
9.2.2.18	SUL Information	265
9.2.2.19	NR Frequency Info.....	266
9.2.2.20	NR Transmission Bandwidth	267
9.2.2.21	E-UTRA ARFCN.....	267
9.2.2.22	E-UTRA Transmission Bandwidth	267
9.2.2.23	Number of Antenna Ports E-UTRA	268
9.2.2.24	E-UTRA Multiband Info List.....	268
9.2.2.25	E-UTRA PRACH Configuration	268
9.2.2.26	MBSFN Subframe Allocation E-UTRA	269
9.2.2.27	Global NG-RAN Cell Identity	269
9.2.2.28	Connectivity Support	269
9.2.2.29	Protected E-UTRA Resource Indication	269
9.2.2.30	Data Traffic Resource Indication	271
9.2.2.31	Data Traffic Resources.....	271
9.2.2.32	Reserved Subframe Pattern	272
9.2.2.33	MR-DC Resource Coordination Information.....	272
9.2.2.34	E-UTRA Resource Coordination Information	273
9.2.2.35	NR Resource Coordination Information	274
9.2.2.36	E-UTRA Coordination Assistance Information	275
9.2.2.37	NR Coordination Assistance Information	275
9.2.2.38	NE-DC TDM Pattern	276
9.2.2.39	Interface Instance Indication	276
9.2.2.39a	Configured TAC Indication	276
9.2.2.40	Intended TDD DL-UL Configuration NR.....	276
9.2.2.41	Cell and Capacity Assistance Information NR.....	277
9.2.2.42	Cell and Capacity Assistance Information E-UTRA.....	278
9.2.2.43	Cell Assistance Information E-UTRA	278
9.2.2.44	Maximum Cell List Size	278
9.2.2.45	Message Oversize Notification	278
9.2.2.46	Partial List Indicator.....	279
9.2.2.47	Offset of NB-IoT Channel Number to EARFCN.....	279
9.2.2.48	NB-IoT UL DL Alignment Offset	279
9.2.2.49	TNL Capacity Indicator	279
9.2.2.50	Radio Resource Status.....	280
9.2.2.51	Composite Available Capacity Group.....	282
9.2.2.52	Composite Available Capacity.....	283
9.2.2.53	Cell Capacity Class Value.....	283
9.2.2.54	Capacity Value.....	283
9.2.2.55	Slice Available Capacity	284
9.2.2.56	RRC Connections.....	284
9.2.2.57	Number of RRC Connections	284
9.2.2.58	Available RRC Connection Capacity Value	285
9.2.2.59	UE RLF Report	285
9.2.2.60	Mobility Parameters Information.....	285
9.2.2.61	Mobility Parameters Modification Range	286
9.2.2.62	Number of Active UEs.....	286
9.2.2.63	NR Carrier List.....	286
9.2.2.64	SSB Positions In Burst	286
9.2.2.65	NID	287
9.2.2.66	CAG-Identifier	287
9.2.2.67	Broadcast NID List	287
9.2.2.68	Broadcast SNPN ID List	287
9.2.2.69	Broadcast CAG-Identifier List	288
9.2.2.70	Broadcast PNI-NPN ID Information.....	288
9.2.2.71	NPN Broadcast Information.....	288
9.2.2.72	NPN Support.....	288
9.2.2.73	Global Cell Identity	289
9.2.2.74	NPRACH Configuration	289
9.2.2.75	SFN Offset	290
9.2.2.76	CHO Configuration.....	290

9.2.2.77	SSB Offset Information.....	291
9.2.2.78	SSB Offset Modification Range.....	291
9.2.2.79	Multiplexing Info	291
9.2.2.80	Traffic Index	292
9.2.2.81	Traffic Profile.....	292
9.2.2.82	F1-Terminating Topology BH Information	292
9.2.2.83	Non-F1-terminating Topology BH Information.....	293
9.2.2.84	Traffic To Be Released Information	294
9.2.2.85	IAB TNL Address Request	294
9.2.2.86	IAB TNL Address Response.....	295
9.2.2.87	BAP Routing ID.....	295
9.2.2.88	BH RLC Channel ID.....	295
9.2.2.89	BAP Address.....	296
9.2.2.90	BAP Path ID.....	296
9.2.2.91	IAB QoS mapping information.....	296
9.2.2.92	IAB TNL Address.....	296
9.2.2.93	IAB TNL Addresses Requested	296
9.2.2.94	IAB Cell Information	297
9.2.2.95	gNB-DU Cell Resource Configuration	298
9.2.2.96	IAB STC Info.....	300
9.2.2.97	RB Set Configuration.....	301
9.2.2.98	IAB TNL Address Exception.....	301
9.2.2.99	BH Info List	302
9.2.2.100	Non-UP traffic.....	302
9.2.2.101	Local NG-RAN Node Identifier.....	302
9.2.2.102	Served Cell Specific Info Request	304
9.2.2.103	CPAC Configuration.....	304
9.2.2.104	Radio Resource Status NR-U.....	305
9.2.2.105	Mobile IAB Authorization Status	305
9.2.2.106	Mobile IAB Cell.....	305
9.2.3	General IE definitions.....	305
9.2.3.1	Message Type	305
9.2.3.2	Cause.....	305
9.2.3.3	Criticality Diagnostics.....	312
9.2.3.4	Bit Rate	312
9.2.3.5	QoS Flow Level QoS Parameters.....	313
9.2.3.6	GBR QoS Flow Information	314
9.2.3.7	Allocation and Retention Priority	314
9.2.3.8	Non dynamic 5QI Descriptor	315
9.2.3.9	Dynamic 5QI Descriptor	316
9.2.3.10	QoS Flow Identifier.....	317
9.2.3.11	Packet Loss Rate	317
9.2.3.12	Packet Delay Budget.....	317
9.2.3.13	Packet Error Rate	318
9.2.3.14	Averaging Window	318
9.2.3.15	Maximum Data Burst Volume	318
9.2.3.16	NG-RAN node UE XnAP ID	318
9.2.3.17	UE Aggregate Maximum Bit Rate	318
9.2.3.18	PDU Session ID	319
9.2.3.19	PDU Session Type	319
9.2.3.20	TAI Support List	319
9.2.3.21	S-NSSAI	320
9.2.3.22	Slice Support List.....	320
9.2.3.23	Index to RAT/Frequency Selection Priority.....	320
9.2.3.24	GUAMI	320
9.2.3.25	Target Cell Global ID.....	321
9.2.3.26	AMF UE NGAP ID.....	321
9.2.3.27	SCG Configuration Query.....	321
9.2.3.28	RLC Mode.....	321
9.2.3.29	Transport Layer Address.....	321
9.2.3.30	UP Transport Layer Information.....	321
9.2.3.31	CP Transport Layer Information.....	322

9.2.3.32	Masked IMEISV	322
9.2.3.33	DRB ID	322
9.2.3.34	DL Forwarding	323
9.2.3.35	Data Forwarding Accepted	323
9.2.3.36	COUNT Value for PDCP SN Length 12	323
9.2.3.37	COUNT Value for PDCP SN Length 18	323
9.2.3.38	RAN Paging Area	323
9.2.3.39	RAN Area ID	324
9.2.3.40	UE Context ID	324
9.2.3.41	Assistance Data for RAN Paging	324
9.2.3.42	RAN Paging Attempt Information	325
9.2.3.43	UE RAN Paging Identity	325
9.2.3.44	Paging Priority	325
9.2.3.45	Delivery Status	325
9.2.3.46	I-RNTI	326
9.2.3.47	Location Reporting Information	326
9.2.3.48	Area of Interest Information	326
9.2.3.49	UE Security Capabilities	327
9.2.3.50	AS Security Information	328
9.2.3.51	S-NG-RAN node Security Key	329
9.2.3.52	Security Indication	329
9.2.3.53	Mobility Restriction List	329
9.2.3.54	Xn Benefit Value	331
9.2.3.55	Trace Activation	331
9.2.3.56	Time To Wait	332
9.2.3.57	QoS Flow Notification Control Indication Info	332
9.2.3.58	Request Reporting Reference ID	333
9.2.3.59	User plane traffic activity report	333
9.2.3.60	Lower Layer presence status change	333
9.2.3.61	RRC Resume Cause	334
9.2.3.62	Priority Level	334
9.2.3.63	PDCP SN Length	334
9.2.3.64	UE History Information	334
9.2.3.65	Last Visited Cell Information	335
9.2.3.66	Paging DRX	335
9.2.3.67	Security Result	335
9.2.3.68	UE Context Kept Indicator	335
9.2.3.69	PDU Session Aggregate Maximum Bit Rate	335
9.2.3.70	LCID	336
9.2.3.71	Duplication Activation	336
9.2.3.72	RRC Config Indication	336
9.2.3.73	Maximum Integrity Protected Data Rate	336
9.2.3.74	PDCP Change Indication	337
9.2.3.75	UL Configuration	337
9.2.3.76	UP Transport Parameters	337
9.2.3.77	Desired Activity Notification Level	338
9.2.3.78	Number of DRB IDs	338
9.2.3.79	QoS Flow Mapping Indication	338
9.2.3.80	RLC Status	338
9.2.3.81	Expected UE Behaviour	338
9.2.3.82	Expected UE Activity Behaviour	339
9.2.3.83	AMF Region Information	340
9.2.3.84	TNL Association Usage	340
9.2.3.85	Network Instance	340
9.2.3.86	PDCP Duplication Configuration	340
9.2.3.87	Secondary RAT Usage Information	340
9.2.3.88	Volume Timed Report List	341
9.2.3.89	Maximum IP Rate	341
9.2.3.90	UL Forwarding	342
9.2.3.91	UE Radio Capability for Paging	342
9.2.3.92	Common Network Instance	342
9.2.3.93	Default DRB Allowed	342

9.2.3.94	Split Session Indicator.....	342
9.2.3.95	UL Forwarding Proposal.....	343
9.2.3.96	TNL Configuration Info.....	343
9.2.3.97	NG-RAN Trace ID.....	344
9.2.3.98	Non-GBR Resources Offered.....	344
9.2.3.99	Extended RAT Restriction Information	344
9.2.3.100	5GC Mobility Restriction List Container	344
9.2.3.101	Maximum Number of CHO Preparations	345
9.2.3.102	Alternative QoS Parameters Set List.....	345
9.2.3.103	Alternative QoS Parameters Set Index.....	345
9.2.3.104	Alternative QoS Parameters Set Notify Index.....	345
9.2.3.105	NR V2X Services Authorized	346
9.2.3.106	LTE V2X Services Authorized	346
9.2.3.107	NR UE Sidelink Aggregate Maximum Bit Rate	346
9.2.3.108	LTE UE Sidelink Aggregate Maximum Bit Rate.....	346
9.2.3.109	PC5 QoS Parameters.....	346
9.2.3.110	UE History Information from the UE	347
9.2.3.111	RLC Duplication Information	347
9.2.3.112	Redundant PDU Session Information	348
9.2.3.113	Extended Packet Delay Budget.....	348
9.2.3.114	TSC Traffic Characteristics.....	348
9.2.3.115	TSC Assistance Information	348
9.2.3.116	Periodicity	349
9.2.3.117	Burst Arrival Time	349
9.2.3.118	Redundant QoS Flow Indicator.....	349
9.2.3.119	NPN Mobility Information.....	349
9.2.3.120	Allowed PN1-NPN ID List.....	350
9.2.3.121	NPN Paging Assistance Information.....	350
9.2.3.122	Void.....	351
9.2.3.123	PN1-NPN Restricted Information.....	351
9.2.3.124	URI.....	351
9.2.3.125	MDT Configuration	351
9.2.3.126	MDT Configuration-NR.....	351
9.2.3.127	MDT Configuration-EUTRA.....	355
9.2.3.128	M1 Configuration.....	355
9.2.3.129	M4 Configuration.....	357
9.2.3.130	M5 Configuration.....	358
9.2.3.131	M6 Configuration.....	358
9.2.3.132	M7 Configuration.....	358
9.2.3.133	MDT PLMN List	359
9.2.3.134	Bluetooth Measurement Configuration.....	359
9.2.3.135	WLAN Measurement Configuration.....	359
9.2.3.136	Sensor Measurement Configuration.....	360
9.2.3.137	Logged Event Trigger Config	360
9.2.3.138	UE Radio Capability ID	361
9.2.3.139	Extended Slice Support List.....	361
9.2.3.140	Area Scope of Neighbour Cells.....	361
9.2.3.141	Extended UE Identity Index Value	362
9.2.3.142	E-UTRA Paging eDRX Information.....	362
9.2.3.143	UE Specific DRX.....	362
9.2.3.144	QoS Mapping Information	362
9.2.3.144a	Hashed UE Identity Index Value	363
9.2.3.145	MRB ID	363
9.2.3.146	MBS Session ID.....	363
9.2.3.147	MRB Progress Information	363
9.2.3.148	MBS Area Session ID	363
9.2.3.149	MBS Service Area information.....	363
9.2.3.150	MBS Service Area	364
9.2.3.151	SCG UE History Information.....	364
9.2.3.152	Survival Time.....	364
9.2.3.153	Time Synchronisation Assistance Information	365
9.2.3.154	SCG Activation Request	365