
**Equipment for crop protection —
Sprayer nozzles — Colour coding for
identification**

*Matériel de protection des cultures — Buses de pulvérisation — Code
couleur pour l'identification*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 10625:2018](https://standards.iteh.ai/catalog/standards/sist/3763f276-db31-456c-894d-13bf10c9b9c0/iso-10625-2018)

<https://standards.iteh.ai/catalog/standards/sist/3763f276-db31-456c-894d-13bf10c9b9c0/iso-10625-2018>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 10625:2018

<https://standards.iteh.ai/catalog/standards/sist/3763f276-db31-456c-894d-13bf10c9b9c0/iso-10625-2018>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Requirements	1
5 Nozzle colour code	1
Bibliography	5

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 10625:2018](#)

<https://standards.iteh.ai/catalog/standards/sist/3763f276-db31-456c-894d-13bf10c9b9c0/iso-10625-2018>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 6, *Equipment for crop protection*.

This third edition cancels and replaces the second edition (ISO 10625:2005), which has been technically revised.

The main changes compared to the previous edition are as follows:

- updating of [Clause 5](#) for 11 new models (at 300 kPa):
 - 4,8 l/min 12 capacity;
 - 5,6 l/min 14 capacity;
 - 6,4 l/min 16 capacity;
 - 7,2 l/min 18 capacity;
 - 8,0 l/min 20 capacity;
 - 10 l/min 25 capacity;
 - 12 l/min 30 capacity;
 - 16 l/min 40 capacity;
 - 20 l/min 50 capacity;
 - 24 l/min 60 capacity;
 - 32 l/min 80 capacity;
- changing of colour for 1,4 l/min 035 capacity from brown red RAL 3011 to purple red 3004-P;

- separation of the table defining the colour code into 2 separate tables, one for high flow rate's nozzles (over 8 l/min) and one for low flow rate's nozzles (under 7,9 l/min).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 10625:2018

<https://standards.iteh.ai/catalog/standards/sist/3763f276-db31-456c-894d-13bf10c9b9c0/iso-10625-2018>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 10625:2018

<https://standards.iteh.ai/catalog/standards/sist/3763f276-db31-456c-894d-13bf10c9b9c0/iso-10625-2018>

Equipment for crop protection — Sprayer nozzles — Colour coding for identification

IMPORTANT — The colours represented in the electronic file of this document can be neither viewed on screen nor printed as true representations.

1 Scope

This document specifies the system of colour coding for flow rate identification of nozzles used on sprayers.

It is applicable to hydraulic energy nozzles such as flat and cone nozzles used for the application of crop protection products.

This document is not applicable to adjustable nozzles.

It allows for flow recognition on small parts in order to avoid any confusion under normal conditions of use.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5681, *Equipment for crop protection — Vocabulary*
ISO 10625:2018
<https://standards.iso.org/standards/catalog/standards/sr/3763f276-db31-456c-894d-13bf10c9b9c0/iso-10625-2018>

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5681 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

4 Requirements

Sprayer nozzles shall be colour-coded according to [Clause 5](#). If nozzles are made of plastics, the material shall be uniformly coloured throughout.

5 Nozzle colour code











The colour of the nozzle shall be that specified in [Table 1](#) and [Table 2](#), on the basis of the nozzle's flow rate at a working pressure of 300 kPa¹⁾.

To limit the number of colours used, the colours for low flow rate nozzles are also used for high flow rate nozzles (over 8 l/min).

The colours for low flow rate nozzles are presented in [Table 1](#).

1) This value corresponds to the value used for tests specified in ISO 5682-1.










Table 1 — Colour code for low flow rate nozzles (under 7,9 l/min)

Flow rate at 300 kPa (l/min with relative tolerance of ± 5 %)	Nozzle size ^a	Colour	Colour name	RAL number ^{a,b}
0,2	0050		Blue lilac	4005-P
0,25	0067		Olive green	6003-P
0,3	0075		Light pink	3015-P
0,4	01		Pure orange	2004-P
0,6	015		Traffic green	6024-P
0,8	02		Zinc yellow	1018-P
1,0	025		Signal violet	4008-P
1,2	03		Gentian blue	5010-P
1,4	035		Purple red	3004-P
1,6	04		Flame red	3000-P

^a For information only.

^b RAL is an acronym of the German Institute for Quality Assurance and Certification (Deutsches Institut für Gütesicherung und Kennzeichnung e.V.) - <http://www.ral-farben.de/content/application-help/all-ral-colours-names/overview-ral-plastics-colours.html>.

Table 1 (continued)

Flow rate at 300 kPa (l/min with relative tolerance of ± 5 %)	Nozzle size ^a	Colour	Colour name	RAL number ^{a,b}
2,0	05		Nut brown	8011-P
2,4	06		Signal grey	7004-P
3,2	08		Traffic white	9016-P
4,0	10		Light blue	5012-P
4,8	12		Raspberry red	3027-P
5,6	14		Olive yellow	1020-P
6,0	15		Yellow green	6018-P
6,4	16		Orange brown	8023-P
7,2	18		Turquoise blue	5024-P

^a For information only.

^b RAL is an acronym of the German Institute for Quality Assurance and Certification (Deutsches Institut für Gütesicherung und Kennzeichnung e.V.) - <http://www.ral-farben.de/content/application-help/all-ral-colours-names/overview-ral-plastics-colours.html>.