# INTERNATIONAL STANDARD

ISO 4957

Third edition 2018-06

## **Tool steels**

Aciers à outils

## iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 4957:2018 https://standards.iteh.ai/catalog/standards/sist/c8416290-cd78-4f1a-9c1c-989c68ebfe23/iso-4957-2018



## iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 4957:2018 https://standards.iteh.ai/catalog/standards/sist/c8416290-cd78-4f1a-9c1c-989c68ebfe23/iso-4957-2018



## COPYRIGHT PROTECTED DOCUMENT

#### © ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Cor	contents									
Fore	word		iv							
1	Scope		1							
2	Normative r	eferences	1							
3	Terms and d	lefinitions	2							
4	Classification and designation									
	4.1 Classi	2								
	O	2								
5	Information to be supplied by the purchaser									
		Mandatory informationOptions								
	1	ring example								
6	Manufactur	ring process	3							
	6.1 Gener	al	3							
		treatment condition and surface condition on delivery								
	6.2.1 6.2.2	General Heat-treatment condition								
	6.2.3									
7	Requiremen	nts	4							
•	7.1 General requirements ANDARD PREVIEW									
	7.2 Chem	Chemical composition and mechanical properties Surface quality (Standards.iteh.ai)								
	7.3 Surfac	e, dimensions and tolerances	4 5							
8	•	testing and conformance of products								
0	8.1 Inspe	ction and testing procedures and types of inspection documents.	5							
	8.2 Special	ction and testing procedures and types of inspection documents fic inspection and testing 23/iso-4957-2018	6							
	8.2.1	Number of sample products	6							
	8.2.2 8.2.3	SamplingTest methods								
	8.2.4	Retests								
	8.2.5	Sorting and reprocessing	7							
9	Marking		7							
10	Tables		7							
11	Location of test pieces in the hardening test									
	11.1 Product diameter or thickness ≥ 15 mm									
		act diameter or thickness < 15 mm								
		ve) Hardness-tempering temperature curves								
Anne	ex B (normative	e) Supplementary or special requirements	29							
Anne	ex C (informativ	ve) Designations of comparable steels	31							
Rihli	ography		33							

## **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 17, *Steel*, Subcommittee SC 4, *Heat treatable and alloy steels*. https://standards.iteh.ai/catalog/standards/sist/c8416290-cd78-4f1a-9c1c-

This third edition cancels and replaces the second edition (ISO 4957:1999), which has been technically revised.

The main changes compared with the previous edition are as follows:

- the delivery condition normalized/normalized rolled has been introduced;
- for surface quality, ISO 9443 for bars and ISO 7788 for plates now apply;
- an additional clause for sorting and reprocessing has been introduced;
- the normative references have been updated.

## **Tool steels**

## 1 Scope

This document specifies requirements for the following grades of wrought tool steels:

- a) non-alloy cold-work tool steels;
- b) alloy cold-work tool steels;
- c) alloy hot-work tool steels;
- d) high-speed tool steels.

If not stated otherwise, this document applies to all types of hot-rolled, forged, cold-drawn or cold-rolled products or products produced by powder metallurgy, which are supplied in one of the surface and heat-treatment conditions given in <u>6.2</u> and <u>Table 1</u>.

NOTE <u>Tables 2</u>, 4, 6 and 8 cover only those steels which have gained certain international importance, which does not mean, however, that they are available in all industrial countries. In addition, a number of other steels for tools are specified in regional, national or company standards.

Where the heat resistance of the tools is of particular importance, as for example in the case of tools for hot forming glass, the material selection is based on ISO 4955.

Standards. Item. 21

### 2 Normative references

ISO 4957:2018

The following documents are referred to in the text-in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 377, Steel and steel products — Location and preparation of samples and test pieces for mechanical testing

ISO 404, Steel and steel products — General technical delivery requirements

ISO 1035-1, Hot-rolled steel bars — Part 1: Dimensions of round bars

ISO 1035-3, Hot-rolled steel bars — Part 3: Dimensions of flat bars

ISO 1035-4:1982, Hot-rolled steel bars — Part 4: Tolerances

ISO 4885, Ferrous materials — Heat treatments — Vocabulary

 $ISO\ 4948-1, Steels-Classification-Part\ 1:\ Classification\ of\ steels\ into\ unalloyed\ and\ alloy\ steels\ based\ on\ chemical\ composition$ 

ISO/TS 4949, Steel names based on letter symbols

ISO 6506-1, Metallic materials — Brinell hardness test — Part 1: Test method

ISO 6508-1, Metallic materials — Rockwell hardness test — Part 1: Test method

ISO 6929, Steel products — Vocabulary

ISO 7452:2013, Hot rolled steel plates — Tolerances on dimensions and shape

ISO 7788, Steel — Surface finish of hot-rolled plates and wide flats — Delivery requirements

ISO 9443, Surface quality classes for hot-rolled bars and wire rod

## ISO 4957:2018(E)

ISO/TR 9769, Steel and iron — Review of available methods of analysis

ISO 10474, Steel and steel products — Inspection documents

ISO 14284, Steel and iron — Sampling and preparation of samples for the determination of chemical composition

ISO 17577, Steel — Ultrasonic testing of steel flat products of thickness equal to or greater than 6 mm

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4885, ISO 4948-1 and ISO 6929 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <a href="https://www.iso.org/obp">https://www.iso.org/obp</a>
- IEC Electropedia: available at <a href="http://www.electropedia.org/">http://www.electropedia.org/</a>

#### 3.1

#### tool steel

special steel suitable for working or processing of materials, for handling and measuring workpieces and, for this purpose, exhibiting high hardness and wear resistance and/or toughness

## 3.2 iTeh STANDARD PREVIEW

#### cold-work tool steel

non-alloy or alloy tool steel (3.1) for applications in which the surface temperature is generally below 200 °C

3.3 <u>ISO 4957:2018</u>

hot-work tool steel https://standards

https://standards.iteh.ai/catalog/standards/sist/c8416290-cd78-4fla-9c1c-

alloy tool steel (3.1) for applications in which the surface temperature is generally over 200 °C

#### 3.4

#### high-speed tool steel

steel used mainly for machining and for forming processes and which, because of the chemical composition, has the highest high-temperature hardness and temper resistance up to about 600 °C

## 4 Classification and designation

### 4.1 Classification

The classification of the relevant steel grades shall be in accordance with ISO 4948-1.

## 4.2 Designation

For the steel grades covered by this document, the steel names, as given in the relevant tables, shall be allocated in accordance with ISO/TS 4949.

For information on designation of comparable steels, see Annex C.

## 5 Information to be supplied by the purchaser

## 5.1 Mandatory information

The manufacturer shall obtain the following information from the purchaser at the time of enquiry and order:

- a) the quantity to be delivered;
- b) the product form (e.g. round bar);
- c) either the dimensional standard and the dimensions and tolerances selected from it (see <u>7.4</u>) or any other document covering the dimensions and tolerances required for the product;
- d) the reference to this document, i.e. ISO 4957;
- e) the designation of the steel type (see <u>Tables 2</u>, <u>4</u>, <u>6</u> and <u>8</u>);
- f) the symbol for the heat-treatment condition on delivery (see <u>Table 1</u>) and, if the products are to be delivered in the quenched and tempered condition, the hardness values required;
- g) the type of inspection document in accordance with ISO 10474.

## 5.2 Options

A number of options are specified in this document and listed below. If the purchaser does not indicate the wish to implement any of these options, the products shall be supplied in accordance with the basic specifications of this document (see 51): dards.iteh.ai)

- a) if a surface condition other than "hot worked" or a special surface quality is required, the surface condition (see 6.2.3) and the surface quality (see 7.3);

  https://standards.iteh.ai/catalog/standards/sist/c8416290-cd78-4fla-9c1c-
- b) any supplementary requirement that shall be complied with, the symbol and, where necessary, the details of this supplementary requirement (in accordance with Annex B).

## 5.3 Ordering example

EXAMPLE 2 t hot-rolled round bars in accordance with ISO 1035-1; with a nominal diameter of 30,0 mm; with a nominal length of  $4\,000$  mm; with a tolerance on diameter of  $\pm 0,30$  mm (class S of ISO 1035-4:1982); with a tolerance on length of  $\pm 10$  mm (class L2 of ISO 1035-4:1982); all other tolerances as given in ISO 1035-4 for normal cases, surface as hot worked made of steel grade in accordance with this document, type X153CrMoV12 (see Table 4); heat-treatment condition: annealed (soft annealed) (symbol  $\pm 4$ , see Table 1); with an inspection certificate 3.1 (see ISO 10474).

2 t rounds ISO 1035-1 and -4 - 30,0 S x 4000 L2 Steel ISO 4957-X153CrMoV12+A ISO 10474 - 3.1

## 6 Manufacturing process

#### 6.1 General

The manufacturing process of the steel and the products is left to the discretion of the manufacturer, with the restrictions given in <u>6.2</u>. Upon request, the purchaser shall be informed what steel making process is being used.

## 6.2 Heat-treatment condition and surface condition on delivery

#### 6.2.1 General

The heat-treatment and surface conditions of the products shall comply with the agreements made at the time of ordering.

#### 6.2.2 Heat-treatment condition

The heat-treatment conditions are given in <u>Table 1</u>.

Unless otherwise specified in the order, the tool steels [except C45U (<u>Table 2</u>), 35CrMo7, X38CrMo16 and 40CrMnNiMo8-6-4 (<u>Table 4</u>), 55NiCrMoV7 (<u>Table 6</u>)] are delivered in the annealed condition.

#### 6.2.3 Surface condition

Usual surface conditions are

- a) the hot-rolled or forged condition (= as hot worked),
- b) the machined (ground, polished, turned, peeled or milled) condition, and
- c) the cold-reduced condition.

Unless otherwise agreed at the time of enquiry and order, the products shall be delivered in the surface condition hot worked.

(standards.iteh.ai)

## 7 Requirements

ISO 4957:2018

**7.1 General requirements** standards.iteh.ai/catalog/standards/sist/c8416290-cd78-4fla-9c1c-989c68ebfe23/iso-4957-2018

In addition to this document, the general technical delivery requirements of ISO 404 apply.

#### 7.2 Chemical composition and mechanical properties

<u>Table 1</u> gives a survey of combinations of usual heat-treatment conditions at delivery and requirements according to <u>Tables 2</u> to <u>9</u> (chemical composition, hardness).

For hardness-tempering temperature curves of the steels, see Annex A.

For hardness penetration depth of non-alloy cold-work tool steels, see <u>Table 2</u>, footnote c.

### 7.3 Surface quality

**7.3.1** All products shall have a smooth surface finish appropriate to the manufacturing processes applied. Minor surface imperfections, which also may occur under normal manufacturing conditions, such as prints originating from rolled-in scale, are not to be regarded as defects.

Bars shall be delivered with surface class A in accordance with ISO 9443 unless otherwise agreed at the time of enquiry and order. Plates shall be delivered in accordance with ISO 7788 unless otherwise agreed at the time of enquiry and order.

**7.3.2** Ground, polished or finished-machined products shall be free from surface imperfections and surface decarburization.

- **7.3.3** Hot-rolled, forged, cold-drawn or rough-machined products shall be ordered with sufficient material to be removed from all surfaces by machining or grinding to allow for
- a) surface decarburization, and
- b) surface imperfections.

Providing no International Standard for the machining allowances of tool steels is available, the allowances shall be agreed at the time of enquiry and order.

## 7.4 Shape, dimensions and tolerances

The shape, dimensions and tolerances of the products shall comply with the requirements agreed upon at the time of enquiry and order. The agreements shall, as far as possible, be based on corresponding International Standards or, otherwise, on suitable national standards.

For rolled flat and round bars, the following International Standards that cover dimensions and/or tolerances for products included in this document shall apply: ISO 1035-1, ISO 1035-3 and ISO 1035-4.

For hot rolled plates ISO 7452:2013, Annex A class A shall apply if not otherwise agreed.

NOTE By agreement, the tolerances can be all plus or other disposition than equal plus/minus.

## 8 Inspection, testing and conformance of products

## 8.1 Inspection and testing procedures and types of inspection documents (standards.iteh.ai)

**8.1.1** Products complying with this document shall be ordered and delivered with one of the inspection documents as specified in ISO 10474. The <a href="type-of/document">type-of/document</a> shall be agreed upon at the time of enquiry and order. If the order does not contain any specification of this type-a test report 2.2 shall be issued.

989c68ebfe23/iso-4957-2018

- **8.1.2** If, in accordance with the agreements made at the time of enquiry and order, a test report 2.2 is to be provided, this shall cover
- a) the statement that the material complies with the requirements of the order, and
- b) the results of the cast analysis for all elements specified for the type of steel supplied.
- **8.1.3** If, in accordance with the agreements in the order, an inspection certificate 3.1 or 3.2 is to be provided, the specific inspections and tests described in <u>8.2</u> shall be carried out and their results shall be certified in the document.

In addition the document shall cover

- a) the results of the cast analysis provided by the manufacturer for all elements specified for the steel type concerned,
- b) the results of all inspections and tests ordered by supplementary requirements (in accordance with Annex B), and
- c) the symbol letters of numbers connecting the inspection documents, the test pieces and products to each other.

## 8.2 Specific inspection and testing

## 8.2.1 Number of sample products

## 8.2.1.1 Chemical composition

The cast analysis is given by the manufacturer. For product analysis, see **B.2**.

## 8.2.1.2 Mechanical properties

- **8.2.1.2.1** One sample product per test unit shall be tested.
- **8.2.1.2.2** For material delivered in the annealed or annealed and cold rolled or annealed and cold drawn condition, the test unit shall consist of products from the same cast and the same heat-treatment batch.

In the case of material heat treated in a continuous furnace, a heat-treatment batch is regarded as the quantity of products (of the same cast and dimensions) that, without any interruptions, underwent constant treatment conditions (same furnace temperature, atmosphere and transportation speed) through the furnace.

**8.2.1.2.3** For material delivered in the quenched and tempered condition, the test unit shall consist of products from the same cast, heat-treatment and thickness.

However, if the manufacturer verifies that the thickness has no significant effect on the hardness in the quenched and tempered condition, then different thicknesses may be covered in a test unit.

In the case of material heat treated in a continuous furnace, a heat-treatment batch is regarded as the quantity of products (of the same cast and dimensions) that, without any interruptions, underwent constant treatment conditions (same furnace temperature, atmosphere and transportation speed) through the furnace.

https://standards.iteh.ai/catalog/standards/sist/c8416290-cd78-4fla-9c1c-989c68ebfe23/iso-4957-2018

### 8.2.1.3 Inspection of the surface quality

Unless otherwise agreed when ordering (see <u>B.5</u>), the number of products to be inspected for surface quality is left to the discretion of the manufacturer.

#### 8.2.1.4 Dimensional inspection

Unless otherwise agreed when ordering (see <u>B.6</u>), the number of products to be inspected for their shape and dimensions is left to the discretion of the manufacturer.

#### 8.2.2 Sampling

The general conditions for selection and preparation of samples and test pieces shall be in accordance with ISO 377 and ISO 14284.

For the Brinell hardness test, the surface of the sample product or of a test piece taken from the sample product in the delivery condition shall be prepared in accordance with the requirements of ISO 6506-1.

#### 8.2.3 Test methods

The Brinell hardness test shall be made in accordance with ISO 6506-1.

Unless otherwise agreed (see **B.5**), the surface quality shall be inspected visually.

### 8.2.4 Retests

For retests, ISO 404 shall apply.

## 8.2.5 Sorting and reprocessing

For sorting and reprocessing, ISO 404 shall apply.

## 9 Marking

The manufacturer shall mark the products or the bundles or boxes containing the products in a suitable way, so that the identification of the cast, the steel type and the origin of the delivery is possible (see <u>B.9</u>).

## 10 Tables

## iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 4957:2018 https://standards.iteh.ai/catalog/standards/sist/c8416290-cd78-4f1a-9c1c-989c68ebfe23/iso-4957-2018

Table 1 — Combinations of heat-treatment conditions at delivery and requirements in accordance with <u>Tables 2</u> to <u>9</u>

_	_			_	1			1	<u> </u>	_							1
· co	Applicable requirements for	3.2 3.3 3.4	c tool steels hot-work tool steels high-spee	) —	+Ac	+A and footnote c	to <u>Table 8</u> c		1								
				Hardness	acc. to <u>Table 8</u>												
				Chemical	composition acc. to <u>Ta-</u> bles 8 and 9												
					+Ac	+A and footnote b	to <u>Table 6</u> c	· '	ı								
				Hardness	acc. to <u>Table 6</u>					ı given in <u>6.2.2</u> .							
				Chemical com-	position acc. to Tables 6 and 7					the product will be deflyered in the usual heartreatment condition given in 6.2.2							
				J—	+Ac	+A and footnote b to	Table 4c	eh	<b>S</b> 1 (s)	the usual heaten	n	da					PREVIEW h.ai)
				Hardness	acc. to <u>Table 4</u>	ht	tps://st	andaro	ls.iteh.	be defivered in	atal 9c6	1See 8	O 4 stand fe23	larc		<u>18</u> st/c 957-	8416290-cd78-4f1a-9c16 2018
				Chemical com-	position acc. to <u>Tables 4</u> and <u>5</u>					g, the product will		In addition, the requirements for minimum hardness in the hardening test apply. For verification, see B				forming.	
		3.1	non-alloy cold-work tool steels	c	+Ac	+A and footnote a	to <u>Table 2</u> c		_	ime of orderin		dening test ap		es.	iiry and order.	y normalizing	
				Hardness	acc. to <u>Table 2</u>			I		ecified at the t	ery.	iness in the har		moulds and di	the time of enqu	; in furnace or l	
				Chemical composition acc. to <u>Tables 2</u> and <u>3</u>					ıt condition is sp	ndition at deliv	r minimum haro		tured blocks for	to be agreed at	by normalizing		
2		Symbola		Ω+	+Ab	+A+C	+A+CR <sup>d</sup>	+QTe	+NT	heat-treatmer	t-treatment co	quirements fo	able 8.	ually manufac	uirements are	rformed either	
1	Heat-	treatment condition at	delivery	Untreated	Annealed (soft annealed) <sup>b</sup>	Annealed and cold drawn	Annealed and cold-rolled <sup>d</sup>	Quenched and temperede	Normalizeds and tempered	In cases where no heat-treatment condition is specified at the time of ordering.	Most common heat-treatment condition at delivery.	ı addition, the reα	Only for steels of Table 8.	Mainly for individually manufactured blocks for moulds and dies.	The hardness requirements are to be agreed at the time of enquiry and order.	Normalizing is performed either by normalizing in furnace or by normalizing forming	
	1			2	3	4		5	9	a Ir	P		0 р	e e	L	g N	
Щ														9	+	OIJ	l