
**Space data and information transfer
systems — Space link extension —
Application program interface for transfer
services — Core specification**

Systèmes de transfert des informations et données spatiales — Extension de liaisons spatiales — Interface du programme d'application pour les services de transfert — Spécification de base

iTEH Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 18441:2016](#)

<https://standards.iteh.ai/catalog/standards/iso/c4f25c01-4c57-415b-8b9c-b57072fb4cea/iso-18441-2016>



Reference number
ISO 18441:2016(E)

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 18441:2016](#)

<https://standards.iteh.ai/catalog/standards/iso/c4f25c01-4c57-415b-8b9c-b57072fb4cea/iso-18441-2016>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

ISO 18441 was prepared by the Consultative Committee for Space Data Systems (CCSDS) (as CCSDS 914.0-M-2, September 2015) and was adopted (without modifications except those stated in clause 2 of this International Standard) by Technical Committee ISO/TC 20, *Aircraft and space vehicles*, Subcommittee SC 13, *Space data and information transfer systems*.

<https://standards.iso.org/iso/standard/18441-2016>

This second edition cancels and replaces the first edition (ISO 18441:2013), which has been technically revised.

STATEMENT OF INTENT

The Consultative Committee for Space Data Systems (CCSDS) is an organization officially established by the management of its members. The Committee meets periodically to address data systems problems that are common to all participants, and to formulate sound technical solutions to these problems. Inasmuch as participation in the CCSDS is completely voluntary, the results of Committee actions are termed **Recommendations** and are not in themselves considered binding on any Agency.

CCSDS Recommendations take two forms: **Recommended Standards** that are prescriptive and are the formal vehicles by which CCSDS Agencies create the standards that specify how elements of their space mission support infrastructure shall operate and interoperate with others; and **Recommended Practices** that are more descriptive in nature and are intended to provide general guidance about how to approach a particular problem associated with space mission support. This **Recommended Practice** is issued by, and represents the consensus of, the CCSDS members. Endorsement of this **Recommended Practice** is entirely voluntary and does not imply a commitment by any Agency or organization to implement its recommendations in a prescriptive sense.

No later than five years from its date of issuance, this **Recommended Practice** will be reviewed by the CCSDS to determine whether it should: (1) remain in effect without change; (2) be changed to reflect the impact of new technologies, new requirements, or new directions; or (3) be retired or canceled.

In those instances when a new version of a **Recommended Practice** is issued, existing CCSDS-related member Practices and implementations are not negated or deemed to be non-CCSDS compatible. It is the responsibility of each member to determine when such Practices or implementations are to be modified. Each member is, however, strongly encouraged to direct planning for its new Practices and implementations towards the later version of the Recommended Practice.

FOREWORD

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CCSDS has processes for identifying patent issues and for securing from the patent holder agreement that all licensing policies are reasonable and non-discriminatory. However, CCSDS does not have a patent law staff, and CCSDS shall not be held responsible for identifying any or all such patent rights.

Through the process of normal evolution, it is expected that expansion, deletion, or modification of this document may occur. This Recommended Standard is therefore subject to CCSDS document management and change control procedures, which are defined in *Organization and Processes for the Consultative Committee for Space Data Systems* (CCSDS A02.1-Y-4). Current versions of CCSDS documents are maintained at the CCSDS Web site:

<http://www.ccsds.org/>

Questions relating to the contents or status of this document should be sent to the CCSDS Secretariat at the e-mail address indicated on page i.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[ISO 18441:2016](#)

<https://standards.iteh.ai/catalog/standards/iso/c4f25c01-4c57-415b-8b9c-b57072fb4cea/iso-18441-2016>

At time of publication, the active Member and Observer Agencies of the CCSDS were:

Member Agencies

- Agenzia Spaziale Italiana (ASI)/Italy.
- Canadian Space Agency (CSA)/Canada.
- Centre National d’Etudes Spatiales (CNES)/France.
- China National Space Administration (CNSA)/People’s Republic of China.
- Deutsches Zentrum für Luft- und Raumfahrt (DLR)/Germany.
- European Space Agency (ESA)/Europe.
- Federal Space Agency (FSA)/Russian Federation.
- Instituto Nacional de Pesquisas Espaciais (INPE)/Brazil.
- Japan Aerospace Exploration Agency (JAXA)/Japan.
- National Aeronautics and Space Administration (NASA)/USA.
- UK Space Agency/United Kingdom.

Observer Agencies

- Austrian Space Agency (ASA)/Austria.
- Belgian Federal Science Policy Office (BFSPO)/Belgium.
- Central Research Institute of Machine Building (TsNIIMash)/Russian Federation.
- China Satellite Launch and Tracking Control General, Beijing Institute of Tracking and Telecommunications Technology (CLTC/BITTT)/China.
- Chinese Academy of Sciences (CAS)/China.
- Chinese Academy of Space Technology (CAST)/China.
- Commonwealth Scientific and Industrial Research Organization (CSIRO)/Australia.
- Danish National Space Center (DNSC)/Denmark.
- Departamento de Ciência e Tecnologia Aeroespacial (DCTA)/Brazil.
- Electronics and Telecommunications Research Institute (ETRI)/Korea.
- European Organization for the Exploitation of Meteorological Satellites (EUMETSAT)/Europe.
- European Telecommunications Satellite Organization (EUTELSAT)/Europe.
- Geo-Informatics and Space Technology Development Agency (GISTDA)/Thailand.
- Hellenic National Space Committee (HNSC)/Greece.
- Indian Space Research Organization (ISRO)/India.
- Institute of Space Research (IKI)/Russian Federation.
- KFKI Research Institute for Particle & Nuclear Physics (KFKI)/Hungary.
- Korea Aerospace Research Institute (KARI)/Korea.
- Ministry of Communications (MOC)/Israel.
- National Institute of Information and Communications Technology (NICT)/Japan.
- National Oceanic and Atmospheric Administration (NOAA)/USA.
- National Space Agency of the Republic of Kazakhstan (NSARK)/Kazakhstan.
- National Space Organization (NSPO)/Chinese Taipei.
- Naval Center for Space Technology (NCST)/USA.
- Scientific and Technological Research Council of Turkey (TUBITAK)/Turkey.
- South African National Space Agency (SANSA)/Republic of South Africa.
- Space and Upper Atmosphere Research Commission (SUPARCO)/Pakistan.
- Swedish Space Corporation (SSC)/Sweden.
- Swiss Space Office (SSO)/Switzerland.
- United States Geological Survey (USGS)/USA.

DOCUMENT CONTROL

Document	Title	Date	Status
CCSDS 914.0-M-1	Space Link Extension—Application Program Interface for Transfer Services—Core Specification, Recommended Practice, Issue 1	October 2008	Original issue, superseded
CCSDS 914.0-M-2	Space Link Extension—Application Program Interface for Transfer Services—Core Specification, Recommended Practice, Issue 2	September 2015	Current issue: – updates text to accommodate changes in current versions of SLE service specifications; – differentiates applicability by SLE service specification version; – updates references.

NOTE – Substantive changes from the previous issue are marked with change bars in the inside margin.

[ISO 18441:2016](https://standards.iteh.ai/iso-18441-2016)

<https://standards.iteh.ai/catalog/standards/iso/c4f25c01-4c57-415b-8b9c-b57072fb4cea/iso-18441-2016>

CONTENTS

<u>Section</u>	<u>Page</u>
1 INTRODUCTION.....	1-1
1.1 PURPOSE OF THIS RECOMMENDED PRACTICE	1-1
1.2 SCOPE	1-1
1.3 APPLICABILITY.....	1-2
1.4 RATIONALE.....	1-3
1.5 DOCUMENT STRUCTURE	1-4
1.6 DEFINITIONS.....	1-7
1.7 REFERENCES	1-10
2 DESCRIPTION OF THE SLE API	2-1
2.1 INTRODUCTION	2-1
2.2 SPECIFICATION METHOD AND NOTATION	2-2
2.3 LOGICAL VIEW	2-7
2.4 SECURITY ASPECTS OF CORE SLE API CAPABILITIES.....	2-58
3 SPECIFICATION OF API COMPONENTS.....	3-1
3.1 INTRODUCTION	3-1
3.2 API PROXY	3-1
3.3 API SERVICE ELEMENT.....	3-27
3.4 SLE OPERATIONS.....	3-52
3.5 SLE UTILITIES	3-56
3.6 SLE APPLICATION	3-64
3.7 HANDLING OF IN PROCESS THREADS AND EXTERNAL EVENTS	3-71
4 STATE TABLES.....	4-1
4.1 INTRODUCTION	4-1
4.2 NOTATION.....	4-1
4.3 GENERAL ERROR HANDLING CONVENTIONS.....	4-2
4.4 STATE TABLE FOR ASSOCIATIONS	4-2
4.5 STATE TABLES FOR SERVICE INSTANCES	4-15
ANNEX A SPECIFICATION OF COMMON INTERFACES (NORMATIVE).....	A-1
ANNEX B RESULT CODES (NORMATIVE).....	B-1
ANNEX C STRUCTURE OF THE SERVICE INSTANCE IDENTIFIER FOR VERSION 1 OF THE SLE SERVICES RAF, RCF, AND CLTU (NORMATIVE)	C-1
ANNEX D SIMPLE COMPONENT MODEL (NORMATIVE).....	D-1

CONTENTS (continued)

<u>Section</u>	<u>Page</u>
ANNEX E CONFORMANCE (NORMATIVE)	E-1
ANNEX F INTERACTION OF COMPONENTS (INFORMATIVE)	F-1
ANNEX G INTERFACE CROSS REFERENCE (INFORMATIVE)	G-1
ANNEX H INDEX TO DEFINITIONS (INFORMATIVE)	H-1
ANNEX I ACRONYMS AND ABBREVIATIONS (INFORMATIVE)	I-1
ANNEX J INFORMATIVE REFERENCES (INFORMATIVE)	J-1

Figure

1-1 SLE Services and SLE API Documentation	1-6
2-1 UML Stereotypes Used in This Recommended Practice	2-3
2-2 Top Level Decomposition of the API	2-7
2-3 Structure of the Package API Proxy	2-9
2-4 Reporting and Tracing by the Proxy	2-10
2-5 Configuration Database of the Proxy	2-20
2-6 Structure of the Package API Service Element	2-23
2-7 Reporting and Tracing by the Service Element	2-24
2-8 Sequential Control Interface Component Class Controlled Component	2-39
2-9 Concurrent Control Interface	2-43
2-10 Structure of the Package SLE Application	2-44
2-11 Reporting and Tracing Interfaces Provided by the Application	2-45
2-12 Operation Objects	2-49
2-13 Operation Object Interfaces for Common Association Management	2-53
2-14 Common SLE Operation Objects	2-54
2-15 SLE Utilities	2-56
4-1 Processing Context for the Association State Table	4-3
4-2 Processing Context for the Service Instance State Table	4-16
B-1 Structure of Result Codes	B-1
F-1 Configuration of Components	F-3
F-2 Configuration of Interfaces for Service Provisioning	F-3
F-3 Interaction of API Components	F-4
F-4 Initialization and Shutdown	F-5
F-5 Collaboration Diagram for Use of Operation Objects	F-8
F-6 Sequence Diagram for Use of Operation Objects	F-9
F-7 User Side Binding (User Initiated Bind)	F-12
F-8 User Side Unbinding (User Initiated Bind)	F-13
F-9 Provider Side Binding (User Initiated Bind)	F-14
F-10 Provider Side Unbinding (User Initiated Bind)	F-16

CONTENTS (continued)

<u>Table</u>	<u>Page</u>
C-1 Identifiers and Abbreviations for Attributes	C-3
E-1 Optional Features for the API Proxy	E-3
E-2 Optional Features for the API Service Element.....	E-6
E-3 Parameters That May Be Constrained by a Proxy.....	E-9
E-4 Parameters That May Be Constrained by a Service Element	E-10

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 18441:2016](#)

<https://standards.iteh.ai/catalog/standards/iso/c4f25c01-4c57-415b-8b9c-b57072fb4cea/iso-18441-2016>

1 INTRODUCTION

1.1 PURPOSE OF THIS RECOMMENDED PRACTICE

The purpose of this Recommended Practice is to define a C++ Application Program Interface (API) for CCSDS Space Link Extension (SLE) Transfer Services, which is independent of any specific technology used for communications between an SLE service user and an SLE service provider.

This API is intended for use by application programs implementing SLE services. It can be configured to support SLE service user applications or SLE service provider applications.

This API is also intended to simplify the implementation of gateways that are required to achieve interoperability between SLE service provider and SLE service user applications using different communications technologies.

Using this Application Program Interface Recommended Practice, API implementations (software packages) able to run on specific platforms can be developed. Once developed, such a package can be supplied to new users of SLE services for integration with their user or production facilities, thus minimizing their investment to buy into SLE support.

1.2 SCOPE

1.2.1 ITEMS COVERED BY THIS RECOMMENDED PRACTICE

This Recommended Practice defines the Application Program Interface in terms of:

<https://standards.iteh.ai/catalog/standards/iso/c4125c01-4c57-415b-869c-b57072fb4cea/iso-18441-2016>

- a) the components that provide the services of the API;
- b) the functionality provided by each of the components;
- c) the interfaces provided by each of the components; and
- d) the externally visible behavior associated with the interfaces exported by the components.

It does not specify:

- a) individual implementations or products;
- b) the internal design of the components; and
- c) the technology used for communications.

This Recommended Practice defines those aspects of the Application Program Interface, which are common for all SLE service types or for a subset of the SLE service types, e.g., all return link services or all forward link services. It also defines a framework for specification of service type-specific elements of the API. Service-specific aspects of the API are defined by supplemental Recommended Practice documents for SLE return link services (references [10], [11], and [12]) and SLE forward link services (references [13] and [14]).

This Recommended Practice for the Application Program Interface responds to the requirements imposed on such an API by the CCSDS SLE transfer service Recommended Standards that were available when this Recommended Practice was released.

1.2.2 CONFORMANCE TO CCSDS RECOMMENDED STANDARDS

This version of the SLE API Recommended Practice conforms to the CCSDS Recommended Standards for Space Link Extension Services, referenced in 1.7, with the exception of the following optional features:

- a) The negotiation procedure for version numbers in the BIND operation is not supported. If the responder does not support the version number identified in the BIND Invocation, it responds with a BIND Return containing a negative result and the diagnostic ‘version number not supported’. The responder does not propose an alternative version number.
- b) Provider-initiated binding, specified by CCSDS Recommended Standards for return link services is not included in this Recommended Practice. The management parameters that specify the bind initiative are supported to simplify addition of this procedure in later versions.

[\(https://standards.iteh.ai\)](https://standards.iteh.ai)

1.3 APPLICABILITY Document Preview

The Application Program Interface specified in this document supports three generations of SLE Transfer Service specifications, namely: 18441-2016

<https://standards.iteh.ai/catalog/standards/iso/42591-4-57415b819-15707234> / iso-18441-2016

- a) Generation 1 covering the services RAF, RCF, and FCLTU identified by the version number 1 in the BIND operation, as specified by references [C1], [C2], and [C3];
- b) Generation 2 covering
 - 1) the services RAF, RCF, and FCLTU identified by the version number 2 in the BIND operation, as specified by references [J9], [J10], and [J12];
 - 2) the services ROCF and FSP identified by the version number 1 in the BIND operation, as specified by references [J11] and [J13];
- c) Generation 3 covering the services RAF, RCF, ROCF, FCLTU, and FSP identified by the version number 4 in the BIND operation, as specified by references [4], [5], [6], [7], and [8].

Support for Generation 1 and Generation 2 of these services is included for backward compatibility purposes for a limited time and may not be continued in future versions of this specification. Support for Generation 1 (i.e., version 1 of the RAF, RCF and CLTU services) implies that SLE API implementations of this specification are able to interoperate with peer SLE systems that comply with the specification of the Transport Mapping Layer (TML) in ‘Specification of a SLE API Proxy for TCP/IP and ASN.1’, ESOC, SLES-SW-API-0002-TOS-GCI, Issue 1.1, February 2001. For Generation 2 and 3 of these services, SLE API implementations of this specification are able to interoperate with peer SLE systems that comply with the specification of the Transport Mapping Layer (TML) in reference [9].

Provisions within this Recommended Practice that are specific for one or more generations are marked as follows:

- [Gn:] for provisions specific to Generation n;
- [Gn,m:] for provisions specific to Generation n and Generation m.

Provisions that apply to all generations are not marked.

1.4 RATIONALE

This Recommended Practice describes the services provided by a software package implementing the API to application software using the API. It specifies the mapping of the SLE Transfer Services specifications to specific functions and parameters of the SLE API. It also specifies the distribution of responsibility for specific functions between SLE API software and application software. The distribution of responsibility has been defined with due consideration for reusability of software packages implementing the SLE API.

The goal of this Recommended Practice is to create a guide for interoperability between

- a) software packages implementing the SLE API; and
- b) application software using the SLE API.

This interoperability guide also allows exchangeability of different products implementing the SLE API, as long as they adhere to the interface specification of this Recommended Practice.

1.5 DOCUMENT STRUCTURE

1.5.1 OVERVIEW

This Recommended Practice is organized in two parts and a set of annexes.

1.5.1.1 Part I—The Descriptive Part

The descriptive part presents the API Model in section 2 using the Unified Modeling Language (UML) (see reference [J6]).

1.5.1.2 Part II—The Prescriptive Part

The prescriptive part contains the specification of the API. In case of any discrepancies between the descriptive part and the prescriptive part, the specifications in the latter shall apply.

Section 3 contains detailed specifications of the API components and of the interfaces that must be provided by the application.

Section 4 defines the state tables that must be implemented by the API.

1.5.1.3 Annexes

ISO 18441:2016

Annex A contains the detailed declaration of the C++ interfaces, which are common for all SLE service types.

Annex B lists the result codes that are used by the API.

[G1:] For version 1 of the services RAF, RCF, and CLTU, annex C defines a standard ASCII representation for the service instance identifier and lists the attribute identifiers and abbreviations that are valid for the service instance identifier.

[G2,3:] For later versions of these services and all other services, these specifications are provided by the applicable CCSDS Recommended Standards.

Annex D describes the design patterns and conventions that shall be applied to API components. The specifications in this annex are also relevant for the application software using the API.

Annex E defines requirements for software products claiming conformance with this Recommended Practice.

Annex F describes the interaction of API components, showing several use cases.