

ETSI TS 123 280 V18.9.0 (2024-04)



**LTE;
Common functional architecture to support mission critical
services;
Stage 2
(3GPP TS 23.280 version 18.9.0 Release 18)**

[ETSI TS 123 280 V18.9.0 \(2024-04\)](https://standards.iteh.ai/catalog/standards/etsi/c0d292fa-bb2a-47c6-817b-f2dcfb1bf194/etsi-ts-123-280-v18-9-0-2024-04)

<https://standards.iteh.ai/catalog/standards/etsi/c0d292fa-bb2a-47c6-817b-f2dcfb1bf194/etsi-ts-123-280-v18-9-0-2024-04>



ReferenceRTS/TSGS-0623280vi90

KeywordsLTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2024-04)

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	16
1 Scope	17
2 References	17
3 Definitions, symbols and abbreviations	18
3.1 Definitions	18
3.2 Symbols.....	21
3.3 Abbreviations	21
4 Introduction	22
5 Assumptions and architectural requirements.....	23
5.1 Assumptions	23
5.1.1 Service continuity	23
5.1.2 Trust domain.....	23
5.2 Architectural requirements	23
5.2.1 General architectural requirements	23
5.2.2 PLMN change requirements	24
5.2.3 UE-to-network relay MC service requirements	24
5.2.4 MC service user profile requirements	24
5.2.5 MC service group affiliation and MC service group de-affiliation.....	24
5.2.6 GCS AS requirements for the MC services	25
5.2.7 Bearer management	26
5.2.7.0 General	26
5.2.7.1 MBMS bearer management	26
5.2.7.2 EPS bearer considerations	27
5.2.8 External applications access to services in a MC system.....	27
5.2.9 Migration	27
5.2.9.1 General	27
5.2.9.2 PLMN utilisation.....	28
5.2.9.3 SIP core / IMS utilisation.....	28
5.2.10 Interconnection	29
5.2.10.1 General	29
5.2.10.2 Connectivity	29
5.2.10.3 Migration.....	29
5.2.10.4 Private calls	30
5.2.10.5 Group calls	30
5.2.10.6 Group configuration	30
5.2.10.7 MC system topology hiding	30
5.2.11 Use of priorities	30
5.2.11.1 Requested priority	30
6 Involved business relationships.....	30
7 Functional model.....	33
7.1 General	33
7.2 Description of the planes.....	33
7.3 Functional model description	33
7.3.1 On-network functional model	33
7.3.2 Off-network functional model	37
7.4 Functional entities description.....	37
7.4.1 General.....	37
7.4.2 Application plane	37
7.4.2.1 General	37

7.4.2.2	Common services core	38
7.4.2.2.1	Configuration management client.....	38
7.4.2.2.2	Configuration management server (CMS).....	38
7.4.2.2.3	Group management client.....	38
7.4.2.2.4	Group management server (GMS).....	38
7.4.2.2.5	Identity management client	38
7.4.2.2.6	Identity management server (IdMS).....	38
7.4.2.2.7	Key management client	39
7.4.2.2.8	Key management server (KMS).....	39
7.4.2.2.9	Location management client.....	39
7.4.2.2.10	Location management server (LMS).....	39
7.4.2.2.11	Void.....	39
7.4.2.2.12	Functional alias management client.....	39
7.4.2.2.13	Functional alias management server.....	39
7.4.2.3	MC service	39
7.4.2.3.1	MC service client.....	39
7.4.2.3.2	MC service server.....	39
7.4.2.3.3	MC service user database	40
7.4.2.3.4	MC gateway server.....	40
7.4.3	Signalling control plane	40
7.4.3.1	SIP entities	40
7.4.3.1.1	Signalling user agent	40
7.4.3.1.2	SIP AS	40
7.4.3.1.3	SIP core	40
7.4.3.1.3.1	General.....	40
7.4.3.1.3.2	Local inbound / outbound proxy	41
7.4.3.1.3.3	Registrar finder	41
7.4.3.1.3.4	Registrar / application service selection.....	41
7.4.3.1.4	Diameter proxy.....	42
7.4.3.2	SIP database	42
7.4.3.2.1	General	42
7.4.3.2.2	SIP database logical functions.....	43
7.4.3.3	HTTP entities	43
7.4.3.3.1	HTTP client	43
7.4.3.3.2	HTTP proxy.....	43
7.4.3.3.3	HTTP server	44
7.5	Reference points	44
7.5.1	General reference point principle.....	44
7.5.2	Application plane.....	44
7.5.2.1	General	44
7.5.2.2	Reference point CSC-1 (between the identity management client and the identity management server)	44
7.5.2.3	Reference point CSC-2 (between the group management client and the group management server for configuration while UE is on-network)	44
7.5.2.4	Reference point CSC-3 (between the MC service server and the group management server).....	44
7.5.2.5	Reference point CSC-4 (between the configuration management client and the configuration management server for configuration while UE is on-network)	45
7.5.2.6	Reference point CSC-5 (between the MC service server and the configuration management server)	45
7.5.2.7	Reference point CSC-7 (between the group management servers)	45
7.5.2.8	Reference point CSC-8 (between the key management server and the key management client).....	45
7.5.2.9	Reference point CSC-9 (between the key management server and the MC service server)	45
7.5.2.10	Reference point CSC-10 (between the key management server and the group management server)	46
7.5.2.11	Reference point CSC-11 (between the configuration management client and the configuration management server for configuration while UE is off-network).....	46
7.5.2.12	Reference point CSC-12 (between the group management client and the group management server for configuration while UE is off-network).....	46
7.5.2.13	Reference point CSC-13 (between the configuration management server and the MC service user database)	46
7.5.2.14	Reference point CSC-14 (between the location management client and the location management server)	46

7.5.2.15	Reference point CSC-15 (between the location management server and the MC service server)	46
7.5.2.16	Reference point CSC-16 (between group management servers in different MC systems)	47
7.5.2.17	Reference point CSC-17 (between configuration management servers in different MC systems)	47
7.5.2.18	Void.....	47
7.5.2.19	Reference point MCX-1 (between MC service servers)	47
7.5.2.20	Reference point CSC-19 (between group management server and MC gateway server).....	47
7.5.2.21	Reference point CSC-20 (between configuration management server and MC gateway server)	47
7.5.2.22	Reference point CSC-21 (between MC gateway servers in different MC systems).....	48
7.5.2.23	Reference point CSC-22 (between location management servers in different MC systems)	48
7.5.2.24	Reference point CSC-23 (between location management server and MC gateway server)	48
7.5.2.25	Reference point CSC-24 (between the Location management server and the configuration management server)	48
7.5.3	Signalling control plane	48
7.5.3.1	General	48
7.5.3.2	Reference point SIP-1(between the signalling user agent and the SIP core).....	48
7.5.3.3	Reference point SIP-2 (between the SIP core and the SIP AS).....	49
7.5.3.4	Reference point SIP-3 (between the SIP core and SIP core).....	49
7.5.3.5	Reference point HTTP-1 (between the HTTP client and the HTTP proxy)	49
7.5.3.6	Reference point HTTP-2 (between the HTTP proxy and the HTTP server)	49
7.5.3.7	Reference point HTTP-3 (between the HTTP proxy and HTTP proxy)	49
7.5.3.8	Reference point AAA-1 (between the SIP database and the SIP core)	50
7.5.3.9	Reference point AAA-2 (between the SIP core and Diameter proxy)	50
8	Identities	50
8.1	Application plane	50
8.1.1	Mission Critical user identity (MC ID).....	50
8.1.2	MC service user identity (MC service ID).....	50
8.1.3	MC service group identity (MC service group ID).....	51
8.1.3.1	General	51
8.1.3.2	MC service group ID management (off-network operation)	51
8.1.4	MC system identity (MC system ID).....	52
8.1.5	Functional Alias	52
8.1.6	MC service UE label.....	52
8.1.7	GW MC service ID	52
8.2	SIP signalling control plane.....	53
8.3	Relationship between identities in different planes.....	53
8.3.1	Relationship between MC service ID and public user identity	53
8.3.2	Relationship between MC service group ID and public service identity	54
9	Application of functional model to deployments	54
9.1	General	54
9.2	Architecture model and deployment scenarios for on-network operations	54
9.2.1	On-network architectural model	54
9.2.1.1	On-network architectural model diagram.....	54
9.2.1.2	Application services layer	55
9.2.1.2.1	Overview	55
9.2.1.2.2	Common services core	55
9.2.1.2.3	MC services	55
9.2.1.3	SIP core	56
9.2.1.4	EPS.....	56
9.2.1.5	UE 1	56
9.2.1.6	UE 2	56
9.2.2	Deployment scenarios.....	56
9.2.2.1	Administration of MC service, SIP core and EPS.....	56
9.2.2.1.1	General	56
9.2.2.1.2	Common administration of all planes.....	56
9.2.2.1.3	MC service provider separate from SIP core and EPS	57
9.2.2.1.4	MC service provider administers SIP core, separate from EPS.....	58
9.2.2.1.5	SIP core partially administered by both PLMN operator and MC service provider.....	58
9.2.2.1.6	PLMN operator administers SIP core with SIP identities administered by MC service provider	59
9.2.2.2	MC service user database, SIP database and HSS	60

9.2.2.3	Control of bearers by SIP core and MC service server	63
9.2.2.3.1	General	63
9.2.2.3.2	Control of bearers by SIP core	63
9.2.2.3.3	Control of bearers by MC service server	63
9.3	Architecture model for off-network operations	64
9.3.1	Off-network architectural model diagram	64
9.3.2	UE 3	64
9.3.3	UE 4	65
9.3.4	Offline common services server	65
9.4	Architecture model for roaming	65
10	Procedures and information flows	65
10.1	MC service configuration	65
10.1.1	General	65
10.1.1.1	MC service configuration on primary MC system	65
10.1.1.2	MC service configuration for migration to partner MC system	67
10.1.2	Information flows for MC service configuration	68
10.1.2.1	Store group configuration request	68
10.1.2.2	Store group configuration response	68
10.1.2.3	Get group configuration request	68
10.1.2.4	Get group configuration response	69
10.1.2.5	Subscribe group configuration request	69
10.1.2.5a	Subscribe group policy request	69
10.1.2.6	Subscribe group configuration response	69
10.1.2.6a	Subscribe group policy response	70
10.1.2.7	Notify group configuration request	70
10.1.2.7a	Notify group policy request	70
10.1.2.8	Notify group configuration response	70
10.1.2.8a	Notify group policy response	71
10.1.2.9	Get functional alias configuration request	71
10.1.2.10	Get functional alias configuration response	71
10.1.2.11	Subscribe functional alias configuration request	71
10.1.2.12	Subscribe functional alias configuration response	71
10.1.2.13	Notify functional alias configuration request	72
10.1.2.14	Notify functional alias configuration response	72
10.1.2.15	Void	72
10.1.2.16	Void	72
10.1.2.17	Void	72
10.1.2.18	Void	72
10.1.2.19	Void	72
10.1.2.20	Void	72
10.1.2.21	Void	72
10.1.2.22	Void	72
10.1.2.23	Void	72
10.1.2.24	Void	72
10.1.2.25	Void	72
10.1.3	MC service UE configuration data	73
10.1.3.1	General	73
10.1.3.2	Procedures	73
10.1.3.3	Structure of UE configuration data	73
10.1.4	MC service user profile	73
10.1.4.1	General	73
10.1.4.2	Information flows for MC service user profile	75
10.1.4.2.1	Get MC service user profile request	75
10.1.4.2.2	Get MC service user profile response	75
10.1.4.2.3	Notification for MC service user profile data update	75
10.1.4.2.4	Get updated MC service user profile data request	75
10.1.4.2.5	Get updated MC service user profile data response	76
10.1.4.2.6	Update MC service user profile data request	76
10.1.4.2.7	Update MC service user profile data response	76
10.1.4.2.8	Update pre-selected MC service user profile request	76
10.1.4.2.9	Update pre-selected MC service user profile response	77

10.1.4.2.10	Update selected MC service user profile request.....	77
10.1.4.2.11	Update selected MC service user profile response	77
10.1.4.3	MC service user obtains the MC service user profile(s) from the network.....	77
10.1.4.3.1	MC service user receiving MC service in primary MC system.....	77
10.1.4.3.2	MC service user receiving MC service from a partner MC system.....	78
10.1.4.4	MC service user receives updated MC service user profile data from the network	80
10.1.4.5	MC service user updates MC service user profile data to the network	80
10.1.4.6	Updating the pre-selected MC service user profile	81
10.1.4.7	Updating the selected MC service user profile for an MC service.....	82
10.1.5	MC service group configuration management.....	84
10.1.5.1	Store group configurations at the group management server	84
10.1.5.2	Retrieve group configurations at the group management client.....	84
10.1.5.3	Subscription and notification for group configuration data at group management client	85
10.1.5.3a	Subscription and notification for group policy at MC service server.....	86
10.1.5.4	Structure of group configuration data	87
10.1.5.5	Dynamic data associated with a group	87
10.1.5.5.1	Dynamic data associated with a group in MC service server	87
10.1.5.5.2	Dynamic data associated with a group in group management server	87
10.1.5.6	Subscription and notification for dynamic data associated with a group	88
10.1.5.6.0	General	88
10.1.5.6.1	Information flows for subscription and notification for dynamic data associated with a group.....	89
10.1.5.6.1.1	Subscribe group dynamic data request.....	89
10.1.5.6.1.2	Subscribe group dynamic data response	89
10.1.5.6.1.3	Notify group dynamic data request.....	89
10.1.5.6.1.4	Notify group dynamic data response.....	89
10.1.5.6.2	Procedure for subscription and notification for dynamic data associated with a group by the MC service client.....	90
10.1.5.6.3	Procedure for subscription and notification for dynamic data associated with a group by the group management server.....	90
10.1.6	MC service UE migration	91
10.1.6.1	MC service UE obtains migration connectivity information of partner MC system.....	91
10.1.6.2	Void.....	92
10.1.7	Functional alias configuration management	92
10.1.7.1	Retrieve functional alias configurations from the functional alias management server.....	92
10.1.7.2	Subscription and notification for functional alias configuration data	92
10.1.7.3	Dynamic data associated with a functional alias.....	93
10.1.7.3.1	Dynamic data associated with a functional alias in MC service server	93
10.2	Group management (on-network)	94
10.2.1	General.....	94
10.2.2	Information flows for group management	94
10.2.2.1	Group creation request	94
10.2.2.2	Group creation response.....	95
10.2.2.3	Group regroup request (group management client – group management server)	95
10.2.2.4	Group regroup response (group management server – group management client).....	95
10.2.2.5	Group regroup teardown request.....	95
10.2.2.6	Group regroup teardown response	96
10.2.2.7	Group creation notify	96
10.2.2.8	Group regroup notify.....	96
10.2.2.9	Group regroup teardown notify.....	96
10.2.2.10	Group regroup teardown notification.....	97
10.2.2.11	Group regroup teardown notification response	97
10.2.2.12	Group regroup request (group management server – group management server).....	97
10.2.2.13	Group regroup response (group management server – group management server)	97
10.2.2.14	Group regroup notification.....	98
10.2.2.15	Group regroup notification response	98
10.2.2.16	Group information query request	98
10.2.2.17	Group information query response.....	98
10.2.2.18	Group membership update request.....	99
10.2.2.19	Group membership update response	99
10.2.2.20	Group membership notification	99
10.2.2.21	Group deletion request	100
10.2.2.22	Group deletion response.....	100

10.2.2.23	Group deletion notification	100
10.2.2.24	Group information provision request	100
10.2.2.25	Group information provision response	100
10.2.2.26	Group information request	101
10.2.2.27	Group information response	101
10.2.2.28	Group information subscribe request	101
10.2.2.29	Group information subscribe response	101
10.2.2.30	Group information notify request	102
10.2.2.31	Group information notify response	102
10.2.3	Group creation	102
10.2.4	Group regrouping	104
10.2.4.1	Temporary group formation - group regrouping within an MC system	104
10.2.4.2	Temporary group formation involving multiple MC systems	106
10.2.4.2a	Temporary group tear down within an MC system	108
10.2.4.3	Temporary group tear down involving multiple group host servers	109
10.2.4.4	Group regroup rules	110
10.2.5	Membership and affiliation list query	111
10.2.5.1	General	111
10.2.5.2	Procedure	111
10.2.6	Group membership	111
10.2.6.1	Group membership notification	111
10.2.6.2	Group membership update by authorized user	112
10.2.7	Group configuration for interconnection	113
10.2.7.1	Overview	113
10.2.7.2	Primary MC system provides group configuration to the partner MC system	114
10.2.7.3	Partner MC system requests group configuration from the primary MC system	115
10.2.7.4	Partner MC system subscribes to group configuration	116
10.2.7.5	Primary MC system notifies group configuration	117
10.2.8	Group deletion	118
10.3	Pre-established session (on-network)	119
10.3.1	General	119
10.3.2	Procedures	119
10.3.2.1	General	119
10.3.2.2	Pre-established session establishment	119
10.3.2.3	Pre-established session modification	120
10.3.2.4	Pre-established session release	122
10.4	Simultaneous session (on-network)	123
10.4.1	General	123
10.5	Use of UE-to-network relay	123
10.5.1	UE-to-network relay service authorization	123
10.5.2	UE-to-network relay MC service	123
10.6	General user authentication and authorization for MC services	123
10.6.1	Primary MC system	123
10.6.2	Interconnection partner MC system	124
10.6.3	Migration to partner MC system	124
10.6.3.1	General	124
10.6.3.2	Information flows	125
10.6.3.2.1	Migration service authorization request	125
10.6.3.2.2	Migration service authorization response	125
10.6.3.2.3	Migration service de-authorization notification	125
10.6.3.2.4	MC service authorization notification	126
10.6.3.3	Procedures	126
10.6.3.3.1	Migration service authorization procedure	126
10.6.3.3.2	Migration service de-authorization procedure initiated by MC service server	128
10.6.3.3.2.1	Migrated MC service user returns back to its primary MC system	128
10.6.3.3.2.2	Migrated MC service user migrate to another partner MC system	129
10.7	Use of MBMS transmission	130
10.7.1	General	130
10.7.2	Information flows for MBMS transmission	130
10.7.2.1	MBMS bearer announcement	130
10.7.2.2	MBMS listening status report	131
10.7.2.3	MBMS suspension reporting instruction	131

10.7.2.4	Discover bearer request.....	132
10.7.2.5	Discover bearer response	132
10.7.2.6	Media distribution request.....	132
10.7.2.7	Media distribution response	133
10.7.2.8	Identify multicast participants request	133
10.7.2.9	Remove call from bearer request	133
10.7.2.10	Media distribution release	133
10.7.2.11	Media broadcasting notification.....	133
10.7.2.12	Group status notification	133
10.7.2.13	MBMS suspension report.....	134
10.7.3	Procedures for MBMS usage	134
10.7.3.1	Use of pre-established MBMS bearers.....	134
10.7.3.1.1	General	134
10.7.3.1.2	Procedure.....	134
10.7.3.2	Use of dynamic MBMS bearer establishment.....	136
10.7.3.3	Switching from MBMS bearer to unicast bearer.....	137
10.7.3.4	Use of MBMS bearer for application level control signalling	138
10.7.3.4.1	Description	138
10.7.3.4.2	Procedure.....	138
10.7.3.5	MBMS bearer announcement over MBMS bearer.....	139
10.7.3.5.1	Description	139
10.7.3.5.2	Procedure.....	139
10.7.3.6	MBMS bearer quality detection	141
10.7.3.6.1	Description	141
10.7.3.6.2	Procedure.....	141
10.7.3.7	Service continuity in MBMS scenarios.....	142
10.7.3.7.1	General	142
10.7.3.7.2	Service continuity when moving from one MBSFN to another	142
10.7.3.7.3	Service continuity with a UE-to-Network relay	145
10.7.3.8	MBMS suspension notification.....	147
10.7.3.8.1	Description	147
10.7.3.8.2	Procedure.....	147
10.7.3.9	Multi-server bearer coordination.....	148
10.7.3.9.1	General	148
10.7.3.9.2	Procedures	148
10.7.3.9.2.1	MBMS bearer coordination independent on broadcasted media	148
10.7.3.9.2.2	MBMS bearer coordination within one group call.....	150
10.7.3.10	MBMS bearer event notification.....	152
10.7.3.10.1	General	152
10.7.3.10.2	Procedure.....	153
10.7.3.11	Use of FEC to protect MBMS transmissions	154
10.7.3.11.1	General	154
10.7.3.11.2	FEC encoding by the BM-SC	154
10.7.3.11.3	FEC encoding by the MC service server	155
10.7.3.12	Header compression over MBMS with ROHC	156
10.7.3.12.1	General	156
10.7.3.12.2	Header compression by the MC service server	156
10.7.3.12.3	Header compression by the BM-SC	157
10.7.3.13	Use of MBMS bearer for group status	158
10.8	Affiliation and de-affiliation to/from MC service group(s).....	159
10.8.1	General.....	159
10.8.2	Information flows	159
10.8.2.1	MC service group affiliation request.....	159
10.8.2.2	MC service group affiliation request (MC service server – MC service server)	159
10.8.2.3	MC service group affiliation response	159
10.8.2.4	MC service group affiliation response (MC service server – MC service server)	160
10.8.2.5	Void.....	160
10.8.2.6	MC service group de-affiliation request.....	160
10.8.2.7	MC service group de-affiliation request (MC service server – MC service server)	160
10.8.2.8	MC service group de-affiliation response	160
10.8.2.9	MC service group de-affiliation response (MC service server – MC service server)	161
10.8.2.10	Void.....	161

10.8.2.11	MC service group affiliation change request.....	161
10.8.2.12	MC service group affiliation change response	161
10.8.2.13	MC service group de-affiliation notification.....	162
10.8.2.14	Notify group dynamic data request	162
10.8.3	Affiliation	162
10.8.3.1	MC service group affiliation procedure	162
10.8.3.2	Affiliation to MC service group(s) defined in partner MC system without topology hiding	163
10.8.3.2.1	Functional description	163
10.8.3.2.2	Procedure.....	164
10.8.3.2a	Affiliation to MC service group(s) defined in partner MC system using topology hiding.....	165
10.8.3.2a.1	Functional description	165
10.8.3.2a.2	Procedure.....	165
10.8.4	De-affiliation from MC service group(s)	167
10.8.4.1	General.....	167
10.8.4.2	MC service group de-affiliation procedure	167
10.8.4.3	De-affiliation from MC service group(s) defined in partner MC system	168
10.8.4.4	MC server initiated group de-affiliation procedure.....	170
10.8.4.5	MC server initiated group de-affiliation from group defined in partner MC system	170
10.8.5	Remote change of affiliation.....	172
10.8.5.1	Remote change of affiliation for groups defined in primary MC system.....	172
10.8.5.1.1	Authorized user remotely changes another MC service user's affiliated MC service group(s) – mandatory mode	172
10.8.5.1.2	Authorized user remotely changes another MC service user's affiliated MC service group(s) – negotiated mode.....	173
10.8.5.2	Remote change of affiliation for groups defined in partner MC system	175
10.8.5.2.1	Authorized user remotely changes another MC service user's affiliated MC service group(s) defined in partner MC system – mandatory mode.....	175
10.9	Location management (on-network)	177
10.9.1	General.....	177
10.9.2	Information flows for location information	177
10.9.2.1	Location reporting configuration	177
10.9.2.2	Location information report	178
10.9.2.3	Location information request	179
10.9.2.4	Location reporting trigger	180
10.9.2.5	Location information subscription request.....	181
10.9.2.6	Location information subscription response	182
10.9.2.7	Location information notification	182
10.9.2.10	Location report response	185
10.9.2.11	Location information history status request	185
10.9.2.12	Location information history status report	186
10.9.2.13	Location information history request	187
10.9.2.14	Location information history report	189
10.9.2.15	Location information history cancel request	190
10.9.2.16	Location information history cancel response.....	191
10.9.2.17	Location reporting temporary configuration request.....	191
10.9.2.18	Location reporting temporary configuration response	192
10.9.2.19	Restrict location information dissemination request	192
10.9.2.20	Restrict location information dissemination response.....	193
10.9.2.21	Restrict location information dissemination notification	193
10.9.3	Procedure	194
10.9.3.1	Event-triggered location reporting procedure	194
10.9.3.2	On-demand location reporting procedure.....	195
10.9.3.3	Client-triggered location reporting procedure	196
10.9.3.4	Location reporting cancel procedure.....	197
10.9.3.5	Location information subscription procedure	198
10.9.3.6	Usage of location information procedure	198
10.9.3.6.1	Event-trigger location information notification procedure	198
10.9.3.6.2	On-demand usage of location information procedure	199
10.9.3.8	Location management using functional alias	201
10.9.3.8.1	Client-triggered one-time location information report	201
10.9.3.8.2	Client-triggered periodic location information report.....	202
10.9.3.9	Usage of location history reporting procedure	203

10.9.3.9.1	General	203
10.9.3.9.2	Report location history procedure	203
10.9.3.9.2.1	On-demand report location history procedure (LMC – LMS)	203
10.9.3.9.2.2	On-demand report location history procedure	204
10.9.3.9.3	Usage of status location history reporting procedure	205
10.9.3.9.3.1	Status location history reporting procedure (LMC – LMS)	205
10.9.3.9.3.2	On-demand status location history reporting procedure (LMS – LMC)	206
10.9.3.9.3.3	On-demand status location history reporting procedure	206
10.9.3.9.4	Usage of cancel location history reporting procedure	207
10.9.3.9.4.1	General	207
10.9.3.9.4.2	Cancel location history reporting procedure (LMS – LMC)	207
10.9.3.9.4.3	Cancel location history reporting procedure	208
10.9.3.10	Usage of location information across MC systems procedure	209
10.9.3.10.1	General	209
10.9.3.10.2	On-demand request of location information procedure	209
10.9.3.10.3	Event-triggered location information notification procedure	210
10.9.3.10.4	Location information subscription procedure	211
10.9.3.10.5	Location information cancel subscription procedure	213
10.9.3.10.6	Location reporting temporary configuration procedure	214
10.9.3.11	Restrict location information dissemination procedure	216
10.10	Emergency Alert	217
10.10.1	On-network emergency alert	217
10.10.1.1	General	217
10.10.1.1A	Information flows	217
10.10.1.1A.1	MC service emergency alert request	217
10.10.1.1A.2	MC service emergency alert response	218
10.10.1.1A.3	MC service emergency alert cancel request	218
10.10.1.1A.4	MC service emergency alert cancel response	218
10.10.1.1A.5	MC service emergency alert area notification	219
10.10.1.2	MC service emergency alert	219
10.10.1.2.1	MC service emergency alert initiation	219
10.10.1.2.1.1	General	219
10.10.1.2.1.3	MC service individual emergency alert initiation	221
10.10.1.2.2	MC service emergency alert cancel	223
10.10.1.2.2.1	General	223
10.10.1.2.2.2	MC service group emergency alert cancel	223
10.10.1.2.2.3	MC service individual emergency alert cancel	224
10.10.1.2.3	Entering MC service emergency alert area	225
10.10.1.2.4	Leaving MC service emergency alert area	226
10.10.2	Off-network emergency alert	227
10.10.2.1	General	227
10.10.2.1A	Information flows	228
10.10.2.1A.1	MC service emergency alert announcement	228
10.10.2.1A.2	MC service emergency alert cancel announcement	228
10.10.2.2	MC service emergency alert	228
10.10.2.2.1	Emergency alert initiation	228
10.10.2.2.2	Emergency alert cancel	229
10.10.3	Ad hoc group emergency alert	231
10.10.3.1	General	231
10.10.3.2	Information flows	231
10.10.3.2.1	Ad hoc group emergency alert request (MC service client – MC service server)	231
10.10.3.2.2	Ad hoc group emergency alert request (MC service server – MC service client)	231
10.10.3.2.2a	Ad hoc group emergency alert request return	232
10.10.3.2.3	Ad hoc group emergency alert response	232
10.10.3.2.4	Ad hoc group emergency alert cancel request	232
10.10.3.2.4a	Ad hoc group emergency alert cancel request return	233
10.10.3.2.5	Ad hoc group emergency alert cancel response	233
10.10.3.2.6	Ad hoc group emergency alert participants list notification	233
10.10.3.2.7	Ad hoc group emergency alert get userlist request	234
10.10.3.2.8	Ad hoc group emergency alert get userlist response	234
10.10.3.2.9	Ad hoc group emergency alert user add notification	235
10.10.3.2.10	Ad hoc group emergency alert user remove notification	235

10.10.3.2.11	Ad hoc group emergency alert notify	235
10.10.3.3	Procedures within single MC system	236
10.10.3.3.1	Ad hoc group emergency alert initiation	236
10.10.3.3.2	Ad hoc group emergency alert cancel	237
10.10.3.3.3	Entering an ongoing ad hoc group emergency alert	239
10.10.3.3.4	Leaving an ad hoc group emergency alert	240
10.10.3.4	Procedures within multiple MC systems	241
10.10.3.4.1	Ad hoc group emergency alert initiation	241
10.10.3.4.2	Updating the participant list of an ongoing ad hoc group emergency alert	242
10.10.3.4.3	Ad hoc group emergency alert cancel	244
10.11	MC service resource management (on-network)	245
10.11.1	General	245
10.11.2	Request for unicast resources at session establishment	245
10.11.2a	Request for unicast resources at session establishment from MC service server	246
10.11.2a.1	General	246
10.11.2a.2	Procedure	247
10.11.3	Request for modification of unicast resources	247
10.11.4	Management of multicast media bearers	249
10.11.5	Request for resources with shared priority	249
10.11.5.1	General	249
10.11.5.2	Procedure	249
10.11.6	Request for media resources from MC service server	250
10.11.6.1	General	250
10.11.6.2	Procedure	250
10.12	Priority Management	251
10.12.1	General	251
10.12.2	Information flows	252
10.12.2.1	MC priority request	252
10.12.3	Procedure for priority coordination between multiple MC service servers	252
10.13	Functional alias management (on-network)	254
10.13.1	General	254
10.13.2	Information flows for functional alias management	254
10.13.2.1	Active functional alias information user query request	254
10.13.2.1a	Active functional alias information usage query request	254
10.13.2.2	Active functional alias information user query response	254
10.13.2.2a	Active functional alias information usage query response	255
10.13.2.3	Functional alias activation request	255
10.13.2.4	Functional alias activation response	255
10.13.2.5	Functional alias de-activation request	256
10.13.2.6	Functional alias de-activation response	256
10.13.2.7	Functional alias status notification	256
10.13.2.8	Functional alias take over request	256
10.13.2.9	Functional alias take over response	257
10.13.2.10	Functional alias revoke notification	257
10.13.2.11	Subscribe functional alias request	257
10.13.2.12	Subscribe functional alias response	257
10.13.2.13	Notify functional alias request	258
10.13.2.14	Notify functional alias response	258
10.13.2.15	Unsubscribe functional alias request	258
10.13.2.16	Unsubscribe functional alias response	258
10.13.2.17	Functional alias to group binding request	258
10.13.2.18	Functional alias to group binding response	259
10.13.2.19	Functional alias to group unbinding request	259
10.13.2.20	Functional alias to group unbinding response	259
10.13.3	Authorised MC service user retrieves active functional alias(es) for certain MC service user(s)	259
10.13.4	MC service user activates functional alias(es) within an MC system	260
10.13.5	MC service user de-activates functional alias(es) within an MC system	261
10.13.6	Authorised MC service user takes over functional alias(es) within an MC system	262
10.13.7	Authorised MC service user retrieves MC service user(s) for certain active functional alias(es)	263
10.13.10	Subscription and notification for functional alias	266
10.13.10.1	General	266
10.13.11	Functional alias to group binding	268

10.13.11.1	General.....	268
10.13.11.2	Functional alias to group binding.....	268
10.13.11.3	Functional alias to group unbinding.....	268
10.14	Generic procedures for interconnection	269
10.14.1	General.....	269
10.14.2	Generic call procedure with topology hiding.....	269
10.14.2.1	General	269
10.14.2.2	Procedure for calls with topology hiding	269
10.14.3	Generic call procedure for enforcement of local MC service group configuration.....	271
10.14.3.1	General	271
10.14.3.2	MC service group call initiated in the partner MC system of the MC service group	271
10.14.3.3	MC service group call request received from the primary MC system of the MC service group	272
10.14.4	Generic call procedure for media replication in participating MC system in MC service group calls	273
10.14.4.1	General	273
10.14.4.2	Media replication in the partner MC system of the MC service group	273
10.15	Preconfigured regrouping.....	274
10.15.1	General.....	274
10.15.2	Information flows for preconfigured regrouping	275
10.15.2.1	Preconfigured regroup request (MC service client – MC service server)	275
10.15.2.2	Preconfigured regroup request (MC service server – MC service client)	275
10.15.2.3	Preconfigured regroup request (MC service server – MC service server)	276
10.15.2.4	Preconfigured regroup response (MC service client – MC service server).....	276
10.15.2.5	Preconfigured regroup response (MC service server – MC service client).....	276
10.15.2.6	Preconfigured regroup response (MC service server – MC service server)	276
10.15.2.7	Preconfigured regroup cancel request (MC service client – MC service server)	277
10.15.2.8	Preconfigured regroup cancel request (MC service server – MC service client)	277
10.15.2.9	Preconfigured regroup cancel request (MC service server – MC service server)	277
10.15.2.10	Preconfigured regroup cancel response (MC service client – MC service server).....	277
10.15.2.11	Preconfigured regroup cancel response (MC service server – MC service client).....	278
10.15.2.12	Preconfigured regroup cancel response (MC service server – MC service server).....	278
10.15.2.13	Preconfigured regroup reject (MC service server – MC service client).....	278
10.15.2.14	Preconfigured regroup reject (MC service server – MC service server)	279
10.15.2.15	Preconfigured user regroup remove request (MC service server – MC service client).....	279
10.15.2.16	Preconfigured user regroup remove response (MC service client – MC service server)	279
10.15.3	Regroup with preconfigured group.....	279
10.15.3.1	General.....	279
10.15.3.2	Preconfigured regroup procedures in a single MC system.....	280
10.15.3.2.1	Preconfigured Group Regroup formation in a single MC system	280
10.15.3.2.2	Preconfigured User Regroup formation in a single MC system	282
10.15.3.2.3	Preconfigured regroup cancellation in a single MC system	284
10.15.3.3	Preconfigured regroup procedures in multiple MC systems	285
10.15.3.3.1	Preconfigured Group Regroup formation in multiple MC systems	285
10.15.3.3.2	Preconfigured User Regroup formation in multiple MC systems.....	287
10.15.3.3.3	Preconfigured regroup cancellation in multiple MC systems.....	289
10.15.3.3.4	Preconfigured group regroup rejection in multiple MC systems.....	290
10.15.3.4	Other preconfigured regroup procedures	291
10.15.3.4.1	Adding newly affiliated user to preconfigured group regroup	291
10.15.3.4.2	Updating the MC service ID list in a preconfigured regroup group based on user regroup	292
10.16	Generic procedures for migration.....	294
10.16.1	General.....	294
10.16.2	Migration during an ongoing group communication	294
10.16.2.1	General	294
10.16.2.2	Procedure	294
10.16.2.3	Void.....	295
10.16.2.3.1	Void.....	295
10.16.3	Private call using functional alias towards a partner MC system.....	295
10.16.3.1	General	295
10.16.3.2	Information flows.....	295
10.16.3.2.1	MC service functional alias resolution request.....	295
10.16.3.2.2	MC service functional alias resolution response	295
10.16.3.3	Procedure	296
10.16.4	Migration during an ongoing private communication	297