
**Traditional Chinese medicine —
Computerized tongue image analysis
system —**

**Part 3:
Colour chart**

iTeh STANDARD PREVIEW
*Médecine traditionnelle chinoise — Système d'analyse d'images
numérisées de la langue —
Partie 3: Nuancier*
(standards.iteh.ai)

ISO/TS 20498-3:2020

<https://standards.iteh.ai/catalog/standards/sist/90e62cfb-d647-469c-9abd-be5d8254664b/iso-ts-20498-3-2020>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/TS 20498-3:2020
<https://standards.iteh.ai/catalog/standards/sist/90e62cfb-d647-469c-9abd-be5d8254664b/iso-ts-20498-3-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Classification	2
4.1 Colour chart without registration mark	2
4.2 Colour chart with registration mark	2
5 Technical requirements	3
5.1 Accuracy of L*a*b* value	3
5.2 Colour patch size and margin	4
5.3 Optical transparency	5
5.4 Usage of colour chart	5
5.5 Printing condition	5
Annex A (informative) Characteristics of each colour patch and the usage of the colour chart	6
Annex B (informative) sRGB values of colour chart	7
Annex C (informative) Printing condition of each colour patch	8
Bibliography	9

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/TS 20498-3:2020](https://standards.iteh.ai/catalog/standards/sist/90e62cfb-d647-469c-9abd-be5d8254664b/iso-ts-20498-3-2020)

<https://standards.iteh.ai/catalog/standards/sist/90e62cfb-d647-469c-9abd-be5d8254664b/iso-ts-20498-3-2020>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 249, *Traditional Chinese medicine*.

A list of all the parts in the ISO 20498 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Traditional Chinese medicine — Computerized tongue image analysis system —

Part 3: Colour chart

1 Scope

This document specifies the colour character and appearance of the colour chart used in a computerized tongue image analysis system (CTIS).

This document excludes diagnostic or clinical comparison to the colour chart.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1 colour chart

apparatus which consists of an array of 24 single-colour patches used for the evaluation of colour reproduction of CTIS

3.2 colour space

geometric representation of colours in space, usually of three dimensions

[SOURCE: CIE Publication 17.4, 845-03-25]

3.3 CIELAB colour difference

CIE 1976 L*a*b* colour difference

$$\Delta E_{ab}^*$$

difference between two colour stimuli defined as the Euclidean distance between the points representing them in L*a*b* colour space

[SOURCE: CIE publication 17.4, 845-03-55, 56]

3.4 margin

area beyond the colour patch in the colour chart

4 Classification

4.1 Colour chart without registration mark

The order of colours in the colour chart and the example printed on paper using arbitral ink, dye and paint are shown in [Figure 1](#).




NOTE The numbers listed in the figure represent the order of colours in this colour chart.

<https://standards.itech.ai/catalog/standards/sist/90e62cfb-d647-469c-9abd-bc3d8254004b/iso-ts-20498-3-2020>
Figure 1 — The colour chart without registration mark

4.2 Colour chart with registration mark

The order of colours in the colour chart and the example printed on paper using arbitral ink, dye and paint with registration mark are shown in [Figure 2](#).



NOTE The numbers listed in the figure represent the order of colours in this colour chart.

Figure 2 — The colour chart with registration mark

iTeh STANDARD PREVIEW

(standards.iteh.ai)

5 Technical requirements

5.1 Accuracy of L*a*b* value

ISO/TS 20498-3:2020

<https://standards.iteh.ai/catalog/standards/sist/90e62cfb-d647-469c-9abd->

[bc5d8254664b/iso-ts-20498-3-2020](https://standards.iteh.ai/catalog/standards/sist/90e62cfb-d647-469c-9abd-bc5d8254664b/iso-ts-20498-3-2020)

The CIELAB colour difference ΔE_{ab}^* between the real value and the specified value should be less than 5. The specified values are shown in [Table 1](#).

Compliance is checked as follows:

When calculating the colour value, the area to be analysed should be in a square or circular shape containing the centre of each patch and should be at least 20 % of each patch area.

The white and black colours of the frame's L*a*b* values are necessary. The frame colour shall differ from the white and black colour in the colour chart so that colour patches and border can be distinguished.

Use a spectral-photometer for testing. Compare the real value with the specified value in [Table 1](#). Calculate the colour difference according to [Formula \(1\)](#).

$$\Delta E_{ab}^* = [(\Delta L^*)^2 + (\Delta a^*)^2 + (\Delta b^*)^2]^{1/2} \quad (1)$$

where ΔE_{ab}^* is the colour difference calculated by the real values and specified values of a^* , b^* and L^* shown in [Table 1](#). The result shall be in accordance with the requirements.

Table 1 — Name of colour patch and CIE L*a*b* coordinates at CIE D65 and D50 illuminates

Number	Name	L*(D65)	a*(D65)	b*(D65)	L*(D50)	a*(D50)	b*(D50)
1	Cyan	63	-17	-23	63	-21	-24
2	Magenta	56	38	-9	56	38	-9
3	Yellow	79	-12	53	80	-8	53
4	Red	47	43	25	48	44	26
5	Green	59	-38	37	59	-35	36
6	Blue	43	0	-28	42	-3	-29
7	Black	20	0	0	20	0	0
8	Gray#01	30	0	0	30	0	0
9	Gray#02	40	0	0	40	0	0
10	Gray#03	50	0	0	50	0	0
11	Gray#04	60	0	0	60	0	0
12	White	90	0	0	90	0	0
13	Tongue#01	55	14	25	56	16	25
14	Tongue#02	65	5	15	65	6	15
15	Tongue#03	52	21	11	52	22	11
16	Tongue#04	35	9	1	35	9	1
17	Tongue#05	58	9	2	58	10	3
18	Tongue#06	32	19	4	32	19	4
19	Tongue#07	47	25	4	47	26	4
20	Tongue#08	50	33	13	50	34	14
21	Tongue#09	34	32	13	35	32	13
22	Tongue#10	37	38	17	37	38	18
23	Tongue#11	44	36	17	45	36	18
24	Tongue#12	54	26	22	54	28	22
25	Recommendation 1	80	0	0	80	0	0
26	Recommendation 2	25	0	0	25	0	0

NOTE The name of the colour patch and CIE L*a*b* coordinates at D65 and D50 CIE standard illuminate in 2° observers are shown. Colour patch numbers 25 and 26 are the L*a*b* values of the colour of the margin.

5.2 Colour patch size and margin

The size of colour chart is arbitrary. However, the shape of the colour patch shall be square and the geometric size of each colour patch shall be the same. Single-colour interval size dimensions shall conform to the requirements in Figure 3. The width of each colour patch shall be not less than 5 mm. The margin between two conjunct colour patches shall not be less than 1 mm.

Compliance is checked as follows:

Measure the patch size and margin using a ruler. The result shall be in accordance with the requirements.




Figure 3 — The interval size dimension of colour chart and small size example using arbitral ink, dye and paint with registration mark

<https://standards.iteh.ai/catalog/standards/sist/90e62cfb-d647-469c-9abd-be5d8254664b/iso-ts-20498-3-2020>

5.3 Optical transparency

The optical transparency (O) shall be less than 3.

Compliance is checked as follows:

Detect the $L^*a^*b^*$ value of 24 colour patches individually under white-back and black-back separately and calculate the colour difference according to [Formula \(2\)](#). Then calculate the optical transparency, O , according to [Formula \(3\)](#). The result shall be in accordance with the requirements.

$$\Delta E_{ab}^* = [(\Delta L^*)^2 + (\Delta a^*)^2 + (\Delta b^*)^2]^{1/2} \quad (2)$$

$$O = 1/24 \sum \Delta E_{ab}^* \quad (3)$$

where ΔE_{ab}^* is the colour difference between white-back and black-back.

5.4 Usage of colour chart

The characteristics of 24 colour patches and the usage of the colour chart are listed in [Annex A](#) and [Annex B](#) for additional information.

5.5 Printing condition

Since the quality of the ink, paper or other materials cannot be ensured, refer to [Annex C](#) for additional information.