
Konektorji za električno in elektronsko opremo - Zahteve za izdelek - 2-115. del: Okrogli konektorji - Podrobna specifikacija za 12-polne konektorje z naznačenim tokom 2A in z zaskočnim zaklepanjem IP65/IP67 s kovinskim ohišjem (IEC 61076-2-115:2023)

Connectors for electrical and electronic equipment - Product requirements - Part 2-115: Circular connectors - Detail specification for 12-pole connectors with 2 A rated current and push-pull locking IP65/IP67 with metal housing (IEC 61076-2-115:2023)

Steckverbinder für elektrische und elektronische Einrichtungen - Produkthanforderungen - Teil 2-115: Rundsteckverbinder - Einzelspezifikation für 12-polige Steckverbinder mit 2 A Nennstrom und Push-Pull-Verriegelung IP65/IP67 Metallgehäuse (IEC 61076-2-115:2023)

Connecteurs pour équipements électriques et électroniques - Exigences de produit - Partie 2-115: Connecteurs circulaires - Spécification particulière relative aux connecteurs à 12 pôles avec un courant assigné de 2 A et un mécanisme de verrouillage de type pousser-tirer IP65/IP67, logés dans un boîtier métallique (IEC 61076-2-115:2023)

Ta slovenski standard je istoveten z: EN IEC 61076-2-115:2023

ICS:

31.220.10 Vtiči in vtičnice, konektorji Plug-and-socket devices.
Connectors

SIST EN IEC 61076-2-115:2023 en

EUROPEAN STANDARD

EN IEC 61076-2-115

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2023

ICS 31.220.10

English Version

Connectors for electrical and electronic equipment - Product requirements - Part 2-115: Circular connectors - Detail specification for 12-pole shielded connectors with 2 A rated current and IP65/IP67 metal housing with push-pull locking (IEC 61076-2-115:2023)

Connecteurs pour équipements électriques et électroniques
- Exigences de produit - Partie 2-115: Connecteurs
circulaires - Spécification particulière relative aux
connecteurs blindés à 12 pôles avec un courant assigné de
2 A et un boîtier métallique IP65/IP67 équipé d'un
mécanisme de verrouillage de type pousser-tirer
(IEC 61076-2-115:2023)

Steckverbinder für elektrische und elektronische
Einrichtungen - Produktanforderungen - Teil 2-115:
Rundsteckverbinder - Einzelspezifikation für 12-polige
Steckverbinder mit 2 A Nennstrom und Push-Pull-
Verriegelung IP65/IP67 Metallgehäuse
(IEC 61076-2-115:2023)

STANDARD PREVIEW

This European Standard was approved by CENELEC on 2023-06-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61076-2-115:2023 (E)**European foreword**

The text of document 48B/2948/CDV, future edition 1 of IEC 61076-2-115, prepared by SC 48B "Electrical connectors" of IEC/TC 48 "Electrical connectors and mechanical structures for electrical and electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61076-2-115:2023.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2024-03-27 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2026-06-27 document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 61076-2-115:2023 was approved by CENELEC as a European Standard without any modification.

<https://standards.iteh.ai/catalog/standards/sist/da187586-8d43-4e71-b5d7-0a885137b51a/sist-en-iec-61076-2-115-2023>

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-581	-	International Electrotechnical Vocabulary - Part 581: Electromechanical components for electronic equipment	-	-
IEC 60068-1	-	Environmental testing - Part 1: General and guidance	EN 60068-1	-
IEC 60068-2-60	-	Environmental testing - Part 2-60: Tests - Test Ke: Flowing mixed gas corrosion test	EN 60068-2-60	-
IEC 60228	-	Conductors of insulated cables	EN 60228	-
IEC 60352-2	-	Solderless connections - Part 2: Crimped connections - General requirements, test methods and practical guidance	EN 60352-2	-
IEC 60352-3	-	Solderless connections - Part 3: Accessible insulation displacement (ID) connections - General requirements, test methods and practical guidance	EN IEC 60352-3	-
IEC 60352-4	-	Solderless connections - Part 4: Non-accessible insulation displacement (ID) connections - General requirements, test methods and practical guidance	EN IEC 60352-4	-
IEC 60352-5	-	Solderless connections - Part 5: Press-in connections - General requirements, test methods and practical guidance	EN IEC 60352-5	-
IEC 60352-6	-	Solderless connections - Part 6: Insulation piercing connections - General requirements, test methods and practical guidance	EN IEC 60352-6	-
IEC 60352-7	-	Solderless connections - Part 7: Spring clamp connections - General requirements, test methods and practical guidance	EN IEC 60352-7	-
IEC 60512-1	-	Connectors for electrical and electronic equipment - Tests and measurements - Part 1: Generic specification	EN IEC 60512-1	-

EN IEC 61076-2-115:2023 (E)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60512-1-1	-	Connectors for electronic equipment - Tests and measurements - Part 1-1: General examination - Test 1a: Visual examination	EN 60512-1-1	-
IEC 60512-1-2	-	Connectors for electronic equipment - Tests and measurements - Part 1-2: General examination - Test 1b: Examination of dimension and mass	EN 60512-1-2	-
IEC 60512-2-1	-	Connectors for electronic equipment - Tests and measurements - Part 2-1: Electrical continuity and contact resistance tests - Test 2a: Contact resistance - Millivolt level method	EN 60512-2-1	-
IEC 60512-2-2	-	Connectors for electronic equipment - Tests and measurements - Part 2-2: Electrical continuity and contact resistance tests - Test 2b: Contact resistance - Specified test current method	EN 60512-2-2	-
IEC 60512-2-5	-	Connectors for electronic equipment - Tests and measurements - Part 2-5: Electrical continuity and contact resistance tests - Test 2e: Contact disturbance	EN 60512-2-5	-
IEC 60512-2-6	-	Connectors for electronic equipment - Tests and measurements - Part 2-6: Electrical continuity and contact resistance tests - Test 2f: Housing (shell) electrical continuity	EN 60512-2-6	-
IEC 60512-3-1	-	Connectors for electronic equipment - Tests and measurements - Part 3-1: Insulation tests - Test 3a: Insulation resistance	EN 60512-3-1	-
IEC 60512-4-1	-	Connectors for electronic equipment - Tests and measurements - Part 4-1: Voltage stress tests - Test 4a: Voltage proof	EN 60512-4-1	-
IEC 60512-5-2	-	Connectors for electronic equipment - Tests and measurements - Part 5-2: Current-carrying capacity tests - Test 5b: Current-temperature derating	EN 60512-5-2	-
IEC 60512-6-3	-	Connectors for electronic equipment - Tests and measurements - Part 6-3: Dynamic stress tests - Test 6c: Shock	EN 60512-6-3	-
IEC 60512-6-4	-	Connectors for electronic equipment - Tests and measurements - Part 6-4: Dynamic stress tests - Test 6d: Vibration (sinusoidal)	EN 60512-6-4	-
IEC 60512-7-1	-	Connectors for electronic equipment - Tests and measurements - Part 7-1: Impact tests (free connectors) - Test 7a: Free fall (repeated)	EN 60512-7-1	-
IEC 60512-9-1	-	Connectors for electronic equipment - Tests and measurements - Part 9-1: Endurance tests - Test 9a: Mechanical operation	EN 60512-9-1	-
IEC 60512-9-2	-	Connectors for electronic equipment - Tests and measurements - Part 9-2: Endurance tests - Test 9b: Electrical load and temperature	EN 60512-9-2	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60512-11-1	-	Connectors for electrical and electronic equipment - Tests and measurements - Part 11-1: Climatic tests - Test 11a - Climatic sequence	EN IEC 60512-11-1	-
IEC 60512-11-3	-	Connectors for electronic equipment - Tests and measurements - Part 11-3: Climatic tests - Test 11c: Damp heat, steady state	EN 60512-11-3	-
IEC 60512-11-4	-	Connectors for electronic equipment - Tests and measurements - Part 11-4: Climatic tests - Test 11d: Rapid change of temperature	EN 60512-11-4	-
IEC 60512-11-6	-	Connectors for electronic equipment - Tests and measurements - Part 11-6: Climatic tests - Test 11f: Corrosion, salt mist	EN 60512-11-6	-
IEC 60512-11-7	-	Connectors for electronic equipment - Tests and measurements - Part 11-7: Climatic tests - Test 11g: Flowing mixed gas corrosion test	EN 60512-11-7	-
IEC 60512-11-9	-	Connectors for electronic equipment - Tests and measurements - Part 11-9: Climatic tests - Test 11i: Dry heat	EN 60512-11-9	-
IEC 60512-11-10	-	Connectors for electronic equipment - Tests and measurements - Part 11-10: Climatic tests - Test 11j: Cold	EN 60512-11-10	-
IEC 60512-11-11	-	Connectors for electronic equipment - Tests and measurements - Part 11-11: Climatic tests - Test 11k: Low air pressure	EN 60512-11-11	-
IEC 60512-11-12	-	Connectors for electronic equipment - Tests and measurements - Part 11-12: Climatic tests - Test 11m: Damp heat, cyclic	EN 60512-11-12	-
IEC 60512-13-1	-	Connectors for electronic equipment - Tests and measurements - Part 13-1: Mechanical operation tests - Test 13a: Engaging and separating forces	EN 60512-13-1	-
IEC 60512-13-5	-	Connectors for electronic equipment - Tests and measurements - Part 13-5: Mechanical operation tests - Test 13e: Polarizing and keying method	EN 60512-13-5	-
IEC 60512-15-1	-	Connectors for electronic equipment - Tests and measurements - Part 15-1: Connector tests (mechanical) - Test 15a: Contact retention in insert	EN 60512-15-1	-
IEC 60512-15-6	-	Connectors for electronic equipment - Tests and measurements - Part 15-6: Connector tests (mechanical) - Test 15f: Effectiveness of connector coupling devices	EN 60512-15-6	-
IEC 60512-16-5	-	Connectors for electronic equipment - Tests and measurements - Part 16-5: Mechanical tests on contacts and terminations - Test 16e: Gauge retention force (resilient contacts)	EN 60512-16-5	-
IEC 60512-20-3	-	Connectors for electronic equipment - Tests and measurements - Part 20-3: Fire hazard tests - Test 20c: Flammability, glow-wire	EN 60512-20-3	-

EN IEC 61076-2-115:2023 (E)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529	1991
-	-		+ corrigendum May	1993
+ A1	1999		+ A1	2000
+ A2	2013		+ A2	2013
IEC 60664-1	2020	Insulation coordination for equipment within low-voltage supply systems - Part 1: Principles, requirements and tests	EN IEC 60664-1	2020
IEC 60695-2-11	2021	Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end products (GWEPT)	EN IEC 60695-2-11	2021
IEC 60999-1	-	Connecting devices - Electrical copper conductors - Safety requirements for screw-type and screwless-type clamping units - Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm ² up to 35 mm ² (included)	EN 60999-1	-
IEC 61076-1	2006	Connectors for electronic equipment - Product requirements - Part 1: Generic specification	EN 61076-1	2006
+ A1	2019		+ A1	2019
IEC 61076-2	-	Connectors for electronic equipment - Product requirements - Part 2: Sectional specification for circular connectors	EN 61076-2	-
IEC 61984	2008	Connectors - Safety requirements and tests	EN 61984	2009
IEC 62430	2019	Environmentally conscious design (ECD) - Principles, requirements and guidance	EN IEC 62430	2019
IEC Guide 109	-	Environmental aspects - Inclusion in electrotechnical product standards	-	-
ISO 6508-1	-	Metallic materials - Rockwell hardness test - Part 1: Test method	EN ISO 6508-1	-
ISO 11469	-	Plastics - Generic identification and marking of plastics products	EN ISO 11469	-
ISO 21920-1	2021	Geometrical product specifications (GPS) - Surface texture: Profile - Part 1: Indication of surface texture	EN ISO 21920-1	2022



IEC 61076-2-115

Edition 1.0 2023-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Connectors for electrical and electronic equipment – Product requirements – Part 2-115: Circular connectors – Detail specification for 12-pole shielded connectors with 2 A rated current and IP65/IP67 metal housing with push-pull locking

Connecteurs pour équipements électriques et électroniques – Exigences de produit – Partie 2-115: Connecteurs circulaires – Spécification particulière relative aux connecteurs blindés à 12 pôles avec un courant assigné de 2 A et un boîtier métallique IP65/IP67 équipé d'un mécanisme de verrouillage de type pousser-tirer

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 31.220.10

ISBN 978-2-8322-7022-6

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	11
4 Technical information	11
4.1 Recommended method of termination	11
4.1.1 General	11
4.1.2 Number of contacts and contact cavities.....	11
4.2 Ratings and characteristics	11
4.3 Systems of levels.....	12
4.3.1 Performance levels	12
4.3.2 Compatibility levels.....	12
4.4 Classification into climatic categories.....	12
4.5 Creepage and clearance distances	12
4.6 Current-carrying capacity	12
4.7 Marking.....	12
5 Dimensional information	12
5.1 General.....	12
5.2 Isometric view and common features	12
5.2.1 Isometric view of free connector	12
5.2.2 Isometric view of fixed connector	13
5.3 Free connector.....	14
5.3.1 Dimensions.....	14
5.3.2 Terminations.....	15
5.4 Fixed connector	15
5.4.1 Dimensions.....	15
5.4.2 Terminations.....	16
5.5 Mounting information for connectors	16
5.6 Gauges – Sizing gauges and retention force gauges.....	16
6 Technical characteristics	16
6.1 Classification into climatic categories.....	16
6.2 Electrical characteristics	16
6.2.1 Creepage and clearance distances	16
6.2.2 Voltage proof.....	17
6.2.3 Current-carrying capacity.....	17
6.2.4 Electrical load and temperature	17
6.2.5 Contact resistance	18
6.2.6 Housing electrical continuity	18
6.2.7 Insulation resistance.....	18
6.3 Mechanical characteristics	18
6.3.1 Mechanical operation.....	18
6.3.2 Effectiveness of connector coupling devices	18
6.3.3 Gauge retention force (resilient contact)	19
6.3.4 Engaging and separating forces.....	19
6.3.5 Contact retention in insert.....	19
6.3.6 Polarizing and keying method.....	19

6.4	Dynamic stress tests	19
6.4.1	Vibration (sine)	19
6.4.2	Shock	20
6.4.3	Free fall (repeated)	20
6.4.4	IP degree of protection	20
6.4.5	Glow-wire flammability test method for end-products (GWEPT)	20
6.5	Climatic tests	20
6.5.1	Rapid change of temperature	20
6.5.2	Dry heat	20
6.5.3	Low temperature	21
6.5.4	Low air pressure	21
6.5.5	Damp heat, cyclic	21
6.5.6	Damp heat, steady state	21
6.5.7	Corrosion, salt mist	21
6.5.8	Flowing mixed gas corrosion	21
6.6	Environmental aspects	21
6.6.1	Marking of insulation material (plastic)	21
6.6.2	Design/use of material	22
7	Test schedule	22
7.1	General	22
7.2	Test schedules	22
7.2.1	Basic (minimum) test schedule	22
7.2.2	Full test schedule	22
7.3	Test procedures and measurement methods	32
7.4	Pre-conditioning	33
7.5	Wiring and mounting of test specimens	33
7.5.1	Wiring	33
7.5.2	Mounting	33
Figure 1 – Free connector		13
Figure 2 – Fixed connector		13
Figure 3 – Free connector		14
Figure 4 – Fixed connector		15
Figure 5 – Gauge for contact		16
Figure 6 – Current-temperature derating (0,20 mm ² wire size)		17
Table 1 – Free connector dimensions		14
Table 2 – Fixed connector dimensions		15
Table 3 – Gauge dimensions		16
Table 4 – Climatic category		16
Table 5 – Voltage proof		17
Table 6 – Number of test specimens		22
Table 7 – Test group P		23
Table 8 – Test group AP		24
Table 9 – Test group BP		27
Table 10 – Test group CP		29

Table 11 – Test group DP	30
Table 12 – Test group EP	32
Table 13 – Test group GP	32

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN IEC 61076-2-115:2023](https://standards.iteh.ai/catalog/standards/sist/da187586-8d43-4e71-b5d7-0a885137b51a/sist-en-iec-61076-2-115-2023)

<https://standards.iteh.ai/catalog/standards/sist/da187586-8d43-4e71-b5d7-0a885137b51a/sist-en-iec-61076-2-115-2023>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT –
PRODUCT REQUIREMENTS –****Part 2-115: Circular connectors – Detail specification for 12-pole
shielded connectors with 2 A rated current and IP65/IP67
metal housing with push-pull locking**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61076-2-115 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
48B/2948/CDV	48B/2989/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.