

INTERNATIONAL
STANDARD

ISO/IEC/
IEEE
26515

Second edition
2018-12

Systems and software engineering — Developing information for users in an agile environment

*Ingénierie du logiciel et des systèmes — Développement
d'informations pour les utilisateurs dans un environnement agile*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC/IEEE 26515:2018](https://standards.iteh.ai/catalog/standards/sist/894ee2af-1ca1-4ab1-8aab-9f6886e34b85/iso-iec-ieee-26515-2018)

<https://standards.iteh.ai/catalog/standards/sist/894ee2af-1ca1-4ab1-8aab-9f6886e34b85/iso-iec-ieee-26515-2018>



Reference number
ISO/IEC/IEEE 26515:2018(E)

© ISO/IEC 2018
© IEEE 2018

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC/IEEE 26515:2018](https://standards.iteh.ai/catalog/standards/sist/894ee2af-1ca1-4ab1-8aab-9f6886e34b85/iso-iec-ieee-26515-2018)

<https://standards.iteh.ai/catalog/standards/sist/894ee2af-1ca1-4ab1-8aab-9f6886e34b85/iso-iec-ieee-26515-2018>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2018

© IEEE 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO or IEEE at the respective address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Institute of Electrical and Electronics Engineers, Inc
3 Park Avenue, New York
NY 10016-5997, USA

Email: stds.ipr@ieee.org
Website: www.ieee.org

Contents

	Page
Foreword	iv
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Conformance	3
5 Information development process	3
6 Management of information development	4
6.1 Change management for agile development	4
6.2 Composition of agile development teams	5
6.2.1 General	5
6.2.2 Communication in agile development teams	5
6.2.3 Globally distributed teams	5
6.3 Management of information development across teams using agile development	6
6.4 Management of information development tasks across iterations	7
6.4.1 Planning the project as a whole	7
6.4.2 Sizing and resourcing each iteration	8
6.4.3 Handling last-minute content changes	9
6.5 Monitoring and analysing progress	9
6.5.1 General	9
6.5.2 Stand-up meetings	10
6.5.3 Monitoring progress	10
6.5.4 Rework and changing requirements	11
6.6 Stakeholder involvement	11
6.6.1 General	11
6.6.2 Assessing customer satisfaction	11
7 Preparing information for users	12
7.1 Relationship of agile development to information development	12
7.2 Product design and developing information for users	12
7.3 Design and development of information for users	13
7.3.1 User requirements	13
7.3.2 Design techniques	14
7.3.3 Scheduling of design work	16
7.3.4 Planning of information for users	17
7.4 Reviewing and testing information for users	17
7.4.1 General	17
7.4.2 Reviewing information for users	17
7.4.3 System test of information for users	18
7.4.4 Usability testing of information for users	18
7.5 Translation and localization of information for users	18
7.6 Production of information for users	19
7.7 Delivering information for users with a continuous delivery process (DevOps)	19
Annex A (informative) Agile development practices	20
Bibliography	22
IEEE notices and abstract	23

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the rules given in the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 7, *Software and systems engineering*, in cooperation with the Systems and Software Engineering Committee of the IEEE Computer Society, under the Partner Standards Development Organization cooperation agreement between ISO and IEEE.

This second edition cancels and replaces the first edition (ISO/IEC/IEEE 26515:2011) which has been technically revised.

The main changes compared to the previous edition are as follows:

- alignment with the widespread use of agile methods to include systems as well as software;
- replacement of the paper-based term “documentation” with the general term “information for users” where appropriate;
- inclusion of agile information development across multiple teams and projects, especially projects in continuous maintenance situations such as DevOps;
- editorial changes;
- new definitions.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC/IEEE 26515:2018](https://standards.iteh.ai/catalog/standards/sist/894ee2af-1ca1-4ab1-8aab-9f6886e34b85/iso-iec-ieee-26515-2018)

<https://standards.iteh.ai/catalog/standards/sist/894ee2af-1ca1-4ab1-8aab-9f6886e34b85/iso-iec-ieee-26515-2018>

Introduction

Software with an application user interface should generally be intuitive for most users or follow common user interface conventions to limit the need for exhaustive or detailed information for users. However, users should be provided with accurate information about how to use the software's functions if questions arise. This information should explain the major features or use cases deliberately created for all types of users. The information should be easily accessible and clearly written to enable quick learning and user proficiency, while reducing help desk support. Hence, well-designed information not only assists the users and helps to reduce the cost of training and support, but also enhances the reputation of the product, its producer, and its suppliers.

Projects that use agile development methods focus on providing rapid and frequent deliveries of high-value software. These methods often involve detailed planning only for the short term and the implementation of processes in parallel, rather than planning for an entire project in distinct phases.

Although agile development methods often advocate less life cycle documentation, the users of a software product still expect and require quality information to be provided with these software products. Although the end results of the process for developing information for users are the same, the methods may be very different in an agile environment.

Agile development methods follow usually short, iterative development cycles based on customer requirements and feedback. In order to fulfil contractual requirements and provide valuable information for users, deliverables for each iteration include information related to the feature set developed during that iteration. The quantity and quality of the information deliverables depend in part on the completeness and maturity of the software features and design after each iteration, specified through user stories, tasks, and personas.

Information developers and other personnel involved in developing information for users should understand the agile development processes and methods used by their organization. This will enable them to tie in seamlessly and provide relevant and useful information for users.

Because of the nature of agile development methods, the traditional means of developing information (both print and onscreen) for end users are not entirely applicable.

This document was developed to assist users of

- ISO/IEC/IEEE 15288, *Systems and software engineering — System life cycle processes*,
- ISO/IEC/IEEE 12207, *Systems and software engineering — Software life cycle processes*,
- ISO/IEC 26514:2008, *Systems and software engineering — Requirements for designers and developers of user documentation* (also available as IEEE Std 26514-2010, IEEE Standard for Adoption of ISO/IEC 26514:2008, *Systems and Software Engineering — Requirements for Designers and Developers of User documentation*), and
- Other documents in the ISO/IEC/IEEE 265NN family of International Standards.

This document provides requirements and guidance to information developers and related roles on how to adapt the processes described in the ISO/IEC/IEEE 265NN family of International Standards to develop quality information for users.

This document is independent of the agile development methods and tools that are used to produce the software. This document gives an overview of agile methodologies although it neither encourages nor discourages the use of any particular agile methodology. Therefore, this document uses generic agile terminology as much as possible.

Systems and software engineering — Developing information for users in an agile environment

1 Scope

This document supports the interest of information developers and associated roles responsible for producing information for users of software and systems developed within an agile environment. This document takes a process standard approach to specify the way in which information for users can be developed in agile development projects.

This document provides requirements of information management and information development processes appropriate for software projects that are using agile development methods.

[Clause 5](#) covers the overall requirements for information in agile software development.

[Clause 6](#) covers requirements for the information development lead or project manager to plan an agile information development project and manage the information development activities in an agile environment.

[Clause 7](#) covers requirements for designing, developing, and providing information for users in an agile environment.

[Annex A](#) describes agile development practices and methods.

This document is intended neither to encourage nor to discourage the use of any particular agile development tools or methods.

This document provides guidance on processes appropriate for information developers of information for users in software and systems projects that are using agile development methodologies. It is not limited to the development phase of the life cycle of information for users, but includes activities throughout the whole life cycle.

This document is intended for use in all organizations that are using agile development or are considering implementing their projects using these techniques. It is assumed that users of this document have experience or general knowledge of information for users (traditionally called “user documentation”) and agile processes.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO, IEC and IEEE maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/>
- IEC Electropedia: available at <https://www.electropedia.org/>
- IEEE Standards Dictionary Online: available at <https://ieeexplore.ieee.org/xpls/dictionary.jsp>

3.1 agile development

development approach based on *iterative development* (3.11), frequent inspection and adaptation, and incremental deliveries in which requirements and solutions evolve through collaboration in cross-functional teams and through continuous *stakeholder* (3.13) feedback

Note 1 to entry: Any use of the word “agile” in this document refers to methodology. Various agile methods can be found in [Annex A](#).

3.2 agile environment

organizational culture, infrastructure, and methodologies that support *agile development* (3.1)

3.3 agile team

organization or team using *agile development* (3.1) methods and approaches

Note 1 to entry: Typically with roles such as team lead, project manager, user or user representative, software and *information developers* (3.8), and testers.

3.4 backlog

collection of agile *features* (3.7) or stories of both functional and nonfunctional requirements that are typically sorted in an order based on value priority

3.5 done

regarded by the *agile team* (3.3) as complete and ready to use

3.6 epic

major collection of related *feature sets* broken down into individual *features* (3.7) or *user stories* (3.16) and implemented in parts over a longer period of time

3.7 feature

functional or nonfunctional distinguishing characteristic of a system

Note 1 to entry: Features are considered to add value for the user.

3.8 information developer

person who prepares content for information for users

3.9 information development lead

person who leads the activities of preparing information for users

3.10 iteration

short time frame in which a set of software *features* (3.7) is developed, leading to a working product that can be demonstrated to *stakeholders* (3.13)

Note 1 to entry: Different agile methodologies use different terms for an iteration.

Note 2 to entry: Some agile methodologies are not based on iterations.

3.11 iterative development

repeated use of concurrent planning, developing, and testing activities

iTeh STANDARD PREVIEW
(standards.itih.ai)

ISO/IEC/IEEE 26515:2018

Approved for publication and sale by the ISO Central Secretariat on 2018-07-16
Approved for publication and sale by the IEEE Std. Board on 2018-07-16
period of time: icc-ieee-26515-2018

3.12**persona**

model of a user with defined characteristics, based on research

3.13**stakeholder**

individual or organization having a right, share, claim, or interest in a system or in its possession of characteristics that meet their needs and expectations

[SOURCE: ISO/IEC/IEEE 15288:2015, 4.1.44, modified — The example and note to entry have been deleted.]

3.14**stand-up meeting**

brief daily project status or planning meeting used in *agile development* (3.1) methodologies

Note 1 to entry: Different agile methodologies use different terms for stand-up meetings.

3.15**use case**

description of behavioural requirements of a system and its interaction with a user

Note 1 to entry: A use case describes the users' goal and the requirements including the sequence of interactions between users and the system.

3.16**user story**

simple narrative illustrating a user requirement from the perspective of a *persona* (3.12)

4 Conformance

This document may be used as a **conformance** or a **guidance** document for projects and organizations claiming conformance to ISO/IEC/IEEE 15288 and/or ISO/IEC/IEEE 12207.

Throughout this document, “shall” is used to express a provision that is binding, “should” to express a recommendation among other possibilities, and “may” to indicate a course of action permissible within the limits of this document. Use of the nomenclature of this document for the features of an agile methodology or the parts of information for users (that is, stand-up meetings, iterations, chapters, topics, pages, screens, windows, etc.) is not required to claim conformance.

Conformance to this document may only be claimed by an organization if all of the requirements in this document can be met by the organization. When conformance is claimed for a multisupplier program, it may be the case that no individual supplier may claim conformance because no single contract calls for all the required activities. Nevertheless, the program, as a whole, may claim conformance if each of the required activities is performed by an identified party.

This document may be included or referenced in contracts or similar agreements when the parties (called the acquirer and the supplier) agree that the supplier shall deliver information for users in accordance with this document. It may also be adopted as an in-house standard by a project or organization that decides to develop information for users in accordance with this document.

Organizations, projects, or multisupplier programs intending to claim tailored conformance should consult ISO/IEC/IEEE 12207:2017, Annex A.

5 Information development process

The basic process phases as described in ISO/IEC 26514, such as analysis, design, development, and review, still apply. However, agile practices eliminate the distinct separation of phases both within a single iteration and across several iterations.

The following agile practices affect the information development process:

- a) Development in short iterations replaces long sequential process phases.
- b) Information developers try to create accurate and complete information by the end of an iteration. However, a review can lead to the development of additional information in later iterations. Information developers receive training and practice to estimate and complete information for users in time for the release of the iteration. Self-organizing agile teams replace formal roles and contributions.
 - i) Software developers, testers, and team leaders may contribute to the analysis, design, development, and review of information for users.
 - ii) Information developers may contribute to the design and test of the software as well as to project artifacts and life cycle documents, such as user stories, use cases, and personas.
- c) On agile projects, use cases and oral communication are used more frequently than formal specifications and design documents.
 - i) Use cases, user stories, and personas clearly reflect the purpose and user benefit of each feature.
 - ii) Demonstrations and peer reviews validate how development has achieved the intended purpose and benefit.
 - iii) Information developers are embedded members of the agile team to promote efficient communication and the quality of information deliverables.
- d) Early, frequent feature shipments or releases replace scheduled release milestones. This means that information deliverables should be part of the acceptance criteria of a complete functional release or shippable increment.

NOTE For more information about designing and developing information for users in an agile environment, see [Clause 7](#).

Agile development is an iterative and incremental approach to development performed in a highly collaborative manner by self-organizing teams. There are many specific agile development methods that promote development iterations, teamwork, collaboration, and process adaptability throughout the life cycle of the project. Agile development methods frequently discourage the creation of detailed engineering support documentation and detailed technical specifications. This means that information developers often do not have source documentation from which to extrapolate feature details.

The short time span of iterations means that the participation of each team member is essential. In particular, unavailability of the information developer on the team may make it impossible for information deliverables to keep pace with software development.

6 Management of information development

6.1 Change management for agile development

The information development lead or project manager shall decide, in consultation with the designers and product managers, on the following:

- whether the information development team will follow agile development methods and integrate with the development organization, or
- whether they will continue to operate using other methods. For example, some projects may use agile development for the production of online help but not for printed information for users.

The information development team shall be educated on agile development practices before their organization moves to the use of agile development methodologies. In addition, the information

development lead, or project manager, or another appropriate member of the information development team should be involved in defining what the new processes will be for the organization and negotiate how agile development will affect their processes and team members.

The representative from the information development team should then communicate the plans to the wider information development team and may facilitate their implementation.

6.2 Composition of agile development teams

6.2.1 General

An agile team is typically composed of an architect, developers, testers, information developers, user representatives, and other stakeholders. In agile development teams, one individual may be expected to perform multiple roles. For example, information developers may cover different roles and tasks such as team facilitator, user interface designer, integration of user information with the product, testing, and project tracking. This role sharing may depend on the requirements of the project or the availability of resources.

The team member responsible for developing information for users should be skilled in conducting user and task analysis, designing appropriate content deliverables for the identified users, conducting reviews, and assessing information products with test participants.

If an information developer is unavailable, the information development lead or project manager should decide the following:

- whether this team member will be replaced by another information developer from the information development team or pool, or
- whether one of the other members of the agile development team will perform the information developer role.

If another team member who is not an information developer by profession covers the information developer role on the project, arrangements should be made to educate that team member in the skills required and apply special attention to the peer review process.

6.2.2 Communication in agile development teams

Effective communication in an agile development team is key to the success of an agile development project. Because the communication in agile development is real-time rather than through the use of detailed life cycle documentation, information developers should participate in team meetings with the other team members.

It is important to consider the difference between two distinct situations:

- a small, co-located team where the information developer(s) work daily and closely with the development team, and
- a globally distributed team where two or more groups (of the same company or of different software companies) are working together to produce different parts of a software package.

In the first case, all the agile principles and methodologies can be more easily applied. In the second case, which is very common in large companies, there is sometimes an information development group that is spread globally with some members assigned to different groups.

6.2.3 Globally distributed teams

For globally distributed teams, the application of agile principles may involve other considerations such as:

- coordination of several information developers located across different development teams, and

- logistic issues and communication challenges related to different time zones and different languages.

For these reasons, coordination processes should be provided for:

- addressing the communication challenges associated with a globally distributed team, and
- optimizing the workload of information developers according to the iteration schedule.

In this way, the information developers embedded in the different local development teams can facilitate the implementation of agile principles with an approach that is more similar to a small co-located team.

When team members are not co-located, sufficient methods for establishing effective, efficient, and reliable communication shall be put into place. These may include the following communication methods:

- web-based video conferencing for meetings,
- teleconferencing for meetings, and
- one-to-one communication between the information developer and other agile team members.

While agile methods emphasize face-to-face conversation over written documentation, distributed teams need more emphasis on written and formal communications.

The following may also be used to facilitate effective communication:

- collaborative document repositories such as wikis and databases,
- design/feature documents for sharing information,
- use case descriptions, and
- user stories.

ITEH STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC/IEEE 26515:2018

[https://standards.iteh.ai/catalog/standards/sist/894ee2af-1ca1-4ab1-8aab-](https://standards.iteh.ai/catalog/standards/sist/894ee2af-1ca1-4ab1-8aab-9b886e34b85/iso-iec-ieee-26515-2018)

When members of the agile development team work in different time zones or do not speak the primary language of communication, special communication accommodations are needed. Temporary assignment to the main location of the agile development team for remote team members may help solve communication issues and establish better communication and relationships between team members when the remotely-based team members return to their locations.

6.3 Management of information development across teams using agile development

In an agile development project, multiple teams may be working on different features of the software. Information developers working on separate agile development teams may create different information deliverables that do not fit together when the product is brought together as a whole. To address this concern, the information development lead or the project manager shall make available standards at the beginning of a project that are to be followed by all information developers for that project, including the:

- a) information architecture that defines acceptable information elements such as topic types, their structure, and their intended content,
- b) style guide that defines conventions for language (such as tone, voice, mood), graphics (such as file type, size, captions and callouts), and the user interface (such as references to windows, fields, product functions), and
- c) delivery formats such as web help or PDF.

The information development lead or the project manager shall allocate sufficient time shortly before each release to consolidate the information for users so that it is consistent and free of contradictions, gaps, and redundancies.