INTERNATIONAL STANDARD

ISO 8601-2

First edition 2019-02

Date and time — Representations for information interchange —

Part 2: **Extensions**

Date et heure — Représentations pour l'échange d'information — Partie 2: Extensions

(https://standards.iteh.ai)
Document Preview

ISO 8601-2:2019

https://standards.iteh.ai/catalog/standards/iso/95eb304f-0f7a-46b6-90f7-06cd41f59920/iso-8601-2-2019



iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 8601-2:2019

https://standards.iteh.ai/catalog/standards/iso/95eb304f-0f7a-46b6-90f7-06cd41f59920/iso-8601-2-2019



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org Published in Switzerland

ii

Coi	ntent	S		Page	
Fore	word			vii	
Intr	oductio	n		viii	
1	Scon	P		1	
2	-		eferences		
3	Terms, definitions, symbols and abbreviated terms				
	3.1	3.1.1	and definitions Basic concepts		
		3.1.1	Feature description		
		3.1.3	Seasons		
	3.2	-	ols and abbreviated terms		
	o. _	3.2.1	General		
		3.2.2	Time scale component symbols		
		3.2.3	Composite component symbols	5	
		3.2.4	Symbols used to represent time scale component features	6	
		3.2.5	Symbols used in date and time representations	6	
		3.2.6	Designator symbols used in date and time expressions		
		3.2.7	Component symbols, representations and expressions	7	
4	Extensions to time scale components and units				
	4.1		al		
	4.2		of time scale units		
	4.3		onal explicit forms	8	
		4.3.1	General and		
		4.3.2	Value prefixing		
		4.3.3 4.3.4	Calendar day of weekCalendar day of year		
		4.3.4	Decade		
		4.3.6	Century		
	4.4		rical extensions.	9	
	tandards	4.4.1	rical extensions	1-2-2019 9	
		4.4.2	Exponential values	12	
		4.4.3	Significant digits	13	
	4.5	4.5 Qualification of uncertainty and approximation			
	4.6		ecified digits		
		4.6.1	General		
		4.6.2	Unspecified time component value in explicit forms		
	4.7	4.6.3	Unspecified time component digits in implicit forms		
	4.7	4.7.1	ided calendar yearGeneral		
		4.7.1	Letter-prefixed calendar year		
		4.7.3	Exponential calendar year		
		4.7.4	Significant digits		
	4.8		ear groupings		
		4.8.1	Listing of seasons and common sub-year groupings		
		4.8.2	Groupings represented as time scale components	16	
		4.8.3	Groupings represented as months	16	
5	Grouped time scale units			17	
-	5.1		al		
	5.2		efinition		
	5.3		alue		
	5.4		cation within representations		
		5.4.1	General		
		5.4.2	Use of grouped units	18	

ISO 8601-2:2019(E)

		5.4.3	Adherence to grouped unit boundaries			
		5.4.4	Representation with time shift	20		
		5.4.5	Conversion to basic time scale units	20		
6	Set re	epresent	ation	21		
	6.1		ate and time expressions			
	6.2		element amongst set			
	6.3		element expansion			
	6.4		resentations and expansion			
	6.5		sions with time scale components			
	6.6		expressions			
7	Evnli	_	sentation for date and time			
,	7.1					
	7.1					
	7.2	7.2.1	General			
		7.2.1	Calendar date			
		7.2.2	Ordinal date			
		7.2.3	Week date			
	7.3		f day			
	7.5	7.3.1	Local time of day			
		7.3.2	Beginning of the day			
	7.4		ift			
	7.5		ith shift			
	7.6		f day with time shift			
	7.7	Data an	id time of day	25		
	7.7	7.7.1	General			
		7.7.1				
		7.7.2	Date and time only	25		
	7.8		Date and time with sinit			
	7.0 7.9					
	7.10		on of zero-valued components			
	7.10		ion of precision			
	7.11		l fractions for time <u>180 8001-2:2019</u>			
	htt 7.13	Renres	entations other than complete 3041-017a-46b6-9017-06cd4 159920/80-8601-	2-2619		
	7.13 Representations other than complete 7.14 Time intervals					
	7.11		General			
		7.14.2				
			Time shift indication			
	7.15		ing time intervals			
_						
8			of date and time expressions			
	8.1]			
	8.2		les			
		8.2.1 8.2.2	Complete qualification			
			Group qualification			
		8.2.3 8.2.4	Individual qualification			
	8.3	_	Preferred representations for resolving ambiguity			
	0.3	8.3.1	cale components allowing qualification			
		8.3.2	Calendar year, left qualified:			
		8.3.3	,			
		8.3.4	Calendar work of year left qualified			
		8.3.4	Calendar day of month, left qualified			
		8.3.6	Calendar day of month, left qualified			
		8.3.7	Calendar day of week, left qualified			
			Clock bour left qualified			
		8.3.8	Clock hour, left qualified			
		8.3.9	Clock minute, left qualified			
		8.3.10	Clock second, left qualified			
		8.3.11	Decade, left qualified	3 I		

		8.3.12 Century, left qualified	
	8.4	Calendar date representations with qualification	
		8.4.1 Complete representation of a calendar date	31
		8.4.2 Representations of calendar dates with reduced precision	32
		8.4.3 Expanded representations of calendar dates	33
		8.4.4 Qualification of a group of time scale components from the right	34
		8.4.5 Qualification of individual time scale components	34
		8.4.6 Allowing group and individual qualifications of time scale components	35
	8.5	Date and time expressions with qualification	35
9	Unsp	ecified digits	35
	9.1	General	35
	9.2	Calendar date representations with unspecified digits	
		9.2.1 Unspecified time scale component values from the right	36
		9.2.2 Unspecified digit anywhere in time scale component	38
	9.3	Date and time expressions with unspecified digits	38
10	Evton	ded time interval representations	30
10	10.1	General General	
	10.1	Unknown or open start or end time intervals	
	10.2	Qualification of dates in time intervals	
	10.5	10.3.1 General	
		10.3.2 Complete qualification	
		10.3.3 Partial qualification	
	10.4	Unspecified portions of dates in time intervals	
	10.5	Uncertain and approximate dates in unknown or open time intervals	
	10.6	Before and after with qualified time scale components	
11		cit duration and extensions MC 21105 It e.h. 21	
11		Company and extensions	41
	11.1 11.2	General Directional units	41
	11.2	Durational units Additional Property of the Control	41
	11.3	Representations 11.3.1 General	
		11.3.2 Composite representation 2.2019	
		11.3.3 Precedence representation	41
	andards. 11.4	Fractional duration	42وارارو 1.3
12		tion of date and time	
		General	
	12.2	Selection rules	
		12.2.1 Selection of calendar month of year	
	400	12.2.2 Selection of calendar week of year	
	12.3	Selection of calendar day of month	
	12.4	Selection of week days	
	12.5	Selection of ordinal days in calendar year	
	12.6	Selection of hours	
	12.7	Selection of minutes	
	12.8	Selection of seconds	
	12.9	Selection of position Selection with time interval	
		Application within representations	
	12.11	12.11.1 General	
		12.11.1 General 12.11.2 Context set by selection	
		12.11.2 Context set by selection 12.11.3 Within time intervals	
	_		
13		ring time intervals with repeat rules	
	13.1	General	
	13.2	Method of specification	
	13.3	Specification of time interval	
	13.4	Repeat rule	
		13.4.1 General	49

ISO 8601-2:2019(E)

		13.4.2 Eligibility part and eligible time intervals	49
		13.4.2 Eligibility part and eligible time intervals13.4.3 Selection part and selection rules	50
	13.5	Representations	50
	13.6	Evaluation of a repeat rule	51
		13.6.1 General	
		13.6.2 Time scale unit precision	
		13.6.3 Inheritance of component values from time interval start	52
14	Date	and time arithmetic	53
	14.1	General	53
	14.2	Addition and subtraction	53
	14.3	Multiplication	54
	14.4	Date time modified by duration	55
15	Profi	les	56
	15.1	General	56
	15.2	Requirements	56
Anne	x A (inf	ormative) Profile: Extended Date/Time Format	57
Anne	x B (inf	ormative) Interactions between eligible time intervals with the selection part	63
Anne	x C (inf	ormative) Compatibility considerations of repeat rules with IETF RFC 5545	
	recur	rences	66
Anne	x D (inf	formative) Evaluation of date time formulas and duration considerations	68
Biblio	graph	y	75
	-		

(https://standards.iteh.ai)
Document Preview

ISO 8601-2:2019

https://standards.iteh.ai/catalog/standards/iso/95eb304f-0f7a-46b6-90f7-06cd41f59920/iso-8601-2-2019

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 154, *Processes, data elements and documents in commerce, industry and administration.*

This first edition of ISO 8601-2, together with ISO 8601-1, cancels and replaces ISO 8601:2004, which has been technically revised. [SO 8601-2:2019]

The main changes compared to ISO 8601:2004 are as follows: 9017-06cd4159920/so-8601-2-2019

 addition of standard representations for concepts not previously supported, such as negative values, qualification, sets, seasons, extended time intervals, selections, grouped units, repeating rules and profiles.

A list of all parts in the ISO 8601 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The purpose of this document is to provide a set of date and time format representations for information interchange beyond those supported by ISO 8601-1.

There are various concepts and representations that many applications find useful not supported by ISO 8601-1, including:

- negative values for time scale components;
- qualification of expressions and time scale components;
- set representation of date and time expressions;
- seasons;
- time intervals with open or unknown starts or ends;
- expression of movable days through date and time selection;
- date and time expressions without digit length limits; and
- profiles for specifying feature support amongst ISO 8601 (all parts) features.

Such concepts are often represented according to various ad-hoc conventions; this document aims to provide a standard syntax for their representation.

The extended representations allow unambiguous interpretation, enforce the confidence of interoperability and minimize the risk of misinterpretations and their consequences.

Document Preview

ISO 8601-2:2019

https://standards.iteh.ai/catalog/standards/iso/95eb304f-0f7a-46b6-90f7-06cd41f59920/iso-8601-2-2019

Date and time — Representations for information interchange —

Part 2:

Extensions

1 Scope

This document specifies additional representations of dates of the Gregorian calendar and times based on the 24-hour clock that extend the basic rules and composite elements of those defined in ISO 8601-1. These representations are specified as character strings for use in information interchange. It is also applicable for representing times and time shifts based on Coordinated Universal Time (UTC).

These extensions include:

- uncertain or approximate dates, or dates with portions unspecified;
- extended time intervals;
- divisions of a year;
- sets and choices of calendar dates; tandards iteh ai
- grouped time scale units;
- repeat rules for recurring time intervals; and
- date and time arithmetic.

This document excludes the representation of date elements from non-Gregorian calendars, or times not from the 24-hour clock. This document does not address character encoding of representations specified in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8601-1:2019, Date and time — Representation for information interchange — Part 1: Basic rules

3 Terms, definitions, symbols and abbreviated terms

For the purposes of this document, the terms and definitions given in ISO 8601-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

3.1 Terms and definitions

3.1.1 Basic concepts

3.1.1.1

approximate date

calendar date which is an estimate whose value is asserted to be possibly correct

Note 1 to entry: The degree of confidence in approximation depends on the application.

3.1.1.2

uncertain date

calendar date whose source is considered dubious (3.1.1.4)

3.1.1.3

date with unspecified part

calendar date of which a part is unstated

Note 1 to entry: The unstated part can be year, year and month, month, month and day, or year and day. It is unstated because it has not (yet) been assigned (it can be assigned in the future), or because it is classified or unknown, or for any other reason.

3.1.1.4

dubious

not to be relied upon

3.1.1.5

qualification symbol

symbol that indicates certain qualification to a value it applies to

EXAMPLE The symbol [?] indicates that the value it applies to is uncertain.

3.1.1.6

movable day

repeatedly occurring day in a calendar that is represented by criteria set by one or more *selection rules* (3.1.2.6), but does not always resolve to a fixed calendar day in every repeating cycle

EXAMPLE 1 Thanksgiving Day in the U.S. and Canada are considered movable days, set to the fourth Thursday in November and the second Monday in October, respectively.

EXAMPLE 2 First Day of Summer (*sumardagurinn fyrsti*) in Iceland is considered a movable day, set to the first Thursday after April 18th.

EXAMPLE 3 Father's Day is celebrated on the third Sunday in June in North America and is considered a movable day.

Note 1 to entry: The selection of this term pays homage to the phrase "movable feast" used in some calendars to indicate the rule-based determination of annual events.

3.1.1.7

negative duration

duration in the reverse direction to the proceeding time scale

3.1.2 Feature description

3.1.2.1

feature

single function or group of functions

3.1.2.2

conformity level

value assigned to a subset of *features* (3.1.2.1) within a *profile* (3.1.2.3)

Note 1 to entry: A profile may refer to these conformity levels to facilitate the specification of conformance to the profile.

3.1.2.3

profile

subset of *features* (3.1.2.1) described in a standard or a set of standards

Note 1 to entry: A community may develop a profile to describe how to carry out functions or apply features specified in a standard or family of standards in a manner relevant to that community.

Note 2 to entry: A profile often describes what features are to be supported and how to apply those features. In cases where multiple methods are allowed for a required feature, a profile may select a single method. In cases where a particular function allows different interpretations, a profile may select a single interpretation or provide clarification. A profile may list out features that need not be supported. It may specify several *conformity levels* (3.1.2.2).

Note 3 to entry: The term "profile" is used in this document with the specific definition (including the notes) given here, despite its various meanings in other contexts.

3.1.2.4

ISO 8601 profile

profile (3.1.2.3) whose base standard is the ISO 8601 series

3.1.2.5

repeat rule

set of *eligible time intervals* (3.1.2.8) and *selection rules* (3.1.2.6) that allows computation of a set of *matching instants* (3.1.2.9)

3.1.2.6

selection rule

rule specifying restrictions on the value of a time scale component

3.1.2.7

repeat cycle

set of repeating instants, calculated by a specified start instant and specified duration gap between the repeating instants

3.1.2.8

eligible time interval

time interval eligible for matching using selection rules (3.1.2.6)

3.1.2.9

matching instants

set of instants, computed by a *repeat rule* (3.1.2.5), that belongs within *eligible time intervals* (3.1.2.8) and fulfils criteria set by specified *selection rules* (3.1.2.6)

3.1.2.10

date time formula

expression that specifies modification of a date and time expression with a duration

3.1.2.11

durational unit

time scale component that composes the duration date and time representation

3.1.2.12

grouped time scale unit

time scale unit composed of a duration expressed by one or more *durational units* (3.1.2.11)

3.1.2.13

equation of time

difference between mean solar time and apparent solar time, which varies with time within a calendar year

Note 1 to entry: A clock is a type of device that measures mean solar time; a sundial is a type of device that measures apparent solar time.

3.1.3 **Seasons**

3.1.3.1

season

time interval resulting from the common division of a calendar year into four time intervals, spring (3.1.3.2), summer (3.1.3.3), autumn (3.1.3.4) or winter (3.1.3.5)

Note 1 to entry: A single calendar date may represent different seasons depending on local customs or location, such as the difference between the northern or southern hemispheres.

3.1.3.2

spring

season (3.1.3.1) following winter (3.1.3.5) and preceding summer (3.1.3.3)

3.1.3.3

summer

season (3.1.3.1) following spring (3.1.3.2) and preceding autumn (3.1.3.4)

3.1.3.4

autumn

season (3.1.3.1) following summer (3.1.3.3) and preceding winter (3.1.3.5)

3.1.3.5

winter

season (3.1.3.1) following autumn (3.1.3.4) and preceding spring (3.1.3.2)

3.2 Symbols and abbreviated terms /so/95eb304f-017a-46b6-9017-06cd4 159920/so-8601-2-2019

3.2.1 General

Representations and expressions specified in this document make use of the symbols given in ISO 8601-1 and the following.

Time scale component symbols 3.2.2

c(feat)	the left side of a representation statement where "c" is a time scale component (e.g. "year") and "feat" is a feature, for example "q" or "m" (see below)
yearE	time scale component calendar year in explicit form, specified in ISO 8601-1:2019, 4.3.2 b)
monthE	time scale component calendar month in explicit form, specified in ISO 8601-1:2019, 4.3.3 b)
weekE	time scale component calendar week of year in explicit form, specified in ISO 8601-1:2019, 4.3.4 b)
dayE	time scale component calendar day of month in explicit form, specified in ISO 8601-1:2019, 4.3.5 b)
daykE	time scale component calendar day of week in explicit form, specified in 4.3.3

dayoE time scale component calendar day of year in explicit form, specified in 4.3.4

hourE time scale component hour in explicit form, specified in ISO 8601-1:2019, 4.3.8 b)

minE time scale component minute in explicit form, specified in ISO 8601-1:2019, 4.3.9 b)

secE time scale component second in explicit form, specified in ISO 8601-1:2019, 4.3.10 b)

decE time scale component decade (defined in ISO 8601-1:2019, 3.1.2.22) in explicit

form, specified in 4.3.5

centE time scale component century (defined in ISO 8601-1:2019, 3.1.2.23) in explicit

form, specified in 4.3.6

season the values 21 to 24 as specified in 4.8.1

ydivision the values 25 to 41 as specified in 4.8.1

seasonE the values 21 to 41 as specified in 4.8.1

expr *i* any date and time expression, where i is empty or a positive integer

intexpr a date and time expression accepted by the time interval representation as start or

end as determined in ISO 8601-1:2019, 5.4.3.

3.2.3 Composite component symbols Standards

dateI date representation in implicit form, specified in ISO 8601-1:2019, 3.2.3 as date

and dateX

timeI time of day representation in implicit form, specified in ISO 8601-1:2019, 3.2.3 as

time and timeX

timeE time of day representation in explicit form

dtE date and time representation in explicit form

dsE date with shift representation in explicit form

dtsE date and time with shift representation in explicit form

tiseE time interval representation with a start and end in explicit form

tisdE time interval representation with a start in explicit form and duration

tiedE time interval representation with a duration and end in explicit form

positiveDuration representation of [duration] specified in ISO 8601-1:2019, 5.4.2 that contains only

time scale components that have positive values

timeUnits time scale components for time of day representation

groupUnit grouped time scale unit representation

group grouped time scale unit representation with value

groupDateTime date time representation that incorporates grouped time scale units

timeIntervalE collective representation of tiseE, tisdE, and tiedE

3.2.4 Symbols used to represent time scale component features

- q qualified form for time scale components, as specified in 4.5
- p prefixed year, only used in accordance with requirements specified in 4.7.2
- e exponential form for time scale components, as specified in 4.7.3
- s significant digits form for time scale components, as specified in 4.4.3
- m minus form to allow time scale components to accept negative integer values, as specified in 4.4.1

3.2.5 Symbols used in date and time representations

- ! symbol indicating that the token following this symbol is optional (may be omitted)
- Q placeholder for a qualification modifier which applies to the time scale component value
- AA the grouping digit pair, representing a two-digit integer that is 21 or greater
- I a positive integer
- negi a positive or negative integer; equivalent to [!]["-"][i]

3.2.6 Designator symbols used in date and time expressions

- "-" a minus sign represented by the character "-" to indicate a negative value
- "K" the calendar day of week designator, represented by the character "K", preceding a data element which represents the ordinal number of a calendar day within a calendar week
- "J" the decade designator, represented by the character "J", preceding a data element which represents the decade number \$6/95eb304[-0]7a-46b6-90[7-06cd4][59920/iso-860][-2-20]
- "C" the century designator, represented by the character "C", preceding a data element which represents the century number
- "O" the calendar day of year designator, represented by the character "O", preceding a data element which represents the ordinal number of a calendar day within a calendar year
- "B" the suffix designator to represent years before year one (1), represented by the character "B", placed after the time scale components of calendar year, decade and century
- "E" the exponent designator, represented by the character "E", preceding the component which represents the exponential part of a time scale component value
- "S" the significant digit designator, represented by the character "S", preceding the component which represents the number of significant digits of the time scale component value
- "G" the grouped time scale unit prefix designator, represented by the character "G", indicating that a grouping calculation applies to the subsequent time scale components until encountering the corresponding suffix designator
- "U" the grouped time scale unit suffix designator, represented by the character "U", indicating that a grouping calculation applies to the preceding time scale components from the corresponding prefix designator