

## SLOVENSKI STANDARD oSIST prEN 16757:2021

01-december-2021

Trajnostnost gradbenih objektov - Okoljske deklaracije za proizvode - Pravila za kategorije proizvodov za beton in betonske elemente

Sustainability of construction works - Environmental product declarations - Product Category Rules for concrete and concrete elements

Nachhaltigkeit von Bauwerken - Umweltproduktdeklarationen - Produktkategorieregeln für Beton und Betonelemente STANDARD PREVIEW

Contribution des ouvrages de construction au développement durable - Déclarations environnementales sur les produits - Règles régissant la catégorie de produits pour le béton et les éléments en béton https://standards.iteh.ai/catalog/standards/sist/d26ae538-1efc-4da3-aba1-

d0b22cdb96e5/osist-pren-16757-2021

Ta slovenski standard je istoveten z: prEN 16757

ICS:

13.020.20 Okoljska ekonomija. Environmental economics.

> Trainostnost Sustainability

91.100.30 Beton in betonski izdelki Concrete and concrete

products

oSIST prEN 16757:2021 en,fr,de oSIST prEN 16757:2021

# iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN 16757;2021 https://standards.iteh.ai/catalog/standards/sist/d26ae538-1efc-4da3-aba1-d0b22cdb96e5/osist-pren-16757-2021

## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

# DRAFT prEN 16757

October 2021

ICS 91.100.30

Will supersede EN 16757:2017

## **English Version**

# Sustainability of construction works - Environmental product declarations - Product Category Rules for concrete and concrete elements

Contribution des ouvrages de construction au développement durable - Déclarations environnementales sur les produits - Règles régissant la catégorie de produits pour le béton et les éléments en béton

Nachhaltigkeit von Bauwerken -Umweltproduktdeklarationen -Produktkategorieregeln für Beton und Betonelemente

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 229.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions. In this standards item are already standards sixty deceased as the control of the centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

**Warning**: This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents				
Europ	ean foreword	4		
Introd	uction	5		
5.1	Objective of this PCR			
5.2	Types of EPD with respect to life cycle stages covered	11		
5.3	Comparability of EPD for construction products	11		
5.4	Additional information	12		
5.5	Ownership, responsibility and liability for the EPD	12		
5.6	Communication formats	12		
6.1	Product category			
6.2	Life cycle stages and their information modules to be included	12		
6.2.1	General	12		
6.2.2	A1-A3, Product stage, information modules			
6.2.3	A4-A5, Construction process stage, information modules			
6.2.4	B1-B5, Use stage, information modules related to the building fabric			
6.2.5	B6-B7, use stage, information modules related to the operation of the building			
6.2.6	C1-C4 End-of-life stage, information modules			
6.2.7	D, Benefits and loads beyond the system boundary, information module	14		
6.3	Calculation rules for the LCA	14		
6.3.1				
6.3.2	Functional unit (standards.iteh.ai)  Declared unit (standards.iteh.ai)	14		
6.3.3	Declared unit (Stanuarus.item.ar)	14		
6.3.4	Reference service life (RSL)	14		
6.3.5	System boundaries OSIST pren 16757:2021	15		
6.3.6	Criteria for the exclusion of in plus and outpluts/sist/d26ae538-1efc-4da3-aba1- Selection of data d0b22cdb96e5/osist-pren-16757-2021	22		
6.3.7				
6.3.8	Data quality requirements			
6.3.9	Developing product level scenarios			
6.3.10				
6.4	Inventory analysis			
6.4.1	Collecting data			
6.4.2	Calculation procedures			
6.4.3	Allocation of input flows and output emissions			
6.5	Impact assessment	31		
7.1	Declaration of general information			
7.2	Declaration of environmental indicators derived from LCA			
7.2.1	General			
7.2.2	Rules for declaring LCA information per module	32		
7.2.3	Indicators describing environmental impacts based on Life Cycle Impact Assessment	nt 32		
7.2.4	Indicators describing resource use and environmental information based on Life			
	Cycle Inventory (LCI)			
7.2.5	"Information on biogenic carbon content"			
7.3	Scenarios and additional technical information			
7.3.1	General			
7.3.2	Construction process stage			
7.3.3	B1-B7 use stage			
7.3.4	End-of-life	34		
7.4	Additional information on release of dangerous substances to indoor air, soil and	35		

7.5	Aggregation of information modules	35
Annex	A (normative) Requirements and guidance on the reference service life	36
Annex	B (informative) Waste	37
Annex	c C (informative) Characterization factors for GWP, ODP, AP, EP, POCP and ADP	38
Annex	D (informative) End of life formulae	39
Annex	E (informative) Schemes to be applied for data quality assessment of generic and specific data	40
Annex	F (informative) Scenarios	41
Annex	G (informative) CO <sub>2</sub> uptake by carbonation — Guidance on calculation	47
<b>G.1</b>	General	47
<b>G.2</b>	Potential CO <sub>2</sub> uptake for totally carbonated concrete	49
G.3	Use stage, (module B) method of calculation of CO <sub>2</sub> uptake	50
G.3.1	Standard method	50
G.3.2	Simplified method	54
<b>G.4</b>	End of life, module C	55
G.4.1	Standard method	55
G.4.2	Simplified method	55
G.5	Simplified method	56
G.6	Additional information OSIST ptFN 16757:2021	56
<b>G.7</b>	https://standards.iteh.ai/catalog/standards/sist/d26ae538-1efc-4da3-aba1- Regional, national or product specific calculation	56
<b>G.8</b>	References	56
Biblio	granhy	57

## **European foreword**

This document (prEN 16757:2021) has been prepared by Technical Committee CEN/TC 229 "Precast Concrete Products", the secretariat of which is held by AFNOR.

This document will supersede EN 16757:2017.

The main changes are:

- implementation of changes brought by the publication of EN 15804:2012+A2:2019;
- change of the numbering of Annexes AA and BB into Annexes F and G respectively.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN 16757:2021 https://standards.iteh.ai/catalog/standards/sist/d26ae538-1efc-4da3-aba1-d0b22cdb96e5/osist-pren-16757-2021

## Introduction

The European Standard EN 15804:2012+A2:2019 provides core rules for all construction products and services.

It provides a structure to ensure that all Environmental Product Declarations (EPD) of construction products, construction services and construction processes are derived, verified and presented in a harmonized way.

This European Standard provides additional rules for Environmental Product Declarations (EPD) specifically for concrete and concrete elements. It complements the core rules for all construction products and services as established in EN 15804:2012+A2:2019.

An EPD communicates verifiable, accurate, non-misleading environmental information for products and their applications, thereby supporting scientifically based, fair choices and stimulating the potential for market-driven continuous environmental improvement.

The standardization process has taken place in accordance with ISO 14025. All common issues are covered horizontally for all product types in order to minimize vertical (branch specific) deviations. All common issues are covered horizontally for all concrete and concrete elements in order to minimize intra-sectorial deviations.

EPD information is expressed in information modules as defined in EN 15804:2012+A2:2019, which allow easy organization and expression of data packages throughout the life cycle of concrete and concrete elements. The approach requires that the underlying data should be consistent, reproducible and comparable.

In line with EN 15804:2012+A2:2019 the EPD is expressed in a form that allows aggregation (addition) to provide complete information for buildings. This standard does not deal with aggregation at the building level nor does this standard describe the rules for applying EPD in a building assessment.

The standard deals with a limited number of 2 quantifiable parameters as predefined in EN 15804:2012+A2:2019. Future revisions of EN 15804 may lead to the incorporation in this standard of additional predetermined parameters. This European Standard provides the means for developing a Type III environmental declaration of concrete and concrete elements in the context of the suite of standards that are intended to assess the sustainability of construction works.

This suite of standards includes:

- EN 15643, Sustainability of construction works Framework for assessment of buildings and civil engineering works
- EN 15978, Sustainability of construction works Assessment of environmental performance of buildings — Calculation methods
- EN 15804:2012+A2:2019, Sustainability of construction works Environmental product declaration Core rules for the product category of construction products
- CEN/TR 15941, Sustainability of construction works Environmental product declarations Methodology for selection and use of generic data
- EN 15942, Sustainability of construction works Environmental product declarations Communication format — business to business
- CEN/TR 16970:2016, Sustainability of construction works Guidance for the implementation of EN 15804

## 1 Scope

This document complements the core rules for the product category of construction products as defined in EN 15804:2012+A2:2019 and is intended to be used as a c-PCR in conjunction with that standard.

This document applies to concrete and concrete elements for building and civil engineering, excluded autoclaved aerated concrete.

This document defines the parameters to be reported, what EPD types (and life cycle stages) to be covered, what rules to be followed in order to generate Life Cycle Inventories (LCI) and conduct Life Cycle Impact Assessment (LCIA) and the data quality to be used in the development of EPDs.

In addition to the common parts of EN 15804:2012+A2:2019, this document for concrete and concrete elements:

- defines the system boundaries;
- defines the modelling and assessment of material-specific characteristics;
- defines allocation procedures for multi-output processes along the production chain;
- defines allocation procedures for reuse and recycling;
- includes the rules for calculating the LCI and the LCIA underlying the EPD;
- provides guidance/specific rules for the determination of the reference service life (RSL);
- gives guidance on the establishment of default scenarios en ai)
- gives guidance on default functional units for concrete elements.

https://standards.iteh.ai/catalog/standards/sist/d26ae538-1efc-4da3-aba1-

This document is intended to be used either for cradle to gate with options or cradle to grave assessment, provided the intentions are properly stated in the system boundary description.

Within the construction works context, a cradle to grave declaration delivers a more comprehensive understanding of the environmental impact associated with concrete and concrete elements.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 206:2013+A2:2021, Concrete — Specification, performance, production and conformity

EN 15804:2012+A2:2019, Sustainability of construction works — Environmental product declarations — Core rules for the product category of construction products

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 15804:2012+A2:2019 and the following apply.

#### 3.101

## environmental product declaration

#### **EPD**

fr: déclaration environnementale de produit

de: Umweltdeklaration

environmental declaration providing quantified environmental data using predetermined parameters and, where relevant, additional environmental information

[SOURCE: ISO 21930:2007]

#### 3.102

#### concrete

fr: béton de: Beton

material formed by mixing cement, coarse and fine aggregate and water, with or without the incorporation of admixtures, additions or fibres, which develops its properties by hydration of cement and hydraulic additions as defined in EN 206, as appropriate

[SOURCE: EN 206:2013+A2:2021] TANDARD PREVIEW

#### 3.103

## (standards.iteh.ai)

## concrete element

fr: élément en béton

oSIST prEN 16757:2021

de: Betonelement https://standards.itch.ai/catalog/standards/sist/d26ae538-1efc-4da3-aba1-part of a construction work made of concrete, either precast or cast on site or a combination of both

#### 3.104

## precast (concrete) element

fr: élément préfabriqué (en béton)

de: vorgefertigtes Betonerzeugnis

concrete element cast and cured in a place other than the final location of use (factory produced or site manufactured)

[SOURCE: EN 206:2013+A2:2021]

## 3.105

## precast (concrete) product

fr: produit préfabriqué (en béton)

de: Fertigteil (aus Beton)

product made of concrete and manufactured in accordance with EN 13369 or a specific product standard in a place different from the final destination of use, protected from adverse weather conditions during production

The product is the result of an industrial process under a factory production control system and with the possibility of sorting before delivery.

[SOURCE: EN 13369:2013]

#### 3.106

## ready-mixed concrete

fr: béton prêt à l'emploi de: Transportbeton

- concrete delivered in a fresh state by a person or body who is not the user; or
- concrete produced off site by the user; or
- concrete produced on site, but not by the user

[SOURCE: EN 206:2013+A2:2021]

### 3.107

## site-mixed concrete

fr: béton de chantier de: Baustellenbeton

concrete produced on the construction site by the user of the concrete for his own use

[SOURCE: EN 206:2013+A2:2021]

#### 3.108

#### addition

fr: addition

de: Betonzusatzstoff iTeh STANDARD PREVIEW

finely-divided-inorganic constituent used in concrete in order to improve certain properties or to achieve special properties (Standards.iteh.ai)

Note 1 to entry: The addition could be nearly inert (type I), pozzolanic or latent hydraulic addition (type II).

https://standards.iteh.ai/catalog/standards/sist/d26ae538-1efc-4da3-aba1-

[SOURCE: EN 206:2013+A2:2021] d0b22cdb96e5/osist-pren-16757-2021

## 3.109

## admixture

fr: adjuvant

de: Betonzusatzmittel

constituent added during the mixing process in small quantities related to the mass of cement to modify the properties of fresh or hardened concrete

[SOURCE: EN 206:2013+A2:2021]

## 3.110

## aggregate

fr: granulat

de: Gesteinskörnung

granular material of natural, manufactured, or recycled origin used in construction

[SOURCE: EN 12620:2002+A1:2008]

#### 3.111

#### cement

fr: ciment de: Zement

finely ground inorganic material which, when mixed with water, forms a paste that sets and hardens by means of hydration reactions and processes and which, after hardening, retains its strength and stability even under water

[SOURCE: EN 197-1:2011]

#### 3.112

### binder

combination of cement and reactive (type II) additions

#### 3.113

## clinker

main constituent of most cement, made by heating at high temperature a homogeneous mixture of raw materials (mostly limestone and clay)

## 3.114

## polymer fibre

fr: fibres polymères

de: Polymerfasern

straight or deformed piece of extruded, orientated and cut material, which are suitable to be homogenously mixed into concrete standards.iteh.ai)

[SOURCE: EN 14889-2:2006]

oSIST prEN 16757:2021

d0b22cdb96e5/osist-pren-16757-2021

3.115 https://standards.iteh.ai/catalog/standards/sist/d26ae538-1efc-4da3-aba1-

#### steel fibre

fr: fibres d'acier

de: Stahlfasern

straight or deformed piece of cold-drawn steel wire, straight or deformed cut sheet fibres, melt extracted fibres, shaved cold drawn wire fibres or fibres milled from steel blocks, which are suitable to be homogeneously mixed into concrete

[SOURCE: EN 14889-1:2006]

## 3.116

## reinforcement steel

steel (wire, strand or bars) subjected to pre- or post-tensioning, and steel (bars, wire, strand, welded mesh fabrics, lattice girder) not subjected to pre- or post-tensioning

#### 3.117

### cubic metre of concrete

fr: mètre cube de béton

de: Kubikmeter Beton

quantity of fresh concrete which, when compacted in accordance with the procedure given in EN 12350-6, occupies a volume of one cubic metre

#### 3.118

#### truck mixer

fr: camion malaxeur de: Fahrmischer

concrete mixer mounted on a self-propelled chassis capable of mixing and delivering a homogeneous

concrete

[SOURCE: EN 206:2013+A2:2021]

## 3.119

#### falsework

fr: étayement de: Lehrgerüst

temporary support for a part of a structure while it is not self-supporting and for associated service load

## 3.120

#### formwork

fr: coffrage de: Schalung

structure, permanent or temporary, for containing poured concrete, moulding it to the required dimensions and supporting it until it is able to support itself

#### 3.121

#### carbonation

## iTeh STANDARD PREVIEW

fr: carbonatation

de: Carbonatisierung

(standards.iteh.ai)

chemical reaction, a natural process by which carbon dioxide in the ambient air penetrates and reacts with hydration products <a href="https://doi.org/10.2012/journal.com/bit

https://standards.iteh.ai/catalog/standards/sist/d26ae538-1efc-4da3-aba1-d0b22cdb96e5/osist-pren-16757-2021

#### 3.122

#### estimated service life

fr: durée de vie estimée

de: voraussichtliche Nutzungsdauer

service life that a building or an assembled system (part of works) would be expected to have in a set of specific in-use conditions, determined from reference service life data after taking into account any differences from the reference in use conditions

[SOURCE: EN 15978]

#### 4 Abbreviations

For the purposes of this document, the abbreviations given in EN 15804:2012+A2:2019 and the following apply.

GGBS Ground Granulated Blastfurnace Slag

PFA Pulverized Fuel Ash"

## 5 General aspects

## 5.1 Objective of this PCR

The objective of this PCR is to provide common rules specific for concrete and concrete elements for the application of EN 15804:2012+A2:2019, for building and civil engineering works.

In addition to the objectives of EN 15804:2012+A2:2019 this document aims to:

- define the parameters to be declared and the way in which they are collated and reported;
- describe which stages of a product's life cycle are considered in the EPD and which processes are to be included in the life cycle stages;
- define rules for the development of scenarios, including the rules for calculating the Life Cycle
  Inventory and the Life Cycle Impact Assessment underlying the EPD, including the specification of
  the data quality to be applied;
- communicate EPDs and environmental information about concrete and concrete elements;
- ensure that comparisons between construction products are carried out in the context of their use in the building on the basis of the functional unit.

## 5.2 Types of EPD with respect to life cycle stages covered

EN 15804:2012+A2:2019 shall apply.




Figure 1 — Types of EPD with respect to life cycle stages covered and life cycle stages and modules for the building assessment

## 5.3 Comparability of EPD for construction products

EN 15804:2012+A2:2019 shall apply.

## 5.4 Additional information

EN 15804:2012+A2:2019 shall apply.

## 5.5 Ownership, responsibility and liability for the EPD

EN 15804:2012+A2:2019 shall apply.

## 5.6 Communication formats

EN 15804:2012+A2:2019 shall apply.

## 6 Product Category Rules for LCA

## 6.1 Product category

The product category referred to in this standard includes concrete and concrete elements for building and civil engineering works.

## 6.2 Life cycle stages and their information modules to be included

#### 6.2.1 General

In addition to the text of EN 15804:2012+A2:2019:

As all life cycle stages (from A1 to C4 and D) shall be included when assessing a construction work (building or civil engineering), it is recommended that EPDs prepared cover the same life cycle, i.e. cradle to grave and module D. (standards iteh ai)

A general description of the life cycle stages is given in Figure 1.

## 6.2.2 A1-A3, Product stage, information modules https://standards.iteh.avcatalog/standards/sist/d26ae538-1efc-4da3-aba1-

In addition to the text of EN 15804:2012+A2:2019:  $\frac{d0b22cdb96e5/osist-pren-16757-2021}{d0b22cdb96e5/osist-pren-16757-2021}$ 

NOTE	Concrete and	concrete element	s may	contain	the following	constituents	or products	(not $\epsilon$	exhaustive
list):									

- aggregates;
- cement:
- water;
- admixtures:
- additions;
- fibres;
- reinforcing steel (for precast concrete elements).

When the full LCI of constituents is not available, impact indicators and aspects from the EPDs complying to EN 15804:2012+A2:2019 for the constituents or for ready-mixed concrete, covering modules A1 to A3, can be used for the assessment of module A1 of the concrete or concrete element. If transport is included, then the impacts and aspects covering modules A1 to A4 can be used for the assessment of modules A1 and A2 (see Figure 2).




Figure 2 — EPD for constituents (top) and for concrete and concrete elements (bottom)

As an example, for the use of aggregate in concrete, when the EPD of aggregate is used, modules A1 to A3 of the aggregate EPD becomes part of modules A1 of concrete EPD and module A4 of aggregate EPD becomes part of modules A2 of concrete EPD.

#### 6.2.3 A4-A5, Construction process stage, information modules

In addition to the text of EN 15804:2012+A2:2019:

At the construction stage (A5), additional constituents or products may be added to the concrete or concrete element to obtain the defined functional unit; in this case these constituents should be also taken into account during this stage.

EXAMPLE Reinforcing steel, mortar, structural topping, etc.

## 6.2.4 B1-B5, Use stage, information modules related to the building fabric

EN 15804:2012+A2:2019 shall apply.

## 6.2.5 B6-B7, use stage, information modules related to the operation of the building

EN 15804:2012+A2:2019 shall apply.

## 6.2.6 C1-C4 End-of-life stage, information modules

EN 15804:2012+A2:2019 shall apply.