# DRAFT INTERNATIONAL STANDARD **ISO/DIS 12967-1**

ISO/TC 215

Voting begins on: 2019-11-01

Secretariat: ANSI


Voting terminates on: 2020-01-24

## Health informatics — Service architecture (HISA) —

## Part 1: **Enterprise viewpoint**

Informatique de santé — Architecture de service — *Partie 1: Point de vue d'entreprise* 

ICS: 35.240.80



THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.

## **ISO/CEN PARALLEL PROCESSING**



**Reference number** ISO/DIS 12967-1:2019(E)





## **COPYRIGHT PROTECTED DOCUMENT**

#### © ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

## Contents

Page

Forew	ord		v	
Introd	luction		vi	
1	Scope		1	
2	-	ative references		
_				
3	Terms and definitions			
	3.1	Healthcare		
	3.2 3.3	System concepts Concepts relating to organization		
	3.3 3.4	Concepts relating to organization		
	3.4 3.5	Behaviour concepts		
	3.6	Policy concepts		
	3.7	Accountability, responsibility and time concepts		
	3.8	Information Management.		
4	Symbo	ols and abbreviations		
5	Methodology for the specification of the architecture			
	5.1	Viewpoints for the specification of the architecture The HISA specification procedure 5.2.1 The Strategic Paradigm 5.2.2 Specification of the enterprise viewpoint		
	5.2	The HISA specification procedure		
		5.2.1 The Strategic Paradigm		
		5.2.2 Specification of the enterprise viewpoint		
		5.2.5 Specification of the monitorial attorn viewpoint	14	
		5.2.4 Specification of the computational viewpoint		
	5.3	Iterative specification languages, notations and levels of abstraction		
	5.4	Viewpoints specification languages, notations and levels of abstraction	15	
6	HISA o	overview	17	
	6.1	General requirement	17	
	6.2	Enterprise viewpoint	17	
	6.3	Information viewpoint	19	
	6.4	Viewpoints specification languages, notations and levels of abstraction verview General requirement Enterprise viewpoint Information viewpoint Computational viewpoint	19	
7	Metho	odology for extensions	20	
8	Confo	rmance criteria 🕅		
	8.1	Conformance of specification documents to the HISA methodology		
	8.2	Conformance of middleware products to the HISA architectural requirements		
9	The H	ISA Enterprise viewpoint		
-	9.1	Introduction(informative)		
		9.1.1 General		
		9.1.2 The regional, inter-enterprise perspective		
		9.1.3 The medical/clinical perspective		
		9.1.4 The operational/clinical and organizational process model perspective		
	0.0	9.1.5 The information services and their complexity		
	9.2	The fundamental workflows and groups of users' activities to be supported by the	20	
	9.3	middleware		
	9.5	9.3.1 Introduction		
		9.3.2 Common attributes		
		9.3.3 Extensibility		
		9.3.4 Versioning		
		9.3.5 Auditing		
		9.3.6 Handling of life cycle		
	9.4	Subject of care workflow	32	
		9.4.1 Textual description of requirements		
		9.4.2 Use-case examples (informative)		

9.5	Healthcare information workflow	
	9.5.1 Textual specification of requirements	
	9.5.2 Use-case examples (informative)	
9.6	Healthcare activity management workflow	
	9.6.1 Textual description of requirements	
	9.6.2 Use-case examples (informative)	
9.7	Resources management activities/Textual description of requirements	47
9.8	Management activities for users and authorizations / textual description of	
	requirements	
9.9	Classifications, coding and dictionaries management activities / textual description of requirements	40
	9.9.1 Examples of Functions from ISO 10781 Health Informatics – HL7	
	Electronic Health Records-System Functional Model, Release 2 (EHR FM),	
	providing support	
Annex A (inf	formative) Highlights of Open Distributed Processing (ODP)	
		00
	formative) <b>Rationale for the federative structure of the Health Informatics</b> <b>ce Architecture</b>	
Annex C (inf	ormative) Cross-Domain Interoperability	
Bibliograph	v	67
	ormative) Cross-Domain Interoperability	

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.so.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 215, *Health informatics*.

This second edition is a revision of, cancels and replaces the first edition (ISO 12967-1:2009), which was based on the European Standard EN 12967-1:2007.

ISO 12967 consists of the following parts, under the general title Health informatics — Service architecture:

- Part 1: Enterprise viewpoint
- Part 2: Information viewpoint
- Part 3: Computational viewpoint

The main changes compared to the previous edition of this part (part 1, enterprise viewpoint) are as follows:

- Use of terms, definitions and concepts from ISO 1390:2016 (Contsys), with textual alignment throughout the document including figures, to the extent possible and beneficial
- Reference to further standards, such as HL7 and FHIR
- Addition of abstraction layers supplementing the viewpoint descriptions
- Substantial updating (based on ISO 13940:2016 Contsys) regarding text and figures related to the clinical process, modelling of healthcare and the strategic paradigm of HISA
- Introduction of example Functions from ISO 10781 Health Informatics HL7 Electronic Health Records-System Functional Model, supporting the use case examples of the EV
- Addition of <u>Annex C</u>, Cross-Domain Interoperability, in line with the current (2019) ongoing ISO Interoperability Reference Architecture standardization initiative
- Updates to the Bibliography

## Introduction

The healthcare organizational structure consists of networks of centres (hospitals of different types and sizes and outpatient clinics for primary and secondary care within a geographical area) distributed over the territory, characterized by a high degree of heterogeneity and diversity, from organizational, logistic, clinical, technological and even cultural perspectives. The structure of individual centres evolves from a vertical, aggregated organization towards the integration of a set of specialized functional areas (e.g. unit of laboratory analyses, unit of surgery), with specific needs and characteristics, nevertheless needing to share common information and to operate according to integrated workflows. Such a situation determines two main needs which conflict with each other in a certain way. On the one hand it is necessary to effectively support the specific requirements of each unit or user in the most appropriate and cost-effective way whilst, on the other hand, it is vital to ensure the consistency and integration of the overall organization, at local and territorial levels. This integration requirement is not only related to the need for improving clinical treatments to the subject of care but is also demanded by the urgent necessity of all countries to control and optimize the current level of expenditure for health, whilst ensuring the necessary qualitative level of services to all subjects of care.

The large number of databases and applications, mutually isolated and incompatible, which are already available on the market and operational in healthcare organizations to support specific needs of users, cannot be underestimated. Even within the same centre, healthcare information systems are frequently fragmented across a number of applications, data and functionalities, isolated and scarcely consistent with each other.

In the present circumstances, the main need for care delivery organizations is to integrate and to make available the existing information assets, and to make possible the integration and interoperability of existing applications, thereby protecting investments. During integration activities, continuity of service needs to be achieved whilst gradual migration of existing proprietary, monolithic systems towards the new concepts of openness and modularity occurs. The cost-effectiveness of the solutions, especially when projected on the scale of the whole healthcare organization, represents another crucial aspect to be evaluated carefully.

A further aspect is related to quality management (see bibliography), where information management is an integrated part of quality management and the strategic and operative approaches for these two managerial aspects need to be co-ordinated to be effective. Clinical processes are comprehensive. Systematic and structured information management including medical knowledge management is required for high-level quality in effective healthcare systems.


The aims can be achieved through a unified, open architecture based on middleware independent from specific applications and capable of integrating common data and business logic and of making them available to diverse, multi-vendor applications through many types of deployment. According to the integration objectives at organizational level, all aspects (i.e. clinical, organizational and managerial) of the healthcare structure must be supported by the architecture, which must therefore be able to comprise all relevant information and all business workflows, structuring them according to criteria and paradigms independent from specific sectorial aspects, temporary requirements or technological solutions.

Standards and technological solutions already exist and will continue to be defined for supporting specific requirements, both in terms of in situ user operations and with respect to the movement of information. The architecture must be able to accommodate such requirements by allowing the specific models to be integrated with the complete information assets of the healthcare organization and e.g. communication messages to be "services" extracting or importing data from/to the common information shown in Figure 1.

On the basis of these considerations, the purpose of ISO 12967 is twofold:

 identify a methodology to describe healthcare information systems through a language, notation and paradigms suitable to facilitate the planning, design and comparison of systems — identify the fundamental architectural aspects enabling the openness, integration and interoperability of healthcare information systems

The architecture is therefore intended as a basis both for working with existing systems and for the planning and construction of new systems.



## Figure 1 — Complementarity and positioning of the architecture with other standards and models

It is pointed out that ISO 12967 does not aim to define a unique model for clinical, organizational, managerial or administrative activities, but rather defines a set of workflows, information and services common to all healthcare information systems, relevant for any healthcare sector and usable by any application also for facilitating the mutual interworking.

Similarly, ISO 12967 does not aim to represent a final, complete set of specifications. On the contrary, it formalizes only fundamental aspects, identified as common in all countries and considered to be currently essential in any advanced healthcare information system. Specifications are formalized, avoiding any dependency on specific technological products and/or solutions.

In line with the above, HISA neither explicitly addresses major trends within healthcare in 2018 such as "Patient Engagement" or "Patient Registries / Patient Data Hubs". HISA never the less also supports these trends and might very well be used in connection herewith, providing further support for information exchange, to the benefit of the patient, or for structured and systematic information management regarding research, clinical databases, knowledge application and quality improvement.

ISO 12967, therefore, is an open framework that, according to the specification methodology and preserving the compatibility with previous versions, can be extended during time according to the evolution of the healthcare organization both in the individual (national and local) contexts and through international standardization initiatives.

A European pre-standard, ENV12967-1, developed according to such rationale during 1993 to 1997 and published in 1998, was the basis for implementations of middleware products and implemented integrations in healthcare regions in several countries. In 2000, the CEN/TC 251 Short Strategic Study on Health Information Infrastructure identified a number of other new architectures and health infrastructure initiatives, as well as the requirements and possibilities for alignment with the large body of information model standards developed by CEN for various communication purposes. European standardization initiatives have delivered a number of object-oriented domain models and message descriptions that include an architecture for the Electronic Health Record (ISO 13606), and a concept model of healthcare (ISO 13940). In the last ten years ISO, HL7 and CEN have increasingly collaborated and both 13606 and 13940 have undergone major systematic reviews as ISO standards. Besides these ISO standards, HL7 Service-Aware Interoperability Framework (SAIF) has served as a source of inspiration, the Australian E-health Interoperability Framework (eHIF, see bibliography) and a conference paper from 2016 "Digital Health Interoperability Frameworks: Use of RM-ODP Standards" as sources of input for this revision (see bibliography).

The formal major revision of the pre-standard to a European standard was started in 2003 and in 2007 this led to the publication of the EN 12967 Parts 1 to 3 series on which ISO 12967 is based, currently serving as the basis for this revision.

The following characteristics of ISO 12967 can be highlighted as follows.

- The architecture is described according to the methodology of ISO/IEC 10746 (all parts), to provide a formal, comprehensive and non-ambiguous specification suitable to serve as a reference in the planning, design and implementation of healthcare information systems.
- The scope of the architecture comprises the support to the activities of the healthcare organization as a whole, from the clinical, organizational and managerial point of view. It therefore does not detail specificities of different subdomains, but provides an overarching comprehensive information and services framework to accommodate requirements.
- The architecture is intrinsically compatible, complementary and synergistic with other models and standards, such as HL7 CDA, FHIR, ISO 13940 (Contsys) and the Electronic Health Record Architecture ISO 13606. A separate mapping document between this HISA standard and HL7 RIM was produced during the process for the first version of this ISO standard. Specific information objects and services are explicitly foreseen in the architecture to facilitate the implementation of views and communication mechanisms based on such standards. 60
- Many of the concepts and principles shared with SQ13606, ISO13940 (Contsys) and this standard are aligned, originally stemming from CEN. But as the standards also reflect different, although aileatalogis00 complementary, scopes, purposes and objectives, as investigated during a joint "concurrent use" kanda initiative, differences do exist.

ISO 12967 consists of three parts:

- Part1 (this part) specifies the overall characteristics of the architecture, formalizes the specification methodology and the conformance criteria, and provides details of the enterprise viewpoint of the nda **5**69. architecture:
- Part 2 specifies the information viewpoint of the architecture;
- Part 3 specifies the computational viewpoint of the architecture.

Each part is self-consistent and is also independently utilizable for the intended purposes by different types of users (this part being more oriented to the managerial level, Parts 2 and 3 being more dedicated to the design activities). Nevertheless, it must be understood that they represent three aspects of the same architecture. Mutual references therefore exist between the different parts and evolutions of the individual documents must be carried out according to the defined methodology to reserve the overall integrity and consistency of the specification.

The overall architecture is formalized according to ISO/IEC 10746 (all parts) and is therefore structured through the following three viewpoints.

Enterprise viewpoint: specifies a set of fundamental common requirements at enterprise level a) with respect to the organizational purposes, scopes and policies that must be supported by the information and functionality of the middleware. It also provides guidance on how one individual enterprise (e.g. a regional healthcare authority, a large hospital or any other organization where this model is applicable) can specify and document additional specific business requirements, with a view to achieving a complete specification, adequate for the characteristics of that enterprise.

Enterprise viewpoint is specified in this part of ISO 12967.

b) Information viewpoint: specifies the fundamental semantics of the information model to be implemented by the middleware to integrate the common enterprise data and to support the enterprise requirements formalized in this part of ISO 12967. It also provides guidance on how one individual enterprise can extend the standard model with additional concepts needed to support local requirements in terms of information to be put in common.

Information viewpoint is specified in ISO 12967-2.

c) Computational viewpoint: specifies the scope and characteristics of the services that must be provided by the middleware for allowing access to the common data as well as the execution of the business logic supporting the enterprise processes identified in the information viewpoint and in this part of ISO 12967. It also provides guidance on how one individual enterprise can specify additional services needed to support local specific requirements in terms of common business logic to be implemented.

Computational viewpoint is specified in ISO 12967-3.

Hensilsandardsingendardssandardsistander


HOR STANDARD FRENNLINN HOR STANDARD FRENNLINN HOR STANDARD FRENNLING STANDARD FRENNLINN S

## Health informatics — Service architecture (HISA) —

# Part 1: **Enterprise viewpoint**

#### 1 Scope

This part of ISO 12967 provides guidance for the description, planning and development of new systems, as well as for the integration of existing information systems, both within one enterprise and across different healthcare organizations, through an architecture integrating the common data and business logic into a specific architectural layer (i.e. the middleware), distinct from individual applications and accessible throughout the whole information system through services, as shown in Figure 2.



This part of ISO 12967 is also independent from, and does not imply either explicitly or implicitly, any specific technological solution or product for its deployment. Accordingly, the formalization of the architecture according to two lower levels of the ODP reference model, the engineering and technology viewpoints, is outside the scope of this part.

The language and notations used here for specifying the architecture are based on UML (Unified Modelling Language) complemented by case studies and other paradigms widely utilized by other standards in health informatics. The level of the specification is complete and non-ambiguous enough to allow its implementation into the specific physical and technological scenarios adopted by the various healthcare organizations and vendors. Accordingly, methodology formalized by the Engineering and Technology viewpoints of the RM ODP Reference Model<sup>1</sup> can be followed for the implementation.

<sup>1)</sup> For more introductory material on RM-ODP and many guideline documents see <u>www.rm-odp.net</u>.

#### Normative references 2

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 10746-1:1998, Information technology — Open Distributed Processing — Reference model: Overview — Part 1

ISO/IEC 10746-2:1996, Information technology — Open Distributed Processing — Reference model: foundations

ISO/IEC10746-3:1996, Information technology — Open Distributed Processing — Reference model: Architecture

ISO/IEC 10746-4:1998, Information technology — Open Distributed Processing — Reference Model: Architectural semantics — Part 4

ISO/IEC 15414:2015, Information technology — Open distributed processing — Reference model — *Enterprise language* 

#### 3 **Terms and definitions**

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at http://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/ -4569-bA

#### 3.1 Healthcare

#### 311

#### healthcare

care activities, services, management or supplies related to the health of an individual

[SOURCE: ISO 13940:2016]

#### 3.1.2

#### health issue

representation of an issue related to the health of a subject of care as identified by one or more healthcare actors

[SOURCE: ISO 13940:2016]

#### 3.1.3

#### healthcare matter

representation of a matter related to the health of a subject of care and/or the provision of healthcare to that subject of care, as identified by one or more healthcare actors

[SOURCE: ISO 13940:2016]

#### 3.1.4

#### health state

physical and mental functions, body structure, personal factors, activity, participation and environmental aspects as the composite health of a subject of care

[SOURCE: ISO 13940:2016]

## 3.1.5

#### health condition

observed or potential observable aspects of the health state at a given time

[SOURCE: ISO 13940:2016]

#### 3.1.6

#### observed condition

health condition observed by a healthcare actor

[SOURCE: ISO 13940:2016]

#### 3.2 System concepts

#### 3.2.1

#### scope of a system

behaviour the system is expected to exhibit towards the enterprise it serves

#### 3.2.2

#### field of application of a specification

properties that the environment of the ODP system must have for the specification of that system to be viable

3.2.3

#### information service

ability of the system to provide a defined set of output information based on a defined set of input information

Note 1 to entry: The term information service is consistently used in this part of ISO 12967 for the services provided by the information system.

Note 2 to entry: The healthcare information services (HCIS) are the healthcare related services provided by healthcare information systems.

#### 3.2.4

#### viewpoint on a system

abstraction that yields a specification of the whole system related to a particular set of concerns

#### 3.2.5

#### middleware

enabling technology of enterprise application integration (EAI) describing a piece of software that connects two or more software applications so that they can exchange data

Note 1 to entry: Common programming interfaces between applications are considered as middleware. For example, Open Database Connectivity (ODBC) enables applications to make a standard call to all the databases that support the ODBC interface.

Note 2 to entry: HISA services belong to the parts of the architecture that are middleware, and they address basic aspects dealing with the fundamental openness and sharing of information and business logic for the healthcare organization. In this part of ISO 12967, the usage of the term "middleware" is in the context of HISA, related to the services.