

SLOVENSKI STANDARD
SIST EN IEC 61970-600-2:2022

01-marec-2022

Aplikacijski programski vmesnik za sistem upravljanja z energijo (EMS-API) - 600-2. del: Specifikacija izmenjave skupnega modela mreže (CGMS) - Specifikacija profilov izmenjave

Energy management system application program interface (EMS-API) - Part 600-2:
Common Grid Model Exchange Specification (CGMES) - Exchange profiles specification

**iTeh STANDARD
PREVIEW
(standards.iteh.ai)**

Ta slovenski standard je istoveten z: IEC EN IEC 61970-600-2:2021

<https://standards.iteh.ai/catalog/standards/sist/248b5210-d522-4b9d-9c9f-bb1d93d0ae16/sist-en-iec-61970-600-2-2022>

ICS:

29.240.30	Krmilna oprema za elektroenergetske sisteme	Control equipment for electric power systems
35.200	Vmesniška in povezovalna oprema	Interface and interconnection equipment

SIST EN IEC 61970-600-2:2022

en

**iTeh STANDARD
PREVIEW
(standards.iteh.ai)**

SIST EN IEC 61970-600-2:2022
<https://standards.iteh.ai/catalog/standards/sist/248b5210-d522-4b9d-9c9f-bb1d93d0ae16/sist-en-iec-61970-600-2-2022>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 61970-600-2

August 2021

ICS 33.200

English Version

**Energy management system application program interface
(EMS-API) - Part 600-2: Common Grid Model Exchange
Specification (CGMES) - Exchange profiles specification
(IEC 61970-600-2:2021)**

Interface de programmation d'application pour système de
gestion d'énergie (EMS-API) - Partie 600-1: Spécification
pour l'échange de modèle de réseau commun (CGMES) -
Spécification de profils d'échange
(IEC 61970-600-2:2021)

Schnittstelle der Anwendungsprotokolle von
Energieverwaltungssystemen (EMS-API) - Teil 600-2:
Austausch von Elektrizitätsversorgungssystemmodellen
(CGMES) - Spezifikation der Austauschprofile
(IEC 61970-600-2:2021)

This European Standard was approved by CENELEC on 2021-07-09. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

**iTeh STANDARD
PREVIEW
(standards.iteh.ai)**

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

[SIST EN IEC 61970-600-2:2022](#)

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61970-600-2:2021 (E)**European foreword**

The text of document 57/2361/FDIS, future edition 1 of IEC 61970-600-2, prepared by IEC/TC 57 “Power systems management and associated information exchange” was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61970-600-2:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2022-04-09
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2024-07-09

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

**Endorsement notice
iTeh STANDARD**

PREVIEW

The text of the International Standard IEC 61970-600-2:2021 was approved by CENELEC as a European Standard without any modification.

(standards.iteh.ai)

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

SIST EN IEC 61970-600-2:2022

IEC 61970-501:2006 NOTE Harmonized as EN 61970-501:2006 (not modified)

d522-4b9d-9c9f-bb1d93d0ae16/sist-en-iec-61970-600-

IEC 61970-552:2016 NOTE Harmonized as EN 61970-552:2016 (not modified)

2-2022

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61968-11	-	Application integration at electric utilities -EN 61968-11 System interfaces for distribution management - Part 11: Common information model (CIM) extensions for distribution	-	-
IEC 61968-13	-	Application integration at electric utilities -EN IEC 61968-13 System interfaces for distribution management - Part 13: Common distribution power system model profiles	-	-
IEC 61970-301	2020-05-22	Energy management system application program interface (EMS-API) - Part 301: IEC 61970-301 2020 Common information model (CIM) base	EN IEC 61970-301:2020-05-22	2020
IEC 61970-302	2018	Energy management system application program interface (EMS-API) - Part 302: Common information model (CIM) dynamics	EN IEC 61970-302:2018	2018
IEC 61970-452	2017	Energy management system application program interface (EMS-API) - Part 452: CIM static transmission network model profiles	EN IEC 61970-452:2017	2017
IEC 61970-453	2014	Energy management system application program interface (EMS-API) - Part 453: Diagram layout profile	EN IEC 61970-453:2014	2014
IEC 61970-456	2018	Energy management system application program interface (EMS-API) - Part 456: Solved power system state profiles	EN IEC 61970-456:2018	2018
IEC 61970-600-1	2021	Energy management system application program interface (EMS-API) - Part 600-1:600-1 Common Grid Model Exchange Standard (CGMES) - Structure and rules	EN IEC 61970-2021	2021

**iTeh STANDARD
PREVIEW
(standards.iteh.ai)**

SIST EN IEC 61970-600-2:2022
<https://standards.iteh.ai/catalog/standards/sist/248b5210-d522-4b9d-9c9f-bb1d93d0ae16/sist-en-iec-61970-600-2-2022>



INTERNATIONAL STANDARD



iTeh STANDARD

Energy management system application program interface (EMS-API) –
Part 600-2: Common Grid Model Exchange Standard (CGMES) – Exchange
profiles specification (standards.iteh.ai)

SIST EN IEC 61970-600-2:2022

<https://standards.iteh.ai/catalog/standards/sist/248b5210-d522-4b9d-9c9f-bb1d93d0ae16/sist-en-iec-61970-600-2-2022>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.200

ISBN 978-2-8322-9732-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	51
1 Scope	53
2 Normative references	53
3 Terms, definitions and abbreviated terms	54
3.1 Terms and definitions.....	54
3.2 Abbreviated terms.....	55
4 Relation with other CIM standards	56
4.1 Deprecation	57
5 Version information for the CGMES profiles.....	57
5.1 Core equipment profile.....	57
5.2 Operation profile	58
5.3 Short-circuit profile	58
5.4 Steady state hypothesis profile	58
5.5 Topology profile	59
5.6 State variables profile	59
5.7 Diagram layout profile	59
5.8 Geographical location profile.....	60
5.9 Dynamics profile	60
5.10 Equipment boundary profile	61
6 Package CoreEquipmentProfile	61
6.1 General.....	61
6.2 (abstract) EarthFaultCompensator	83
6.3 (abstract) EnergyArea.....	84
6.4 (abstract) EnergyConnection.....	84
6.5 EnergyConsumer.....	85
6.6 EnergySchedulingType	86
6.7 TapSchedule.....	86
6.8 EnergySource	87
6.9 (abstract) Equipment.....	88
6.10 (abstract) EquipmentContainer.....	89
6.11 (abstract) ACDCConverter	90
6.12 ACDCConverterDCTerminal.....	91
6.13 (abstract) ACDCTerminal	92
6.14 ACLineSegment.....	93
6.15 ActivePowerLimit	94
6.16 ApparentPowerLimit.....	95
6.17 AsynchronousMachine	95
6.18 (abstract) AuxiliaryEquipment	96
6.19 BaseVoltage	97
6.20 (abstract) BasicIntervalSchedule.....	97
6.21 BatteryUnit.....	98
6.22 Bay	99
6.23 (European) BoundaryPoint.....	99
6.24 Breaker.....	101
6.25 BusbarSection	102
6.26 BusNameMarker	103

6.27	CAESPlant.....	103
6.28	Clamp	104
6.29	ConformLoadSchedule.....	105
6.30	CogenerationPlant	105
6.31	CombinedCyclePlant.....	106
6.32	(abstract) ConductingEquipment	106
6.33	(abstract) Conductor	107
6.34	ConformLoad	108
6.35	ConformLoadGroup.....	108
6.36	ConnectivityNode.....	109
6.37	(abstract) ConnectivityNodeContainer.....	110
6.38	(abstract) Connector	110
6.39	ControlArea	111
6.40	ControlAreaGeneratingUnit.....	112
6.41	CsConverter.....	112
6.42	CurrentLimit.....	114
6.43	CurrentTransformer	114
6.44	(abstract) Curve	115
6.45	CurveData root class.....	116
6.46	Cut.....	116
6.47	DayType	117
6.48	(abstract) DCBaseTerminal.....	118
6.49	DCBreaker.....	118
6.50	DCBusbar	119
6.51	DCChopper	120
6.52	(abstract) DCConductingEquipment.....	120
6.53	DCConverterUnit.....	121
6.54	DCDisconnector	122
6.55	(abstract) DCEquipmentContainer.....	122
6.56	DCGround	123
6.57	DCLine	123
6.58	DCLineSegment.....	124
6.59	DCNode	125
6.60	RegulationSchedule	125
6.61	DCSeriesDevice.....	126
6.62	DCShunt	127
6.63	DCSwitch	128
6.64	DCTerminal	128
6.65	Disconnector	129
6.66	DisconnectingCircuitBreaker	130
6.67	EquivalentBranch	130
6.68	(abstract) EquivalentEquipment	131
6.69	EquivalentInjection	132
6.70	EquivalentNetwork	133
6.71	EquivalentShunt	134
6.72	ExternalNetworkInjection	134
6.73	FaultIndicator	135
6.74	FossilFuel	136
6.75	Fuse	137

6.76	GeneratingUnit.....	137
6.77	GeographicalRegion	139
6.78	GrossToNetActivePowerCurve	139
6.79	Ground	140
6.80	GroundDisconnector	141
6.81	GroundingImpedance	141
6.82	HydroGeneratingUnit	142
6.83	HydroPowerPlant	143
6.84	HydroPump	144
6.85	(abstract) IdentifiedObject root class	144
6.86	Jumper	145
6.87	Junction	146
6.88	Line	146
6.89	LinearShuntCompensator.....	147
6.90	LoadArea	148
6.91	LoadBreakSwitch	148
6.92	(abstract) LoadGroup	149
6.93	LoadResponseCharacteristic	149
6.94	NonConformLoad	152
6.95	NonConformLoadGroup	152
6.96	NonConformLoadSchedule	153
6.97	NonlinearShuntCompensator	154
6.98	NonlinearShuntCompensatorPoint root class	155
6.99	NuclearGeneratingUnit.....	155
6.100	(abstract) OperationalLimit	156
6.101	OperationalLimitSet SIST EN IEC 61970-600-2:2022	157
6.102	OperationalLimitType	158
6.103	PetersenCoil	158
6.104	(abstract) PhaseTapChanger	159
6.105	PhaseTapChangerAsymmetrical	160
6.106	PhaseTapChangerLinear	161
6.107	(abstract) PhaseTapChangerNonLinear	162
6.108	PhaseTapChangerSymmetrical	163
6.109	PhaseTapChangerTable	164
6.110	PhaseTapChangerTablePoint	164
6.111	PhaseTapChangerTabular	165
6.112	PhotoVoltaicUnit	166
6.113	PostLineSensor	166
6.114	PotentialTransformer	167
6.115	PowerElectronicsConnection.....	168
6.116	(abstract) PowerElectronicsUnit	169
6.117	PowerElectronicsWindUnit	169
6.118	(abstract) PowerSystemResource	170
6.119	PowerTransformer	171
6.120	PowerTransformerEnd	171
6.121	(abstract) ProtectedSwitch	173
6.122	RatioTapChanger.....	174
6.123	RatioTapChangerTable	175
6.124	RatioTapChangerTablePoint	175

6.125	ReactiveCapabilityCurve	176
6.126	(abstract) RegulatingCondEq	176
6.127	RegulatingControl	177
6.128	RegularTimePoint root class	178
6.129	(abstract) RegularIntervalSchedule	179
6.130	ReportingGroup	179
6.131	(abstract) RotatingMachine	180
6.132	Season	181
6.133	(abstract) Sensor	181
6.134	(abstract) SeasonDayTypeSchedule	182
6.135	SeriesCompensator	182
6.136	(abstract) ShuntCompensator	183
6.137	SolarGeneratingUnit	184
6.138	(European) SolarPowerPlant	185
6.139	StaticVarCompensator	185
6.140	StationSupply	187
6.141	SubGeographicalRegion	187
6.142	SubLoadArea	188
6.143	Substation	189
6.144	SurgeArrester	189
6.145	Switch	190
6.146	SwitchSchedule	191
6.147	SynchronousMachine	191
6.148	(abstract) TapChanger	192
6.149	TapChangerControl	193
6.150	(abstract) TapChangerTablePoint root class	194
6.151	Terminal https://standards.iteh.ai/catalog/standards/sist/248b5210-d522-4b9d-9c9f-bb1d93d0ae16/sist-en-iec-61970-600-2-2022	195
6.152	ThermalGeneratingUnit	196
6.153	TieFlow	197
6.154	(abstract) TransformerEnd	198
6.155	VoltageLevel	198
6.156	VoltageLimit	199
6.157	VsCapabilityCurve	200
6.158	VsConverter	200
6.159	WaveTrap	201
6.160	WindGeneratingUnit	202
6.161	(European) WindPowerPlant	203
6.162	ControlAreaTypeKind enumeration	203
6.163	Currency enumeration	204
6.164	CurveStyle enumeration	208
6.165	DCConverterOperatingModeKind enumeration	208
6.166	DCPolarityKind enumeration	208
6.167	FuelType enumeration	208
6.168	GeneratorControlSource enumeration	209
6.169	HydroEnergyConversionKind enumeration	209
6.170	HydroPlantStorageKind enumeration	209
6.171	HydroTurbineKind enumeration	210
6.172	(European) LimitKind enumeration	210
6.173	OperationalLimitDirectionKind enumeration	212

6.174	PhaseCode enumeration	212
6.175	RegulatingControlModeKind enumeration	213
6.176	SynchronousMachineKind enumeration.....	213
6.177	(deprecated) SVCControlMode enumeration	214
6.178	UnitMultiplier enumeration	214
6.179	UnitSymbol enumeration	215
6.180	WindGenUnitKind enumeration	220
6.181	WindingConnection enumeration.....	221
6.182	ActivePower datatype	221
6.183	ActivePowerPerCurrentFlow datatype	221
6.184	ActivePowerPerFrequency datatype.....	222
6.185	AngleDegrees datatype.....	222
6.186	ApparentPower datatype.....	222
6.187	Capacitance datatype	222
6.188	Conductance datatype	223
6.189	CurrentFlow datatype.....	223
6.190	Frequency datatype	223
6.191	Inductance datatype.....	224
6.192	Length datatype	224
6.193	Money datatype	224
6.194	PerCent datatype	224
6.195	Reactance datatype	225
6.196	ReactivePower datatype	225
6.197	RealEnergy datatype.....	225
6.198	Resistance datatype	225
6.199	RotationSpeed datatype.....	226
6.200	Seconds datatype	226
6.201	Susceptance datatype.....	226
6.202	Voltage datatype	227
6.203	VoltagePerReactivePower datatype	227
6.204	Boolean primitive	227
6.205	Date primitive.....	227
6.206	DateTime primitive	227
6.207	Decimal primitive	227
6.208	Float primitive	227
6.209	Integer primitive	227
6.210	MonthDay primitive	228
6.211	String primitive.....	228
7	Package OperationProfile	228
7.1	General.....	228
7.2	Accumulator.....	231
7.3	AccumulatorLimit	231
7.4	AccumulatorLimitSet	232
7.5	AccumulatorReset.....	232
7.6	AccumulatorValue	233
7.7	(abstract) ACDCTerminal	234
7.8	Analog	234
7.9	(abstract) AnalogControl	234
7.10	AnalogLimit.....	235

7.11	AnalogLimitSet	236
7.12	AnalogValue	236
7.13	Command	237
7.14	(abstract) Control	237
7.15	Discrete	238
7.16	DiscreteValue	239
7.17	(abstract) IdentifiedObject root class	239
7.18	(abstract) IOPoint	240
7.19	(abstract) Limit	240
7.20	(abstract) LimitSet	241
7.21	(abstract) Measurement	241
7.22	(abstract) MeasurementValue	242
7.23	MeasurementValueQuality	243
7.24	MeasurementValueSource	244
7.25	(abstract) PowerSystemResource	244
7.26	(abstract) Quality61850 root class	244
7.27	RaiseLowerCommand	245
7.28	SetPoint	246
7.29	StringMeasurement	247
7.30	StringMeasurementValue	247
7.31	(abstract) Terminal	248
7.32	ValueAliasSet	248
7.33	ValueToAlias	249
7.34	PhaseCode enumeration	249
7.35	Source enumeration	250
7.36	UnitMultiplier enumeration	251
7.37	UnitSymbol enumeration	252
7.38	Validity enumeration	257
7.39	PerCent datatype	257
7.40	Boolean primitive	258
7.41	Date primitive	258
7.42	DateTime primitive	258
7.43	Float primitive	258
7.44	Integer primitive	258
7.45	String primitive	258
8	Package ShortCircuitProfile	258
8.1	General	258
8.2	(abstract) ACDCTerminal	260
8.3	(Description) ACLineSegment	260
8.4	(Description) AsynchronousMachine	261
8.5	(Description) BusbarSection	261
8.6	(abstract) ConductingEquipment	262
8.7	(abstract) Conductor	262
8.8	(abstract) Connector	262
8.9	(abstract) EarthFaultCompensator	263
8.10	(abstract) EnergyConnection	263
8.11	(Description) EnergySource	263
8.12	(abstract) Equipment	264
8.13	(Description) EquivalentBranch	264

**Teh STANDARD
PREVIEW
(standards.iteh.ai)**

SIST EN IEC 61970-600-2:2022

<https://standards.iteh.ai/catalog/standards/sist/248b5210-d522-4b9d-9c9f-bb1d93d0ae16/sist-en-iec-61970-600-2-2022>

8.14	(abstract) EquivalentEquipment	266
8.15	(Description) EquivalentInjection.....	266
8.16	(Description) ExternalNetworkInjection.....	267
8.17	(Description) GroundingImpedance.....	267
8.18	(abstract) IdentifiedObject root class.....	268
8.19	(Description) LinearShuntCompensator.....	268
8.20	MutualCoupling	268
8.21	(Description) NonlinearShuntCompensatorPoint root class.....	269
8.22	(Description) PetersenCoil	270
8.23	(abstract) PowerSystemResource	270
8.24	(Description) PowerTransformer	271
8.25	(Description) PowerTransformerEnd	272
8.26	(abstract) RegulatingCondEq	273
8.27	(abstract) RotatingMachine	273
8.28	(Description) SeriesCompensator.....	273
8.29	(abstract) ShuntCompensator	274
8.30	(Description) SynchronousMachine	274
8.31	(abstract) Terminal.....	276
8.32	(abstract) Transformer_End.....	276
8.33	PetersenCoilModeKind enumeration	276
8.34	ShortCircuitRotorKind enumeration	276
8.35	UnitMultiplier enumeration	277
8.36	UnitSymbol enumeration	278
8.37	ActivePower datatype	283
8.38	AngleDegrees datatype	283
8.39	Conductance datatype	284
8.40	CurrentFlow datatype	284
8.41	Length datatype	284
8.42	PerCent datatype	284
8.43	PU datatype	285
8.44	Reactance datatype	285
8.45	Resistance datatype	285
8.46	Susceptance datatype.....	285
8.47	Temperature datatype	286
8.48	Voltage datatype	286
8.49	Boolean primitive	286
8.50	Date primitive	286
8.51	Float primitive	286
8.52	Integer primitive	286
8.53	String primitive.....	287
9	Package SteadyStateHypothesisProfile	287
9.1	General.....	287
9.2	(abstract) ACDCConverter	292
9.3	(Description) ACDCConverterDCTerminal.....	292
9.4	(abstract) ACDCTerminal	293
9.5	(Description) ActivePowerLimit	293
9.6	(Description) ApparentPowerLimit.....	293
9.7	(Description) AsynchronousMachine	294
9.8	(Description) BatteryUnit.....	294

9.9	(Description) Breaker	295
9.10	(abstract) ConductingEquipment	295
9.11	(Description) ConformLoad	295
9.12	(Description) ControlArea	296
9.13	(Description) CsConverter	296
9.14	(Description) CurrentLimit	297
9.15	(abstract) DCBaseTerminal	298
9.16	(Description) DCTerminal	298
9.17	(Description) Disconnector	298
9.18	(Description) DisconnectingCircuitBreaker	299
9.19	(abstract) EnergyConnection	299
9.20	(Description) EnergyConsumer	299
9.21	(Description) EnergySource	300
9.22	Equipment	301
9.23	(abstract) EquivalentEquipment	301
9.24	(Description) EquivalentInjection	301
9.25	(Description) ExternalNetworkInjection	302
9.26	(Description) Fuse	302
9.27	(Description) GeneratingUnit	303
9.28	(Description) GroundDisconnector	303
9.29	(Description) HydroGeneratingUnit	304
9.30	(abstract) IdentifiedObject root class	304
9.31	(Description) Jumper	304
9.32	(Description) LinearShuntCompensator	305
9.33	(Description) LoadBreakSwitch	305
9.34	(Description) NonConformLoad	305
9.35	(Description) NonlinearShuntCompensator	306
9.36	(Description) NuclearGeneratingUnit	306
9.37	(abstract) OperationalLimit	306
9.38	(abstract) PhaseTapChanger	307
9.39	(Description) PhaseTapChangerAsymmetrical	307
9.40	(Description) PhaseTapChangerLinear	308
9.41	(abstract) PhaseTapChangerNonLinear	308
9.42	(Description) PhaseTapChangerSymmetrical	308
9.43	(Description) PhaseTapChangerTabular	309
9.44	(Description) PowerElectronicsConnection	309
9.45	(abstract) PowerElectronicsUnit	310
9.46	(abstract) PowerSystemResource	310
9.47	(abstract) ProtectedSwitch	310
9.48	(Description) RatioTapChanger	311
9.49	(abstract,Description) RegulatingCondEq	311
9.50	(Description) RegulatingControl	311
9.51	(abstract) RotatingMachine	313
9.52	(abstract) ShuntCompensator	313
9.53	(Description) SolarGeneratingUnit	314
9.54	(Description) StaticVarCompensator	314
9.55	(Description) StationSupply	315
9.56	(Description) Switch	315
9.57	(Description) SynchronousMachine	316