

DRAFT INTERNATIONAL STANDARD

ISO/DIS 29400

ISO/TC 8

Secretariat: SAC

Voting begins on:
2018-06-27

Voting terminates on:
2018-09-19

Ships and marine technology — Offshore wind energy — Port and marine operations

Navires et technologie maritime — Énergie éolienne offshore — Opérations portuaires et maritimes

ICS: 47.020.50

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/72ef301d-0882-4155-8cb5-5632bb14fe0f/iso-29400-2020>

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.



Reference number
ISO/DIS 29400:2018(E)

© ISO 2018

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/72ef301d-0882-4155-8cb5-5632bb14fe0f/iso-29400-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents	Page
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Symbols and abbreviated terms	28
4.1 Symbols	28
4.2 Abbreviated terms	32
5 General considerations	33
5.1 Introduction	33
5.2 Jurisdiction	35
5.3 HSSE plan	36
5.4 Risk management	37
5.5 Job safety analysis	38
5.6 Environmental impact study	38
5.7 Manning, qualifications, job and safety training	38
5.8 Incident reporting	39
5.9 Personnel tracking	39
5.10 Approval by national authorities	40
6 Organization, documentation and planning	40
6.1 Introduction	40
6.2 Organization and communication	40
6.3 Quality assurance and administrative procedures	42
6.4 Technical procedures	42
6.5 Technical documentation	43
6.6 Certification and documentation	51
6.7 Marine warranty survey	52
6.8 Systems and equipment	54
7 Metocean requirements	54
7.1 Introduction	54
7.2 Weather-restricted/weather-unrestricted operations	55
7.3 Metocean conditions	56
7.4 Metocean criteria	58
7.5 Operational duration, contingency and weather window	59

7.6	Weather forecasts	61
7.7	On-site monitoring	62
8	Onshore transport and nearshore transport.....	62
8.1	Introduction	62
8.2	Structural integrity calculations.....	63
8.3	Transport by road.....	63
8.4	Transport via inland waterways	63
8.5	Transport via nearshore waterways.....	63
8.6	Transport via railways.....	64
8.7	Transport frames and equipment.....	64
9	Intermediate storage areas	64
9.1	Introduction	64
9.2	Infrastructure requirements	65
9.3	Storage frames and equipment.....	66
9.4	Requirements of components for storage.....	66
9.5	Protection of components against environmental conditions	66
9.6	Structural integrity calculations.....	66
9.7	Security measures.....	67
10	Pre-assembly	67
10.1	Introduction	67
10.2	Pre-assembly area requirements.....	67
10.3	Pre-assembly activities	67
10.4	Pre-assembly equipment	68
10.5	Structural integrity calculations.....	68
10.6	Vortex shedding.....	68
10.7	Security measures.....	69
11	Port activities.....	69
11.1	Introduction	69
11.2	Accessibility of harbour areas.....	69
11.3	Storage areas of quayside	70
11.4	Security measures.....	70
11.5	Quayside requirements	70
11.6	Port subsea soil requirements for jacking activities.....	70
12	Weight control.....	71
12.1	Introduction	71
12.2	Weight control classes.....	71

12.3	Weight and CoG constraints.....	72
12.4	Weight control audits.....	72
12.5	Dimensional control	72
12.6	Serial items	73
12.7	Offshore wind farm components	73
12.8	Weight determinations.....	73
13	Stability	73
13.1	Introduction	73
13.2	General requirements.....	74
13.3	Stability calculations	74
13.4	Intact stability.....	75
13.5	Damage stability	78
13.6	Single-barge transports.....	80
13.7	Multi-barge transports	80
13.8	Classed vessels.....	80
13.9	Self-floating structures.....	81
13.10	Loadout operations.....	84
13.11	Watertight integrity and temporary closures.....	85
13.12	Inclining tests.....	85
14	Ballasting operations.....	86
14.1	Introduction	86
14.2	Ballast calculations for different stages	87
14.3	In ballast system	87
14.4	Protection against damage and deterioration	89
14.5	Prevention of progressive flooding in damage condition.....	89
14.6	Control and indicating systems	89
14.7	Pumps	90
14.8	Valve arrangements.....	91
14.9	Vent systems.....	91
14.10	Air cushion system capacity	91
14.11	System testing.....	92
15	Loadout.....	92
15.1	Introduction	92
15.2	Categories of loadout.....	93
15.3	Structure being loaded	95
15.4	Site and quay	95

15.5	Barge.....	96
15.6	Link beams, skidways and skidshoes	96
15.7	Moorings.....	96
15.8	Grounded loadouts.....	97
15.9	Pumping and ballasting	98
15.10	Loadouts by trailers, SPMTs or hydraulic skidshoes	99
15.11	Propulsion system design, redundancy and back-up	101
15.12	Float-on onto submersible barges or vessels	103
15.13	Lifted loadouts	105
15.14	Horizontal loadouts.....	105
15.15	Barge reinstatement and sea fastenings.....	106
15.16	Tugs.....	106
15.17	Management and organization	107
15.18	Loadout manual.....	107
15.19	Operating manual	107
16	Transportation.....	109
16.1	Introduction.....	109
16.2	General considerations.....	109
16.3	Weather routing and forecasting.....	113
16.4	Ports of shelter, shelter areas, holding areas.....	113
16.5	Inspections during the towage or voyage.....	113
16.6	Responsibility.....	114
16.7	Hazardous materials.....	114
16.8	Ballast water	114
16.9	Restricted depths, heights and manoeuvrability	115
16.10	Under-keel clearances.....	115
16.11	Air draught	116
16.12	Channel width and restricted manoeuvrability.....	116
16.13	Towline pull required, fleet composition and towing arrangement.....	116
16.14	Tow out from dry dock.....	119
16.15	Inshore tow	120
16.16	Offshore tow.....	121
16.17	Transport onboard a vessel	122
16.18	Transport manual.....	125
17	Temporary mooring and stationkeeping for marine operations.....	126
17.1	Introduction.....	126

17.2	Environmental criteria	126
17.3	Determination of mooring response	127
17.4	Sizing of mooring lines.....	128
17.5	Sizing of anchors	129
17.6	Sizing of attachments	130
17.7	Sizing of mooring line components.....	130
17.8	Clearances under extreme conditions	130
17.9	Clearances during positioning.....	131
17.10	Tensioning of moorings.....	132
17.11	Other stationkeeping means	132
17.12	System for common reference stations	132
18	Offshore installation operations	133
18.1	Introduction	133
18.2	Installation site.....	137
18.3	Systems and equipment	140
18.4	Positioning of vessels	142
18.5	Site reference system	142
18.6	Geotechnical site specific assessment.....	143
18.7	Vessel operation manual.....	145
18.8	Jack-up preloading procedure	146
18.9	Ballasting.....	147
18.10	Lifted installations	147
18.11	Lowering by ballasting	150
18.12	Precise positioning on the sea floor by active and passive means	151
18.13	Skirt penetration	152
18.14	Pile installation	153
18.15	Grouting	155
18.16	Bolted connections of foundation.....	157
18.17	Welding of piles/foundation to topsides.....	157
18.18	Noise mitigation measures.....	157
18.19	Crew transfer to and from installation units	158
18.20	Offshore completion	158
18.21	Project execution manual.....	159
19	Design of lifting equipment.....	160
19.1	Introduction	160
19.2	Rigging geometry	162

19.3	Actions and action effects.....	163
19.4	Weight contingency factors	164
19.5	Dynamic amplification factors (DAFs)	165
19.6	Strengths of slings, grommets and shackles.....	175
19.7	Design verifications.....	178
19.8	Lift point design	182
19.9	Clearances.....	183
19.10	Bumpers and guides.....	186
19.11	Heave compensated lifts.....	188
19.12	Lifts using DP	188
19.13	Practical considerations	188
19.14	Certification requirements for lifting equipment	190
20	Laying, burial, jointing, and repair of sub-sea cables	190
20.1	Introduction	190
20.2	Planning and design	190
20.3	Cable load-out and offshore transfer	196
20.4	Cable laying	199
20.5	Cable protection	201
20.6	Cable crossings.....	204
20.7	Landfalls	204
20.8	Cable jointing and repair.....	204
20.9	Post installation survey	205
20.10	Cable commissioning.....	205
20.11	Cable installation manual	205
21	Construction management	205
21.1	Introduction	205
21.2	Marine coordination	206
21.3	Harbour coordination	207
21.4	Guard vessel.....	207
21.5	Reporting	207
21.6	Personnel tracking	208
	Annex A (informative) Additional information and guidance	209
	Bibliography.....	225

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 8, Ships and marine technology.

This second edition cancels and replaces the first edition (ISO 29400:2015), which has been technically revised.

The main changes compared to the previous edition are as follows:

- Clause 3: Terms and definitions revised; new definitions inserted;
- Clause 7: “Metoccean Requirements” fully revised;
- Clause 20: “Cable load-out and offshore transfer” new subclauses added
- Revisions throughout most other clauses;
- Annex A revised.

Introduction

The series of International Standards applicable to the offshore wind industry, ISO 29400 to ISO 29406¹⁾, constitutes a comprehensive and common basis covering port and marine operations of all offshore structures installed and maintained by the offshore wind industries worldwide. Through their application, the intention is to achieve reliability levels appropriate for offshore wind farm components, whatever the type of structure and the nature or combination of materials used.

This International Standard presumes compliance with international (e.g. IMO), national and local rules and regulations. This International Standard does not replace the applicable rules and regulations. Adherence to this International Standard will not necessarily ensure compliance with all applicable rules and regulations.

It is important to recognize that during port and marine operations the structural integrity of the component is an overall concept comprising models for describing actions, structural analysis, design rules, safety elements, workmanship, quality control procedures and national requirements, all of which are mutually dependent. The modification of one aspect of design in isolation can disturb the balance of reliability inherent in the overall concept or structural system. It is necessary, therefore, to consider the implications involved in modifications in relation to the overall reliability of structures in offshore wind farms.

The series of International Standards applicable to offshore wind farms is intended to provide a wide latitude in the choice of structural configuration, material and techniques without hindering innovation. Sound engineering judgment is, therefore, necessary in the use of these International Standards.

ISO 29400 was developed to provide comprehensive requirements and guidance for the planning, engineering and safe execution of port and marine operations for all types of offshore wind farm component including cable-laying and burial operations and installation and operation of floating turbines moored to the seabed.

Port operations for installation of components of offshore wind farms cover all component transport to the ports, whether by land or via inland waterways, any intermediate storage as well as preassembly activities at the ports until placing the components close to any quayside for subsequent marine operations to start.

Marine operations for offshore wind farm structures cover loadout from the quayside, offshore transportation and installation phases when the structure is at risk from the marine environment including any marine logistics during offshore commissioning works, operation and maintenance, component exchange, repair operations and decommissioning or redeployment.

ISO 29400 describes the principles of, and provides requirements and guidance for, port and marine operations associated with foundations, substructures, WTG, cables and topsides installed in offshore wind farms, from the point of view of planning, engineering, implementation and documentation. Alternative requirements, methods and provisions can fulfil the intention of ISO 29400 and may be applied, provided it can be demonstrated that they achieve at least the same level of assurance and reliability. The overall objective of ISO 29400 is to ensure that port and marine operations are

1) Planned International Standards.

conducted within defined and recognized safety and reliability levels, wherever they are performed. Additional standards, codes and guidelines should also be taken into account, where applicable. Special attention should be paid to national regulations governing the area in which the port and marine operations are performed.

It is not the intent of ISO 29400 to govern the design of structures, systems and components used in port and marine operations, beyond the principles given. Recognized codes and standards are normally accepted as the basis for the detailed design and the fabrication requirements of such components.

Annex A provides some background and some additional information to the main body of the document and it is intended that it be read in conjunction with the main body of the document.

This International Standard is based on ISO 19901-6 while adapting it extensively to the specific requirements of the offshore wind industry.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/72ef301d-0882-4155-8cb5-5632bb14fe0f/iso-29400-2020>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/72ef301d-0882-4155-8cb5-5632bb14fe0f/iso-29400-2020>

Ships and marine technology — Offshore wind energy — Port and marine operations

1 Scope

This International Standard provides comprehensive requirements and guidance for the planning and engineering of port and marine operations, encompassing all documents and works related to such port and marine operations, e.g. the design and analysis of the components, systems, equipment and procedures required to perform port and marine operations, as well as the methods or procedures developed to carry them out safely.

This International Standard is intended to be comprehensive, covering all relevant information related to port and marine operations necessary for installation, offshore commissioning works, operation and maintenance, component exchange, repair operations and decommissioning or redeployment of offshore wind farms.

This International Standard is applicable to port and marine operations for offshore structures including:

- lattice structure foundations made from steel;
- concrete gravity base structures (GBS);
- piled steel foundation structures;
- subsea templates and similar structures applied for pre-piling of foundations;
- steel towers, nacelles and blades forming part of the wind turbine generators (WTG);
- floating turbines moored to the seabed;
- self-elevating offshore unit topsides and components of any of the above for offshore substations or offshore accommodations platforms;
- array cables within the wind farms as well as export cables connecting the wind farm to the grid;
- marine operations during the service life of the windfarm related to the technical maintenance works.

This International Standard is also applicable to modifications of existing structures, e.g. installation of additional modules, exchange of components or decommissioning.

This International Standard is not applicable to the following operations:

- construction activities, e.g. in a fabrication yard onshore, where there is no exposure to the marine environment;
- diving.