

### SLOVENSKI STANDARD SIST EN IEC 62752:2025

01-marec-2025

Integrirana zaščita kabla in zaščitna naprava tipa 2 za napajanje električnih cestnih vozil (IC-CPD) (IEC 62752:2024)

In-cable control and protection device for mode 2 charging of electric road vehicles (IC-CPD) (IEC 62752:2024)

Ladeleitungsintegrierte Steuer- und Schutzeinrichtung für die Ladebetriebsart 2 von Elektro-Straßenfahrzeugen (IC-CPD) (IEC 62752:2024)

Appareil de contrôle et de protection intégré au câble pour la charge en mode 2 des véhicules électriques (IC-CPD) (IEC 62752:2024)

Ta slovenski standard je istoveten z: EN IEC 62752:2024

ICS:

29.120.50 Varovalke in druga Fuses and other overcurrent

nadtokovna zaščita protection devices

43.120 Električna cestna vozila Electric road vehicles

SIST EN IEC 62752:2025 en,fr,de

SIST EN IEC 62752:2025

# iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN IEC 62752:2025

https://standards.iteh.ai/catalog/standards/sist/33722fd4-c86d-4094-9f36-127f4f1ed64c/sist-en-jec-62752-2025

### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

**EN IEC 62752** 

October 2024

ICS 29.120.50

Supersedes EN 62752:2016; EN 62752:2016/AC:2019-03; EN 62752:2016/A1:2020

#### **English Version**

# In-cable control and protection device (IC-CPD) for mode 2 charging of electric road vehicles (IEC 62752:2024)

Dispositif de contrôle et de protection intégré au câble (IC-CPD) pour la charge en mode 2 des véhicules électriques (IEC 62752:2024) Ladeleitungsintegrierte Steuer- und Schutzeinrichtung für die Ladebetriebsart 2 von Elektro-Straßenfahrzeugen (IC-CPD)
(IEC 62752:2024)

This European Standard was approved by CENELEC on 2024-05-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

#### **European foreword**

The text of document 23E/1342/FDIS, future edition 2 of IEC 62752, prepared by SC 23E "Circuit-breakers and similar equipment for household use" of IEC/TC 23 "Electrical accessories" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62752:2024.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2025-10-31 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2027-10-31 document have to be withdrawn

This document supersedes EN 62752:2016 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

### Endorsement notice

### (https://standards.iteh.ai)

The text of the International Standard IEC 62752:2024 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60269-1	NOTE	Approved as EN 60269-1
IEC 60309 series	NOTE	Approved as EN IEC 60309 series
IEC 60364 series	NOTE	Approved as HD 60364 series
IEC 60364-7-722	NOTE	Approved as HD 60364-7-722
IEC 60947-1:2020	NOTE	Approved as EN IEC 60947-1:2021 (not modified)
IEC 60999-1:1999	NOTE	Approved as EN 60999-1:2000 (not modified)
IEC 61140:2016	NOTE	Approved as EN 61140:2016 (not modified)
IEC 61249-2 series	NOTE	Approved as EN 61249-2 series
ISO 15118 series	NOTE	Approved as EN ISO 15118 series

# Annex ZA (normative)

# Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-1	-	Environmental testing - Part 2-1: Tests - Test A: Cold	EN 60068-2-1	-
IEC 60068-2-5	2018	Environmental testing - Part 2-5: Tests - Test S: Simulated solar radiation at ground level and guidance for solar radiation testing and weathering	EN IEC 60068-2-5	2018
IEC 60068-2-11	(Ītt	Environmental testing - Part 2-11: Tests - Test Ka: Salt mist	EN IEC 60068-2-11	-
IEC 60068-2-27	-	Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	-
IEC 60068-2-30 standards.iteh.ai/cata	- log/sta	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	<b>EN 60068-2-30</b> 7f4f1ed64c/sist-en-	<u>-</u> iec-627
IEC 60068-2-31	-	Environmental testing - Part 2-31: Tests - Test Ec: Rough handling shocks, primarily for equipment-type specimens	EN 60068-2-31	-
IEC 60068-2-64	-	Environmental testing - Part 2-64: Tests - Test Fh: Vibration, broadband random and guidance	EN 60068-2-64	-
IEC 60068-3-4	-	Environmental testing - Part 3-4: Supporting documentation and guidance - Damp heat tests	EN IEC 60068-3-4	-
IEC 60112	-	Method for the determination of the proof and the comparative tracking indices of solid insulating materials	EN IEC 60112	-
IEC 60227	series	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V - Part 1: General requirements	-	
IEC 60245	series	Rubber insulated cables - Rated voltages up to and including 450/750 V - Part 1: General requirements	-	

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60309-1	2021	Plugs, fixed or portable socket-outlets and appliance inlets for industrial purposes - Part 1: General requirements	EN IEC 60309-1	2022
IEC 60309-2	-	Plugs, fixed or portable socket-outlets and appliance inelts for industrial purposes - Part 2: Dimensional compatibility requirements for pin and contact-tube accessories	EN IEC 60309-2	-
IEC 60364-4-44 (mod)	2007	Low-voltage electrical installations - Part 4- 44: Protection for safety - Protection against voltage disturbances and electromagnetic disturbances	HD 60364-4-442	2012
IEC 60384-14	2023	Fixed capacitors for use in electronic equipment - Part 14: Sectional specification - Fixed capacitors for electromagnetic interference suppression and connection to the supply mains	EN IEC 60384-14	2023
IEC 60417-DB	-	Graphical symbols for use on equipment	-	-
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529	1991
-	-		+ corrigendum May	1993
+ A1	1999		+ A1	2000
+ A2	2013		+ A2	2013
IEC 60664-1	2020	Insulation coordination for equipment within low-voltage supply systems - Part 1: Principles, requirements and tests	EN IEC 60664-1	2020
IEC 60664-3	-	Insulation coordination for equipment within low-voltage systems - Part 3: Use of	EN 60664-3	-
		coating, potting or moulding for protection against pollution		
IEC 60695-2-10	-	Fire hazard testing - Part 2-10: Glowing/hot-wire based test methods - Glow-wire apparatus and common test procedure	EN IEC 60695-2-10	-
IEC 60695-2-11	-	Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end products (GWEPT)	EN IEC 60695-2-11	-
IEC 60884-1	2022	Plugs and socket-outlets for household and similar purposes - Part 1: General requirements	-	-
IEC 61000-4-2	-	Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	EN 61000-4-2	-
IEC 61000-4-3	-	Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test	EN IEC 61000-4-3	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 61000-4-4	-	Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	-
IEC 61000-4-5	2014	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2014
+ A1	2017		+ A1	2017
IEC 61000-4-6	-	Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields	EN IEC 61000-4-6	-
IEC 61439-7	2022	Low-voltage switchgear and controlgear assemblies - Part 7: Assemblies for specific applications such as marinas, camping sites, market squares, electric vehicle charging stations	EN IEC 61439-7	2023
IEC 61540	-	Portable residual current devices (PRCDS) without integral overcurrent protecion for household and similar use	-	-
IEC 61543	2022	Residual current-operated protective devices (RCDs) for household and similar use - Electromagnetic compatibility	EN IEC 61543	2023
IEC 61851-1	2017	Electric vehicle conductive charging system - Part 1: General requirements	EN IEC 61851-1	2019
IEC 62196	series	Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 1: General requirements	EN IEC 62196	series
IEC 62196-11.ai/cata	2022	Plugs, socket-outlets, vehicle connectors 2 and vehicle inlets - Conductive charging of electric vehicles - Part 1: General requirements	7 EN IEC 62196-1:n-	2022 752-2
IEC 62262	-	Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)	EN 62262	-
IEC 62368-1	2023	Audio/video, information and communication technology equipment - Part 1: Safety requirements	EN IEC 62368-1	2024
IEC 62893-3	-	Charging cables for electric vehicles for rated voltages up to and including 0,6/1 kV - Part 3: Cables for AC charging according to modes 1, 2 and 3 of IEC 61851-1 of rated voltages up to and including 450/750 V	-	-
CISPR 14-1	-	Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission	-	-
ISO 178	-	Plastics - Determination of flexural properties	EN ISO 178	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
ISO 179	series	Plastics - Determination of Charpy impact strength	EN ISO 179	series
ISO 2409	-	Paints and varnishes - Cross-cut test	EN ISO 2409	-
ISO 4628-3	-	Paints and varnishes - Evaluation of degradation of coatings - Designation of quantity and size of defects, and of intensity of uniform changes in appearance - Part 3: Assessment of degree of rusting	EN ISO 4628-3	-
ISO 4892-2	2013	Plastics - Methods of exposure to laboratory light sources - Part 2: Xenon-arc lamps	EN ISO 4892-2	2013
ISO 16750-5	2010	Road vehicles - Environmental conditions and testing for electrical and electronic equipment - Part 5: Chemical loads	-	-
ISO 17409	2020	Electrically propelled road vehicles - Conductive power transfer - Safety requirements	EN ISO 17409	2020

## iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN IEC 62752:2025

https://standards.iteh.ai/catalog/standards/sist/33722fd4-c86d-4094-9f36-127f4f1ed64c/sist-en-jec-62752-2025



**IEC 62752** 

Edition 2.0 2024-03

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



In-cable control and protection device (IC-CPD) for mode 2 charging of electric road vehicles

Dispositif de contrôle et de protection intégré au câble (IC-CPD) pour la charge en mode 2 des véhicules électriques

SIST EN IEC 62752:2025

https://standards.iteh.ai/catalog/standards/sist/33722fd4-c86d-4094-9f36-127f4f1ed64c/sist-en-jec-62752-2029

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 29.120.50 ISBN 978-2-8322-8434-6

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

### **CONTENTS**

F	OREWO	RD	10
۱N	NTRODU	ICTION	12
1	Scop	e	13
2	Norm	native references	14
3	Term	s and definitions	16
	3.1	Terms and definitions relating to plugs and socket-outlets	16
	3.2	Terms and definitions relating to terminals	
	3.3	Terms and definitions relating to residual current functions	18
	3.3.1	Terms and definitions relating to currents flowing from live parts to earth	18
	3.3.2	Terms and definitions relating to the energization of the residual current function	19
	3.3.3	Terms and definitions relating to the operation and to the functions of the IC-CPD	19
	3.3.4	Terms and definitions relating to values and ranges of energizing quantities	21
	3.3.5	Terms and definitions relating to values and ranges of influencing quantities	23
	3.3.6	Terms and definitions relating to conditions of operation	23
	3.3.7	Terms and definitions relating to control functions between electric vehicle and IC-CPD	23
	3.4	Terms and definitions relating to tests	24
	3.5	Terms and definitions relating to construction	
4	Class	sification	24
	4.1	According to the supply	
	4.1.1		
	nd 4.1.2	(LNSE/LLSE or LNE/LLE)	24
	4.1.3	11	
	4.2	According to the construction	
	4.2.1		
	4.2.2	IC-CPD including the function box separated from the plug and vehicle connector	
	4.2.3		
	4.3	According to the method of connecting the cable(s)	
	4.3.1		
	4.3.2		
	4.3.3		
	4.3.4	Pluggable IC-CPD	25
	4.4	Classification according to the protective conductor path	26
	4.4.1	General	26
	4.4.2	IC-CPDs with switched protective conductor	26
	4.4.3	<b>'</b>	26
	4.5	Classification according to the verification of availability of the upstream	00
	1 = 1	Protective conductor	
	4.5.1 4.5.2		∠0
	4.0.2	conductor	26

	4.5.3	conductor	26
	4.6 Cla	ssification according to the usage	
	4.6.1	IC-CPD for portable use	
	4.6.2	IC-CPD for wall mounting	
	4.6.3	IC-CPD for portable use and for wall mounting	
5	Characte	ristics of IC-CPDs	
	5.1 Sur	nmary of characteristics	27
	5.2 Rat	ed quantities and other characteristics	27
	5.2.1	Rated voltages	27
	5.2.2	Rated current (I <sub>n</sub> )	27
	5.2.3	Rated residual operating current ( $I_{\Delta  extsf{n}}$ )	28
	5.2.4	Rated residual non-operating current ( $I_{\Delta no}$ )	28
	5.2.5	Rated frequency	
	5.2.6	Rated making and breaking capacity $(I_{m})$	
	5.2.7	Rated residual making and breaking capacity ( $I_{\Delta  extsf{m}}$ )	28
	5.2.8	Operating characteristics in case of residual currents comprising a DC component	
	5.2.9	Insulation coordination including creepage distances and clearances	
	5.2.10	Coordination with short-circuit protection devices (SCPDs)	
	5.3 Sta	ndard and preferred values	
	5.3.1	Preferred values of rated operational voltage $(U_e)$	29
	5.3.2	Preferred values of rated current (I <sub>n</sub> )	
	5.3.3	Standard values of rated residual operating current ( $I_{\Delta n}$ )	29
	5.3.4	Standard value of rated residual non-operating current $(I_{\Delta no})$	30
	5.3.5 dards.iteh.a	Standard minimum value of the non-operating overcurrent through the IC-CPD	c-63 <u>7</u> 52-20
	5.3.6	Preferred values of rated frequency	
	5.3.7	Minimum value of the rated making and breaking capacity ( $I_{m}$ )	
	5.3.8	Minimum value of the rated residual making and breaking capacity	
		$(I_{\Delta m})$	
	5.3.9	Standard value of the rated conditional short-circuit current ( $I_{ m nc}$ )	30
	5.3.10	Standard value of the rated conditional residual short-circuit current ( $I_{\Delta { m C}}$ )	30
	5.3.11	Limit values of break time	30
6	Marking a	and other product information	31
	6.1 Dat	a to be marked on the IC-CPD	31
	6.2 Info	rmation to be provided to the end-user	33
7	Standard	conditions for operation in service and for installation	33
	7.1 Sta	ndard conditions	33
	7.2 Cor	nditions for installations	34
8	Requirem	nents for construction and operation	34
	8.1 Med	chanical design	34
	8.2 Plu	ggable electrical connections of pluggable IC-CPDs according to 4.3.4	35
	8.2.1	General	35
	8.2.2	Degree of protection of pluggable electrical connection against solid foreign objects and against water for pluggable IC-CPD	36

8.2.3	Breaking capacity of pluggable electrical connection for pluggable IC- CPD	36
8.3	Construction	
8.3.1	General	37
8.3.2	Terminations of IC-CPDs	38
8.3.3		
8.3.4	Terminal screws or nuts of IC-CPDs according to 4.3.3	38
8.3.5		
8.3.6		
8.3.7		
8.3.8	Screws for IC-CPD according to 4.3.3	39
8.3.9	Means for suspension from a wall or other mounting surfaces	39
8.3.1	O Plug as an integral part of direct plug-in equipment	39
8.3.1	1 Flexible cables and cords and their connection	40
8.4	Electrical performance	40
8.4.1	Protective conductor path	40
8.4.2	Contact mechanism	41
8.4.3	Clearances and creepage distances (see Annex C)	41
8.5	Protection against electric shock	44
8.5.1	General	44
8.5.2	Requirements relating to plugs, whether incorporated or not in integral items	44
8.5.3	Degree of protection of the function box	44
8.5.4	Requirements relating to vehicle connectors	45
8.6	Dielectric properties	45
8.7	Temperature rise	45
8.8	Operating characteristics	
8.8.1		45
8.8.2	Safe connection operating characteristics	46
8.8.3	Operating characteristics with AC residual currents and residual currents having a DC component	46
8.8.4	Operating characteristics with smooth DC residual current	46
8.8.5	Behaviour of the IC-CPD after a residual current operation	46
8.8.6	circuits supplied from two phases	46
8.8.7	resolution parestring an est carrette miner may recarr mem recarrying	4-
0.0	circuits supplied from three phases	
8.9	Mechanical and electrical endurance	
8.10	Performance at short-circuit currents	
8.11	Resistance to mechanical shock and impact	
8.12	Resistance to heat	
8.13	Resistance to abnormal heat and to fire	
8.14	Performance of the test function	
8.15	Behaviour in the event of loss of the supply voltage	48
8.16	Resistance of IC-CPDs against unwanted tripping due to surge currents to earth resulting from impulse voltages	
8.17	Control pilot function controller	
8.18	Reliability	
8.19	Resistance to tracking	
8.20	Electromagnetic compatibility (EMC)	49

8.21	Beh	naviour of the IC-CPD at low ambient air temperature	49
8.22	•	eration with supply failure and hazardous live protective conductor ditions	49
8.23		ification of a standing current in the protective conductor in normal vice	49
8.24	Beh	naviour at specific environmental conditions	50
8.25	Res	sistance to vibration and shock	50
9 Te	sts		50
9.1	Ger	neral	50
9.1	1.1	Opening and closing of contacts	50
9.1	1.2	Type tests	50
9.1	1.3	Test sequences	51
9.1	1.4	Routine tests	52
9.2	Tes	st conditions	52
9.3	Tes	st of indelibility of marking	52
9.4	Ver	ification of protection against electric shock	53
9.5	Tes	st of dielectric properties	53
9.5	5.1	Resistance to humidity	
9.5	5.2	Insulation resistance of the main circuit	54
9.5	5.3	Dielectric strength of the main circuit	55
9.5	5.4	Secondary circuit of detection transformers	55
9.5		Verification of impulse withstand voltages (across clearances and across solid insulation) and of leakage current across open contacts	55
9.6	Ter	nperature-rise test	58
9.6		Test conditions Test procedure	58
9.6	6.2	Test procedure	59
9.6	3.3	Measurement of the temperature rise of different parts	59
9.6		Temperature rise of a part	59
9.7	Ver	ification of the operating characteristics	59
9.7	7.1	Test circuit	59
9.7	7.2	Residual sinusoidal alternating currents tests	
9.7	7.3	Verification of the correct operation with residual currents having a DC component	
9.7	7.4	Verification of behaviour in the event of composite residual current	63
9.7	7.5	Verification of the correct operation in the event of smooth DC residual current	65
9.7	7.6	Miswiring and supply failure tests	65
9.7	7.7	Verification of protective conductor contact behaviour	69
9.7	7.8	Verification that the protective conductor is connected to the electric vehicle	69
9.7	7.9	Verification of standing current in the protective conductor connection in normal service	70
9.7	7.10	Verification of the correct operation in the event of residual direct currents which may result from rectifying circuits supplied from two phases	70
9.7	7.11	Verification of the correct operation in case of residual direct currents which may result from rectifying circuits supplied from three phases	
9.8	Ver	ification of mechanical and electrical endurance	
9.8		Endurance of plug and vehicle connector part	
9.8	3.2	Endurance of the residual current function of the IC-CPD	
9.9	Ver	ification of the behaviour of the IC-CPD under overcurrent conditions	73

9.9.1		List of the overcurrent tests	73
9.9.2	2	Short-circuit tests	73
9.9.3	}	Verification of the making and breaking capacity of the plug of the IC-CPD	78
9.10	Veri	fication of resistance to mechanical shock and impact	78
9.10.	.1	General	78
9.10.	.2	Drop test	79
9.10.	.3	Test for screwed glands of IC-CPDs	
9.10.		Mechanical strength test on IC-CPDs provided with cords	80
9.10.		Mechanical impact test and shock test	
9.11		t of resistance to heat	
9.11.		General	
9.11.		Temperature test in heating cabinet	80
9.11.		Ball pressure test for insulating material necessary to retain in position current-carrying parts	81
9.11.		Ball pressure test for insulating material not necessary to retain in position current-carrying parts	
9.12		istance of insulating material to abnormal heat and to fire	
9.13		fication of the self-test	
9.13.		Test conditions	
9.13.	.2	Verification of the self-test with IC-CPD in normal operation	
9.13.	_	Verification of the self-test with simulated welded contacts of IC-CPD	83
9.14		ification of the behaviour of IC-CPDs in the event of loss of the supply age	
9.14.	.1	Verification of correct operation at the minimum operating voltage $(U_{X})$	84
9.14.	.2	Verification of the automatic opening in the event of loss of the supply voltage	84
9.14.	.3	Verification of the reclosing function 7.5.2.2.02.5	
9.15		fication of the limiting values of the non-operating current under /sist-en-ied	
9.16	Veri	fication of resistance against unwanted tripping due to surge currents to	
		h resulting from impulse voltages	
9.17		fication of reliability	
9.17.		Climatic test	
9.17.		Test at a temperature of 45 °C	
9.18		istance to ageing	
9.19		istance to tracking	
9.20		t on pins provided with insulating sleeves	
9.21		ification of the effects of strain on the conductors	
9.22 9.23		cking of the torque exerted by IC-CPDs on fixed socket-outlets	
9.23		ts of the cord anchorageting test of non-rewirable IC-CPDs	
9.24		ification of the electromagnetic compatibility (EMC)	
9.25		Emission	
9.25. 9.26		Immunityts replacing verifications of creepage distances and clearances	
9.26		General	
9.26. 9.26.		Abnormal conditions	
9.26. 9.26.		Temperature rise resulting from fault conditions	
9.20.		ifications for single electronic components used in IC-CPDs	
0.21	v C11	modulono for single electronic componente asea in 10-or bs	90