
**Surface active agents — Microbiology
— Microbiological test methods for
liquid hand dishwashing**

*Agents de surface — Microbiologie — Méthodes d'essai
microbiologique pour les détergents liquides de lavage de vaisselle
à la main*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 21703:2019](https://standards.iteh.ai/catalog/standards/sist/40930c74-850c-4bc3-89df-88e21f6bc947/iso-21703-2019)

<https://standards.iteh.ai/catalog/standards/sist/40930c74-850c-4bc3-89df-88e21f6bc947/iso-21703-2019>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 21703:2019

<https://standards.iteh.ai/catalog/standards/sist/40930c74-850c-4bc3-89df-88e21feb947/iso-21703-2019>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Diluents and culture media	2
5.1 General	2
5.2 Neutralizing diluent and diluents	2
5.2.1 General	2
5.2.2 Neutralizing diluent: Fluid casein digest — soy lecithin — polysorbate 20 medium (SCDLP 20 broth)	3
5.2.3 Diluent for the bacterial suspension (Tryptone sodium chloride solution)	3
5.3 Culture medium for counting	3
5.3.1 General	3
5.3.2 Soybean-casein digest agar medium (SCDA) or tryptic soy agar (TSA)	3
5.3.3 Other medium for counting	4
5.4 Culture medium for detection	4
5.4.1 General	4
5.4.2 Enrichment broth: Eugon LT 100 broth	5
5.5 Culture media for isolation and identification	5
5.5.1 MacConkey agar medium	5
5.5.2 Levine eosin-methylene blue agar medium (EMB agar medium)	6
5.5.3 Cetrimide agar medium	6
5.5.4 Pseudomonas agar medium for detection of pyocyanin (Pseudomonas agar P)	7
6 Apparatus and glassware	7
7 Strains of microorganisms	7
8 Handling of the product and laboratory samples	8
9 Procedure	8
9.1 General recommendation	8
9.2 Preparation of the initial suspension	8
9.3 Enumeration methods	8
9.3.1 Dilutions for enumeration	8
9.3.2 Plate-count methods	8
10 Method for detection and identification	11
10.1 Enrichment	11
10.2 Isolation	11
10.3 Detection of aerobic mesophilic bacteria	11
10.4 Detection and Identification of <i>Escherichia coli</i>	11
10.4.1 General	11
10.4.2 Gram's stain	11
10.4.3 Culture on Levine eosin-methylene blue agar medium (EMB agar medium)	11
10.4.4 Expression of results	12
10.5 Detection and identification of <i>Pseudomonas aeruginosa</i>	12
10.5.1 General	12
10.5.2 Gram's stain	12
10.5.3 Oxidase test	12
10.5.4 Culture on Pseudomonas agar medium for detection of pyocyanin	12
10.5.5 Expression of results	12
11 Neutralization of the antimicrobial properties of the product	13
11.1 General	13

11.2	Preparation of inoculum.....	13
11.3	Suitability of counting methods.....	13
11.3.1	Principle.....	13
11.3.2	Suitability test of the pour-plate method.....	13
11.3.3	Suitability of the surface spread method.....	13
11.3.4	Suitability of the membrane filtration method.....	14
11.4	Suitability of the detection method.....	14
11.4.1	Procedure.....	14
11.4.2	Interpretation.....	14
12	Test report.....	15
Annex A (informative)	Neutralizers of antimicrobial activity of preservatives and rinsing liquids.....	16
Annex B (informative)	Other culture media.....	17
Bibliography		19

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 21703:2019](https://standards.iteh.ai/catalog/standards/sist/40930c74-850c-4bc3-89df-88e21feb947/iso-21703-2019)

<https://standards.iteh.ai/catalog/standards/sist/40930c74-850c-4bc3-89df-88e21feb947/iso-21703-2019>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 91, *Surface active agents*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 21703:2019

<https://standards.iteh.ai/catalog/standards/sist/40930c74-850c-4bc3-89df-88e21feb947/iso-21703-2019>

Surface active agents — Microbiology — Microbiological test methods for liquid hand dishwashing

1 Scope

This document provides microbiological test methods for enumeration and detection of aerobic mesophilic bacteria, detection of *Escherichia coli* and *Pseudomonas aeruginosa* in liquid hand dishwashing.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies

ISO 21148, *Cosmetics — Microbiology — General instructions for microbiological examination*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://standards.iteh.ai/catalog/standards/sist/40930c74-850c-4bc3-89df-66c271669477/iso-21703-2019> and <https://www.electropedia.org/>

3.1

liquid hand dishwashing

liquid detergent which is used for dishwashing by hand

3.2

product

portion of an identified liquid hand dishwashing product received in the laboratory for testing

3.3

sample

portion of the product (at least 1 g or 1 ml) which is used in the test to prepare the initial suspension

3.4

initial suspension

suspension (or solution) of the sample in a defined volume of an appropriate enrichment broth

3.5

sample dilution

dilution of the initial suspension

3.6

aerobic mesophilic bacteria

mesophilic bacteria growing aerobically under the conditions specified in this document

3.7

Pseudomonas aeruginosa

gram-negative rod (bacilli), motile; smooth colonies pigmented (light brown or greenish)

Note 1 to entry: The main characteristics for identification are growth on selective cetrimide agar medium, oxidase positive, production of diffusible fluorescent pigments and production of a soluble phenazine pigment (pyocyanin) in suitable media.

3.8

Escherichia coli

gram-negative rod (bacilli), motile, smooth colonies

Note 1 to entry: The main characteristics for identification are catalase positive, oxidase negative, fermentation of lactose, production of indole, growth on selective medium containing bile salts with characteristic colonies.

3.9

enrichment broth

non-selective liquid medium containing suitable neutralizers and/or dispersing agents and validated for the product under test

4 Principle

This document provides enumeration and detection of aerobic mesophilic bacteria on a non-selective agar medium and enrichment medium, detection of *Escherichia coli* and *Pseudomonas aeruginosa* by presence or absence of bacterial growth after enrichment.

Microorganisms to be tested might be different from country to country according to the practices or regulations. Users can choose enumeration and/or detection methods for those microorganisms which are mentioned in this document based on their needs.

In order to ensure product quality and safety for consumers, it is advisable to perform appropriate microbiological risk analysis so as to determine the type of the product to which this document is applicable. For example, products considered to present a low microbiological risk include those with low water activity, those with extreme pH values, etc. (see ISO 29621).

Alternative microbiological methods may be substituted for the tests presented here provided that their equivalence has been demonstrated or the method has been otherwise validated.

The possible inhibition of microbial growth by the sample shall be neutralized to allow the detection of viable microorganism. In all cases the neutralization of the antimicrobial properties of the product shall be checked.

5 Diluents and culture media

5.1 General

General recommendations for microbiological examinations are specified in ISO 21148.

The following neutralizer, diluents and culture media are suitable for enumeration of aerobic mesophilic bacteria. Other diluents, neutralizers and culture media may be used if they have been demonstrated to be suitable for use.

5.2 Neutralizing diluent and diluents

5.2.1 General

The diluent is used to disperse the sample. It may contain neutralizers if the specimen to be tested has antimicrobial properties. The efficacy of the neutralization shall be demonstrated before the

determination or detection of the count. Information related to the suitable neutralizers is given in [Annex A](#).

5.2.2 Neutralizing diluent: Fluid casein digest — soy lecithin — polysorbate 20 medium (SCDLP 20 broth)

5.2.2.1 Composition

Pancreatic digest of casein,	20,0 g
Soy lecithin,	5,0 g
Polysorbate 20,	40,0 ml
Water,	1 000 ml

5.2.3 Diluent for the bacterial suspension (Tryptone sodium chloride solution)

5.2.3.1 Composition

Tryptone, pancreatic digest of casein,	1,0 g
Sodium chloride,	8,5 g
Water,	1 000 ml

iTeh STANDARD PREVIEW
(standards.iteh.ai)

5.2.3.2 Preparation

Dissolve the components in the water by mixing while heating. Dispense into suitable containers. Sterilize in the autoclave at 121 °C for 15 min. After sterilization, the pH shall be equivalent to 7,0 ± 0,2 when measured at room temperature.

5.3 Culture medium for counting

5.3.1 General

Culture media may be prepared as follows, or from dehydrated culture media according to the instructions of the manufacturer. Ready-to-use media may be used when their composition and/or growth yields are comparable to those of the formulae given herein.

5.3.2 Soybean-casein digest agar medium (SCDA) or tryptic soy agar (TSA)

5.3.2.1 Composition

Pancreatic digest of casein,	15,0 g
Papaic digest of soybean meal,	5,0 g
Sodium chloride,	5,0 g
Agar,	15,0 g
Water,	1 000 ml

5.3.2.2 Preparation

Dissolve the components or the dehydrated complete medium in the water by mixing while heating. Dispense the medium into suitable containers. Sterilize in the autoclave at 121 °C for 15 min. After sterilization and cooling down, the pH shall be equivalent to $7,3 \pm 0,2$ when measured at room temperature.

5.3.3 Other medium for counting

5.3.3.1 Eugon LT 100 agar medium

5.3.3.2 Composition

Pancreatic digest of casein,	15,0 g
Papaic digest of soybean meal,	5,0 g
L-cystine,	0,7 g
Sodium chloride,	4,0 g
Sodium sulphite,	0,2 g
Glucose,	5,5 g
Egg lecithin,	1,0 g
Polysorbate 80,	5,0 g
Octoxynol 9,	1,0 g
Agar,	15,0 g
Water,	1 000 ml

iTeh STANDARD PREVIEW
(standards.iteh.ai)
ISO 21703:2019
<https://standards.iteh.ai/catalog/standards/sist/40930c74-850c-4bc3-89df-88e21feb947/iso-21703-2019>

5.3.3.3 Preparation

Dissolve successively polysorbate 80, octoxynol 9 and egg lecithin into boiling water until their complete dissolution. Dissolve the other components by mixing while heating. Mix gently to avoid foam. Dispense the medium into suitable containers. Sterilize in the autoclave at 121 °C for 15 min. After sterilization and cooling down, the pH shall be equivalent to $7,0 \pm 0,2$ when measured at room temperature.

5.4 Culture medium for detection

5.4.1 General

An enrichment broth shall be used for bacterial detection.

The enrichment broth is used to disperse the sample and to increase the initial microbial population. It may contain neutralizers if the specimen to be tested has antimicrobial properties.

5.4.2 Enrichment broth: Eugon LT 100 broth

5.4.2.1 Eugon LT 100 broth

5.4.2.2 General

This medium contains ingredients which neutralize inhibitory substances present in the sample: lecithin and polysorbate 80, dispersing agent: octoxynol 9.

5.4.2.3 Composition

Pancreatic digest of casein,	15,0 g
Papaic digest of soybean meal,	5,0 g
L-cystine,	0,7 g
Sodium chloride,	4,0 g
Sodium sulfite,	0,2 g
Glucose,	5,5 g
Egg lecithin,	1,0 g
Polysorbate 80,	5,0 g
Octoxynol 9,	1,0 g
Water,	1 000 ml

iTeh STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/40930c74-850c-4bc3-89df-88e21feb947/iso-21703-2019>

5.4.2.4 Preparation

Dissolve successively polysorbate 80, octoxynol 9 and egg lecithin into boiling water until their complete dissolution. Dissolve the other components by mixing while heating. Dispense the medium into suitable containers. Sterilize in the autoclave at 121 °C for 15 min. After sterilization, the pH shall be equivalent to $7,0 \pm 0,2$ when measured at room temperature.

5.5 Culture media for isolation and identification

5.5.1 MacConkey agar medium

5.5.1.1 Composition

Pancreatic digest of gelatin,	17,0 g
Pancreatic digest of casein,	1,5 g
Peptic digest of animal tissue,	1,5 g
Lactose,	10,0 g
Bile salts mixture,	1,5 g
Sodium chloride,	5,0 g
Agar,	13,5 g