

SLOVENSKI STANDARD SIST-TS CEN/TS 17152-3:2023

01-februar-2023

Cevni sistemi iz polimernih materialov za breztlačni prenos in shranjevanje nepitne vode - Zaboji za sisteme infiltriranja, reduciranja in hrambe - 3. del: Ugotavljanje skladnosti

Plastics piping systems for non-pressure underground conveyance and storage of non-potable water - Boxes used for infiltration, attenuation and storage systems - Part 3: Conformity assessment scheme

Kunststoff-Rohrleitungssysteme für die drucklose unterirdische Entwässerung für Nicht-Trinkwasser - Versickerungsblöcke zur Verwendung in Infiltrations-, Zwischenspeicherund Speichersystemen - Teil 3: Beurteilung der Konformität

Systèmes de canalisations en plastique pour le transport et le stockage souterrains sans pression de l'eau non potable - Structures alvéolaires ultra-légères pour les systèmes d'infiltration, de rétention et de stockage - Partie 3 : Évaluation de la conformité

Ta slovenski standard je istoveten z: CEN/TS 17152-3:2022

ICS:

23.040.03 Cevovodi za zunanje sisteme Pipeline and its parts for

transporta vode in njihovi deli external water conveyance systems

SIST-TS CEN/TS 17152-3:2023

en,fr,de

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST-TS CEN/TS 17152-3:2023

https://standards.iteh.ai/catalog/standards/sist/dccbe22c-83b0-42ae-a3af-d0725d4ae08a/sist-ts-cen-ts-17152-3-2023

TECHNICAL SPECIFICATION SPÉCIFICATION TECHNIQUE TECHNISCHE SPEZIFIKATION

CEN/TS 17152-3

November 2022

ICS 23.040.01

English Version

Plastics piping systems for non-pressure underground conveyance and storage of non-potable water - Boxes used for infiltration, attenuation and storage systems - Part 3:

Conformity assessment scheme

Kunststoff-Rohrleitungssysteme für die drucklose unterirdische Entwässerung für Nicht-Trinkwasser -Versickerungsblöcke zur Verwendung in Infiltrations-, Zwischenspeicher- und Speichersystemen - Teil 3: Beurteilung der Konformität

This Technical Specification (CEN/TS) was approved by CEN on 27 June 2022 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

SIST-TS CEN/TS 17152-3:2023

https://standards.iteh.ai/catalog/standards/sist/dccbe22c-83b0-42ae-a3af-d0725d4ae08a/sist-ts-cen-ts-17152-3-202



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Cont	tents	Page	
Europ	pean foreword	3	
Introduction			
1	Scope	5	
2	Normative references	5	
3	Terms and definitions	5	
4	Abbreviated terms	8	
5	General	8	
6	Testing and inspection		
6.1 6.2	Group Type testing		
6.3	Batch release test		
6.3.1	Materials		
6.3.2	Products		
6.4	Process verification tests		
6.5	Audit testing		
6.6	Records	14	
Annex	x A (informative) Procedure for correlating compression strength with age of samples for batch release testing	15	
A.1	PrinciplePrinciple		
A.2	Procedure	15	
A.3	Analysis	16	
Annex B (informative) Summary of tests for TT and surveillance monitoring			
Biblio	3ibliography		

European foreword

This document (CEN/TS 17152-3:2022) has been prepared by Technical Committee CEN/TC 155 "Plastics piping systems and ducting systems", the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

EN 17152 consists of the following parts, under the general title "*Plastics piping systems for non-pressure underground conveyance and storage of non-potable water* — *Boxes used for infiltration, attenuation and storage systems*":

- Part 1: Specifications for storm water boxes made of PP and PVC-U;
- Part 2: Specifications for systems (water reservoir) (under development);
- Part 3: Assessment of conformity (the present CEN/TS).

This edition of Part 3 covers products according to Part 1. For future revisions, it is intended to also cover products according to EN 17152-2 (currently under development).

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

SIST-TS CEN/TS 17152-3:2023

https://standards.iteh.ai/catalog/standards/sist/dccbe22c-83b0-42ae-a3af-d0725d4ae08a/sist-ts-cen-ts-17152-3-202

Introduction

This document details the applicable characteristics to be assessed for type testing (TT), batch release test (BRT), process verification test (PVT), and audit test (AT), as well as the frequency and sampling for testing.

The concept of testing and organisation of those tests used for the assessment of conformity (AoC) is shown, without or with certification, in Figures 1 and 2.




Figure 1 — Typical scheme for the assessment of conformity by a manufacturer

A typical scheme for the assessment of conformity of materials or box assemblies by manufacturers, including certification, is given in Figure 2.




Figure 2 — Typical scheme for the assessment of conformity by a manufacturer, including certification

1 Scope

This document gives guidance for requirements for the assessment of conformity (AoC) of materials, compounds, formulations, products, and assemblies in accordance with the applicable part(s) of EN 17152 intended to be included in the manufacturer's quality plan as part of the quality management system and for the establishment of certification procedures.

NOTE Annex B, Table B.1 contains a summary of tests for TT and surveillance monitoring.

In conjunction with EN 17152-1 (see European foreword) this document is applicable to boxes used for infiltration, attenuation and storage systems.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 17152-1:2019, Plastics piping systems for non-pressure underground conveyance and storage of non-potable water — Boxes used for infiltration, attenuation and storage systems — Part 1: Specifications for storm water boxes made of PP and PVC-U

EN 17151, Plastics piping systems for non-pressure underground conveyance and storage of non-potable water — Test method for determination of long-term compression strength of boxes

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 17152-1 and the following apply. ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

certification body

impartial body, governmental or non-governmental, possessing the necessary competence to carry out certification of conformity according to given rules of procedure and management

Note 1 to entry: In this document, certification is understood as third party certification

Note 2 to entry: For assessment purposes, the certification body can delegate tasks to an inspection body or a testing laboratory

Note 3 to entry: The certification body preferably operates in accordance with EN ISO/IEC 17065 [1].

3.2

inspection body

body that performs examinations of a product, process, service, or installation or their design and determinations of its conformity with specific requirements or, on the basis of professional judgment, with general requirements

[SOURCE: EN ISO/IEC 17020:2012 [2], definition 3.1 modified – Combined with EN ISO/IEC 17020:2012 [2], definition 3.5, Notes to entry 1, 2, 3, and 4 deleted, new Notes to entry 1, 2 added]

Note 1 to entry: An inspection body is, either an organisation or a part of an organisation, mandated by the certification body

Note 2 to entry: An inspection body preferably operates in accordance with EN ISO/IEC 17020 [2].

3.3

testing laboratory

laboratory which measures, tests, calibrates or otherwise verifies the performance of the characteristics of materials and products

Note 1 to entry: In the context of this document, the materials and products can be subjected to type testing, batch release testing, process verification testing and audit testing, as applicable

Note 2 to entry: A testing laboratory preferably operates in accordance with EN ISO/IEC 17025 [3]

3.4

quality management system

part of a management system with regard to quality

[SOURCE: EN ISO 9000:2015 [4], definition 3.5.4]

Note 1 to entry: Requirements for quality management systems are given in EN ISO 9001 [6].

3.5

quality plan

document setting out the specific quality practices, resources and sequence of activities relevant to a particular product or range of products

3.6

type testing

TT

test performed to prove that the product is capable of conforming to the requirement(s) given in the relevant standard

SIST-TS CEN/TS 17152-3:2023

3.7://standards.iteh.ai/catalog/standards/sist/dccbe22c-83b0-42ae-a3af-d0725d4ae08a/sist-ts-cen-ts-17152-3-2

batch release test

BRT

test performed on a batch of material, products, which has to be satisfactorily completed before the batch can be released

Note 1 to entry: A batch release test can be performed by the manufacturer or outsourced on behalf of the manufacturer.

3.8

process verification test

PVT

test performed on material, product at specific intervals to confirm that the process continues to be capable of producing products which conform to the requirements given in the relevant standard

Note 1 to entry: Process verification tests can be performed by the manufacturer or outsourced on behalf of the manufacturer.

Note 2 to entry: Process verification tests are regularly performed to demonstrate that the product remains compliant with the type test results.

3.9

audit test

AT

test performed on behalf of a certification body

Note 1 to entry: Audit tests are generally required to confirm that the product, continues to conform to the requirements given in the relevant standard and to provide information to assess the effectiveness of the quality management system.

3.10

indirect test

IT

batch release test performed which differs from that specified test for that particular characteristic, having previously verified its correlation with the specified test

Note 1 to entry: Indirect tests can be performed by the manufacturer or outsourced on behalf of the manufacturer

3.11

Witness test

type test or audit test which is performed in the presence of a representative of the certification body

3.12

material

generic term for compounds/formulations grouped by families, expressed by generic names

Note 1 to entry: Examples of generic names are PVC-U, polypropylene and EPDM

3.13

compound/formulation

homogenous mixture of substances used for the manufacture of the product as defined in the referring product standard

Note 1 to entry: In general, the term "compound" is used for polyolefins and the term "formulation" for PVC

3.14 ds.iteh.ai/catalog/standards/sist/dccbe22c-83b0-42ae-a3af-d0725d4ae08a/sist-ts-cen-ts-17152-3-2023

material batch

quantity of a given homogeneous compound/formulation manufactured under uniform conditions, defined and identified by the compound/formulation manufacturer

3.15

product batch

clearly identified collection of products, manufactured consecutively or continuously under the same conditions, using the same compound/formulation conforming to the same specification

3.16

sample

one or more components or products drawn from the same production batch [or a lot], selected at random without regard to their quality

3.17

group

defined collection of similar products from which samples are selected for testing purposes

3.18

component

item manufactured out of a specific composition compound/formulation, supplied as part of a product or as a spare part for that product

3.19

product

item as defined in the scope of the standard, e.g. box

4 Abbreviated terms

To avoid misunderstanding, the abbreviations in this clause are defined as being the same in each language. For the same reason, the terms are given in the three languages, English, French and German.

	EN	FR	DE
AT	audit test	essai d'audit	Überwachungsprüfung
BRT	batch release test	essai de libération de campagne de fabrication	Freigabeprüfung einer Charge
IT	indirect test	essai indirect	indirekte Prüfung
PVT	process verification test	essai de vérification du procédé de fabrication	Prozessüberprüfung
TT	type test	essai de type	Typprüfung

5 General

Materials, products and fitness for purpose shall conform to the requirements given in EN 17152-1.

Materials and products shall be produced by the manufacturer under a quality management system which includes a quality plan.

6 Testing and inspection

-

For the purpose of this document, the groups specified below apply:

All products are part of one group.

6.2 Type testing

6.1 Group

Type testing is intended to demonstrate the ability of the product to fulfil the intended use and characteristics detailed in the referring product standard.

Type testing shall be performed as described in Table 1 whenever there is:

- a. a new system (N);
- b. a change in design (D);
- c. a change in material (M);

For the purposes of this document, see Table 1, it shall be considered as a change of:

PP compound, if any of the following requirements are not fulfilled: