
**Intelligent transport systems —
Framework for Green ITS (G-ITS)
standards —**

**Part 2:
Integrated mobile service applications**

*Systèmes intelligents de transport - Cadres de référence pour les
normes ITS vertes (G-ITS) —*

Partie 2: Applications de services mobiles intégrés

Document Preview

ISO 20529-2:2021

<https://standards.iteh.ai/catalog/standards/iso/529bc130-4fab-43ae-8b43-30c0f77c4090/iso-20529-2-2021>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 20529-2:2021](https://standards.iteh.ai/catalog/standards/iso/529bc130-4fab-43ae-8b43-30c0f77c4090/iso-20529-2-2021)

<https://standards.iteh.ai/catalog/standards/iso/529bc130-4fab-43ae-8b43-30c0f77c4090/iso-20529-2-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms, definitions, symbols and abbreviated terms.....	1
3.1 Terms and definitions.....	1
3.2 Abbreviated terms.....	2
4 Document overview and structure.....	3
5 General information.....	3
5.1 Purpose of this document.....	3
5.2 Overview of G-ITS services.....	3
6 Use case overview and definitions.....	5
6.1 Use case overview.....	5
6.1.1 Basic principles for use cases.....	5
6.1.2 Use case clusters.....	5
6.2 Use case definition.....	7
6.2.1 Service applications 1: Route selection.....	7
6.2.2 Service applications 2: Passenger-car-based.....	11
6.2.3 Service Applications 3: Non-passenger-car-based.....	19
7 G-ITS data exchange format.....	20
7.1 Schedule-Info-Edit.....	20
7.1.1 Definition.....	20
7.1.2 Example.....	21
7.2 Schedule-Info-Req.....	22
7.2.1 Definition.....	22
7.2.2 Example.....	23
7.3 Schedule-Info.....	23
7.3.1 Definition.....	23
7.3.2 Example.....	24
7.4 Route-Plan-Req.....	25
7.4.1 Definition.....	25
7.4.2 Example.....	26
7.5 Route-Plan-Info.....	27
7.5.1 Definition.....	27
7.5.2 Example.....	29
7.6 Route-Pub-Req.....	32
7.6.1 Definition.....	32
7.6.2 Example.....	33
7.7 Route-Pub-Res.....	34
7.7.1 Definition.....	34
7.7.2 Example.....	36
7.8 Carbon-Free-Info.....	38
7.8.1 Definition.....	38
7.8.2 Example.....	40
7.9 Mobile-Card-Edit.....	41
7.9.1 Definition.....	41
7.9.2 Example.....	41
7.10 Eco-Driving-Info.....	42
7.10.1 Definition.....	42
7.10.2 Example.....	43
7.11 Eco-Driving-Res.....	44
7.11.1 Definition.....	44

	7.11.2 Example	45
7.12	Eco-Traffic-Info	46
	7.12.1 Definition	46
	7.12.2 Example	47
7.13	Eco-Weather-Info	49
	7.13.1 Definition	49
	7.13.2 Example	50
7.14	Eco-Accident-Info	52
	7.14.1 Definition	52
	7.14.2 Example	52
7.15	Route-Navi-Req	53
	7.15.1 Definition	53
	7.15.2 Example	54
7.16	Route-Navi-Info	55
	7.16.1 Definition	55
	7.16.2 Example	56
7.17	Parking-Lot-Info	57
	7.17.1 Definitions	57
	7.17.2 Example	59
7.18	Parking-Ride-Info	60
	7.18.1 Definition	60
	7.18.2 Example	61
7.19	User-Response	62
	7.19.1 Definition	62
	7.19.2 Example	63
Bibliography		64

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 20529-2:2021

<https://standards.iteh.ai/catalog/standards/iso/529bc130-4fab-43ae-8b43-30c0f77c4090/iso-20529-2-2021>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*.

A list of all parts in the ISO 20529 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Work by ISO/TC 204 on nomadic and portable devices for intelligent transport systems (ITS) services is defined to facilitate the development, promotion and standardization of the use of nomadic and portable devices to support ITS service provision and multimedia use (such as passenger information, automotive information, driver advisories and warning systems and entertainment system interfaces) to ITS service providers and motor vehicle communication networks. This document fosters the introduction of multimedia and telematics nomadic devices in the public transport and the automotive world.

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[ISO 20529-2:2021](https://standards.itih.ai/catalog/standards/iso/529bc130-4fab-43ae-8b43-30c0f77c4090/iso-20529-2-2021)

<https://standards.itih.ai/catalog/standards/iso/529bc130-4fab-43ae-8b43-30c0f77c4090/iso-20529-2-2021>

Intelligent transport systems — Framework for Green ITS (G-ITS) standards —

Part 2: Integrated mobile service applications

1 Scope

This document provides information and requirements for identifying cost-effective technologies and related standards required to deploy, manage and operate sustainable “green” ITS technologies in surface transportations with eco-mobility. These ITS technologies can increase operational efficiencies and unlock enhanced transportation safety and eco-mobility applications.

The ISO 20529 series builds on the existing standards and best practices of transport operation and management systems, as well as ITS applications, and aims to accommodate the specific needs of eco-mobility.

G-ITS standards are expected to focus on the use of data exchange interface standards to enable the deployment of cloud-based multi-modal mobility solutions using wireless networks and nomadic devices. These forward-looking solutions are “infrastructure light” and can thus impact developing regions with little or no legacy transportation infrastructure.

This document is intended to provide mobility information according to user preference on demand, utilizing a variety of existing apps on nomadic devices related to various means of transport. An integrated mobility information platform is defined in this document as a service methodology to be integrated with a variety of mobile apps with respect to different modes of transport.

The framework described in this document includes:

- Identification of implementation aspects of related standards by means of use case.
- Identification of the multi-modal transport information necessary to support G-ITS.
- Eco-friendly route guidance according to user preference.
- Smart modal choice service based on carbon footprint, fuel efficiency and carbon-free zones for G-ITS.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14817-1, *Intelligent transport systems — ITS central data dictionaries — Part 1: Requirements for ITS data definitions*

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1.1

nomadic device

ND

implementation of a *personal ITS station* (3.1.2) which provides communication connectivity via equipment such as cellular telephones, mobile wireless broadband (WIMAX, HC-SDMA, etc.) or WiFi, and includes short range links, such as Bluetooth or Zigbee to connect portable devices to the motor vehicle communications system network

[SOURCE: ISO 18561-1:2020, 3.1.1]

3.1.2

personal ITS station

P-ITS-S

implementation of an ITS station in a personal ITS subsystem

[SOURCE: ISO 18561-1:2020, 3.1.2]

3.1.3

roadside ITS station

R-ITS-S

system installed at the roadside that receives and processes vehicular and pedestrian information within a certain zone and determines the situation in order to provide a safety warning and parking guide service to vehicles and pedestrians

[SOURCE: ISO 18561-1:2020, 3.1.3]

3.1.4

Green ITS

G-ITS

new-concept transportation system expected to arise following the paradigm shift toward eco-friendly, low-carbon green growth as global policies in the transportation sector

[SOURCE: ISO 18561-1:2020, 3.1.4, modified — added “in the transportation sector”.]

3.1.5

eco-mobility

eco-transport systems and services based on eco-vehicles and their related facilities

[SOURCE: ISO 18561-1:2020, 3.1.5]

3.1.6

central ITS station

ITS station assuming a central role

[SOURCE: ISO 18561-1:2020, 3.1.6]

3.1.7

eco-mileage

incentive given to transport users who voluntarily cut back on fossil fuels in utilizing transportation modes

3.2 Abbreviated terms

ASN.1

abstract syntax notation one

C	conditional
Cvt	convention (M, O, C, S)
M	mandatory
MaaS	mobility as a service
MoD	mobility on demand
O	optional
S	structure
WiFi	wireless fidelity
WIMAX	worldwide interoperability for microwave access

4 Document overview and structure

This document provides all documents and references required to support the implementation of the requirements related to standardized access to the framework for green ITS (G-ITS) personal ITS stations. The ISO 20529 series consists of the following documents:

- Part 1: General information and use case definition

This part provides an overview of the ISO 20529 series and document structure along with the use case definition and common set of resources (definitions, references), which are used for all subsequent parts.

- Part 2 (this document): Integrated mobile service application and specification

This document specifies all technical requirements related to the integrated mobile service application for G-ITS to be used on the personal ITS station and to be interfaced with the central ITS station, vehicle ITS station and roadside ITS station. The requirements reflect the user services from the use cases as specified in the relevant sections of ISO 20529-1. The protocol shall be defined according to the requirements as specified in ISO 14817-1.

5 General information

5.1 Purpose of this document

This document addresses three major areas:

- Identification of the requirements of application level framework for green ITS (G-ITS) services, that can be frequently inserted, modified and deleted;
- Identification of the method to describe the general information for all subjects related to G-ITS services on the personal ITS station interfaced with the central ITS station, vehicle ITS station, and roadside ITS station;
- Specification of the general use cases that should be included for the G-ITS services.

5.2 Overview of G-ITS services

The document mainly describes eco-mobility services, eco-information, navigation and guidance.

ISO/TC 204 plans to develop standards, specifications and informational reports for central and local government officials who intend to manage and operate green ITS in their respective cities with eco-mobility.

Examples include the delivery and management of ITS services using wireless networks and personal nomadic devices, as well as the use of commercial off-the-shelf technologies and services, such as smartphone apps for public transit route planning and obtaining road congestion information for use by traffic management centres and personal route planning, etc.

The green ITS standard framework will build on the existing standards and best practices in transport operation and management systems and ITS applications, but will be customized to accommodate the specific needs of eco-mobility in countries and cities. This includes:

- the surveying and identification of appropriate ITS technologies and corresponding standards required to deploy eco-mobility systems and services and infrastructure in the cities;
- the identification of gaps and proposed revisions/amendments to existing standards where appropriate; and
- the development of a standard framework for the deployment and management of green ITS standards.

As increased urbanization and traffic congestion contribute to climate change and impact on the quality of life and economic activities in many cities, ITS hold the promise of a better future. The challenges of G-ITS standards are:

- the creation of a mobility ecosystem where consumers can avail themselves of various mobility services through the use of mobile applications or web interfaces through nomadic devices that can allow them to plan, travel and pay for mobility services that best fit their needs;
- the evolution of transportation in regions from an isolated, stove-piped network of public transit, toll, parking, taxi, and other transportation services to a more integrated, multi-modal, convergence of publicly delivered and privately delivered mobility services;
- addressing the new mobility ecosystem in grass roots partnerships between public transport and shared mobility services, as well as through mobile mobility and demand management application providers that provide multi-modal trip planning, targeted traveller information, and increasingly, payment.

6 Use case overview and definitions

6.1 Use case overview

6.1.1 Basic principles for use cases

Basic use cases are separated into two steps:

- a) making a choice of routes according to user preference;
- b) deciding on a mode of transport, either by passenger car or not (modal choice).

The G-ITS services shall include the following group of use cases:




Figure 1 — Use case overview

Route choices are based on user preferences, including personal trip schedule and plans, previous route selections, mobile all transit or mobility on demand, carbon-free zone, etc.

Modal choices include either taking a passenger car from the beginning of a personal trip, including park and ride with public transport for a connection, or else riding public transit including car sharing, etc. from the beginning of the trip.

6.1.2 Use case clusters

[Table 1](#) provides an overview of the different use case categories.

Table 1 — Use case clusters and associated use case overview

	Title of use case cluster	Brief description
Route selection	1. Route selection	Route choice service based on user preference according to personal trip schedule and plans, and a variety of mobility information from central ITS stations such as mobile all transit or mobility on demand, carbon-free zone, etc. — UC 1.1 – User schedule interworking — UC 1.2 – Route plan (based on traffic information) — UC 1.3 – Carbon-free zones information — UC 1.4 – Mobile all transit
Passenger-car-based	2. All-day driving	Modal choice service of taking a passenger car all day from the beginning of a personal trip. — UC 2.1 – On-trip eco-driving support — UC 2.2 – Route guidance and navigation — UC 2.3 – Variable parking charging — UC 2.4 – Variable area/road access charging
Passenger-car-based	3. Driving and public transportation	Modal choice service of taking a passenger car from the beginning of a personal trip and transferring to public transport after park and ride. — UC 3.1 – On-trip eco-driving support — UC 3.2 – Route guidance and navigation — UC 3.3 – Variable parking charging — UC 3.4 – Park and ride guidance — UC 3.5 – Personalized multi-modal navigating
	4. Driving and car sharing	Modal choice service of taking a passenger car from the beginning of personal trip and transferring to shared mobility such as car sharing, ride sharing, etc. — UC 4.1 – On-trip eco-driving support — UC 4.2 – Route guidance and navigation — UC 4.3 – Variable parking charging — UC 4.4 – Variable area/road access charging
Non-passenger-car-based	5. All-day public transportation	Modal choice service of taking public transit all day including bus, subway, etc. — UC 5.1 – Park and ride guidance — UC 5.2 – Personalized multi-modal navigating
	6. All-day car sharing	Modal choice service of taking shared mobility all day including car sharing, ride sharing, etc. — UC 6.1 – On-trip eco-driving support — UC 6.2 – Route guidance and navigation — UC 6.3 – Variable parking charging — UC 6.4 – Variable area/road access charging
	7. Public transportation and car sharing	Modal choice service of taking a combination of public transport such as bus, tram, subway, etc. and shared mobility, such as car sharing, ride sharing, etc. — UC 7.1 – On-trip eco-driving support — UC 7.2 – Route guidance and navigation — UC 7.3 – Variable parking charging — UC 7.4 – Park and ride guidance — UC 7.5 – Personalized multi-modal navigating

6.2 Use case definition

6.2.1 Service applications 1: Route selection

6.2.1.1 UC Cluster 1: Route selection

6.2.1.1.1 Introduction

Figure 2 shows the route selection service flow for use case cluster 1.




Figure 2 — Route selection service flow

6.2.1.1.2 User schedule interworking

Table 2 shows the definition and message set for user schedule interworking, in order to navigate and guide by intermodal journey planning.

Table 2 — UC 1.1 User schedule interworking

Use case	Cluster	1. Route selection				
	Name	UC 1.1 — User schedule interworking				
	Brief description	Intermodal journey planning involves using two or more transport modes in a journey. Travellers can choose a smart way to complete the trip by taking the options of a variety of intermodal journey plans that have been devised to help travellers to plan and schedule their route guidance, where they reduce dependence on driving vehicles as the major mode of ground transportation and increase the use of public transport. This information shall include: — Intermodal journey planning information — Eco-route guidance and journey planner				
	Actor	Public transport provider, nomadic device				
	Goal	Eco-information, navigation and guidance by intermodal journey planning				
	Input	Intermodal journey planning information				
	Output	Eco-route guidance and journey planner				
	Processing steps	1) User (traveller) inputs a new day trip schedule or updates the existing schedule to save it by setting alarms. 2) User enquires about his/her existing schedule using a search condition. 3) Server sends search results corresponding to the schedule requested to the user. 4) Server pushes alarm service to user on time according to schedule in case of a request by user. 5) User chooses one option from “cancel”, “change”, or “confirm”. 6) Server applies one of the following options based on the user selection: a) In case of “cancel”, reset the values of status minimal. b) In case of “change”, move to screen to update the schedule. c) In case of “confirm”, request reset the values of status to be minimal. 7) If the user confirms, the server sends an anticipated way of travel based on the schedule.				
	Message	Step No.	Name	Subclause	Exe	Description
	1)	Schedule-Info-Edit	7.1	P-ITS-S	Standardized format of schedule to be edited and registered by users to the server.	
	2)	Schedule-Info-Req	7.2	P-ITS-S	Keyword to search the schedule of users.	
	3)	Schedule-Info	7.3	V-ITS-SG	Item lists of the schedule by users.	
	4)	Notice-Message	—	V-ITS-SG	A text type of information, warning, and/or alarm to users.	
	5)	User-Response	7.19	P-ITS-S	A value of users’ choice.	
	7)	Route-Plan-Res	7.7	V-ITS-SG	Information on routes to destination provided to users.	

6.2.1.1.3 Route plan

[Table 3](#) shows the definition and message set for route plan, in order to provide the combining transportation services from public and private transportation.