INTERNATIONAL STANDARD

ISO 24917

Second edition 2020-07

Space systems — General test requirements for launch vehicles

Systèmes spatiaux — Exigences générales d'essai pour véhicules lanceurs

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 24917:2020

https://standards.1teh.a1/catalog/standards/1so/424tea6/-e2d8-4611-b059-9696fba8c3f0/1so-24917-2020



iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 24917:2020

https://standards.iteh.ai/catalog/standards/iso/424fea67-e2d8-4611-b059-9696fba8c3f0/iso-24917-2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents					
Fore	eword			v	
Intr	oductio	n		vi	
1	Scop	e		1	
2	_		eferences		
3	Terms and definitions				
4	Abbreviated terms				
_					
5	Testing philosophy				
	3.1	5.1.1	Development test		
		5.1.2	Objectives		
		5.1.3	Test planning		
		5.1.4	Organization and test sequence		
		5.1.5	Development test programme plan		
		5.1.6	Effects of implementation of principles		
	5.2		rocket unit test types during their development		
		5.2.1	Tests in development phase		
		5.2.2	Test in routine production phase		
		5.2.3	Test for units		
_	Tost	tumo one	l programme requirements	12	
6 s://st	6.1		pject and type requirements		
	0.1	6.1.1	Engineering and engineering-technological breadboarding		
		6.1.2	Integration/check-out mock-up test	12	
		6.1.3	Electrical mock-up test		
		6.1.4	Fuelling mock-up test		
		6.1.5	Antenna mock-up test		
		6.1.6	Static load test		
		6.1.7	Vibration test		
		6.1.8	at Acoustic test	.020 16	
		6.1.9	Shock load test	17	
		6.1.10	Cold test of rocket units	17	
		6.1.11	Hot firing test	18	
		6.1.12	Electromagnetic compatibility (EMC) test	19	
		6.1.13			
		6.1.14			
		6.1.15			
		6.1.16	1 2		
		6.1.17			
		6.1.18	0		
		6.1.19	0		
		6.1.20	LV components disposal requirements		
	6.2	6.1.21	Batch production testal requirements to development test programme and individual test program		
	0.2	6.2.1	Contents of development test programme plan		
		6.2.2	Test programme plans for test models		
		6.2.3	Requirements for test methods established by test programme plans		
		6.2.4	Contents of test programme plans		
		6.2.5	Requirements for communications systems programme plan		
	6.3		al test object requirements		
	3.0	6.3.1	Test objects		
		6.3.2	Documentation for test objects		
_	Code	wia	,	20	

ISO 24917:2020(E)

8 Reporting	29
Annex A (informative) Manufacturing stage, item categories and test categories	30
Annex B (informative) Requirements applicability matrix	31
Annex C (informative) Typical test report contents	33
Annex D (informative) Typical test programme plan contents	34
Bibliography	37

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 24917:2020

https://standards.iteh.ai/catalog/standards/iso/424fea67-e2d8-4611-b059-9696fba8c3f0/iso-24917-2020

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 20, Aircraft and space vehicles, Subcommittee SC 14, Space systems and operations.

This second edition cancels and replaces the first edition (ISO 24917:2010), which has been technically revised. The main changes compared to the previous edition are as follows:

- correction of terms and definitions according to other existing standards; **Correction**
- modification of the "Flight vehicle development test structure" (Figure 1);
- modification of the "Requirements applicability matrix" (Annex B).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document provides space launch vehicle customers, contractors and manufacturers with general requirements for test types and programmes for space launch vehicles and rocket units (modules) for use in the documentation associated with their test activity.

This document is intended to help reduce the development time and cost of space launch vehicles and rocket units, and to enhance their quality and reliability through the use of common, optimized and approved requirements in the space launch vehicle test scope and organization.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 24917:2020

https://standards.iteh.ai/catalog/standards/iso/424fea67-e2d8-4611-b059-9696fba8c3f0/iso-24917-2020

Space systems — General test requirements for launch vehicles

1 Scope

This document establishes general test requirements for launch vehicles equipped with liquidpropellant engines, launched from stationary ground-, sea- and air-based launchers, in all phases of their development.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14302, Space systems — Electromagnetic compatibility requirements

ISO 14303, Space systems — Launch-vehicle-to-spacecraft interfaces

3 Terms and definitions Teh Standards

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/ s://standards.iteh.ai/catalog/standards/iso/424fea67-e2d8-4611-b059-9696fba8c3f0/iso-24917-2020

3.1

space-rocket complex

set of *flight vehicles* (3.2) with functionally relative technical facilities intended for transportation, storage, maintenance service, preparation, launching and flight control of flight vehicles with payload

3.2

flight vehicle

launch vehicle (3.3) including space nose section (3.6)

3.3

launch vehicle

vehicle designed to transport payloads to space

[SOURCE: ISO 10795:2019, 3.139, modified — The preferred term "launcher" has been removed.]

3.4

unit

lowest level of hardware assembly for which acceptance (3.26) and qualification tests (3.25) are required

[SOURCE: ISO 15864:2004, 3.1.13]

3.5

orbital stage

stage of *flight vehicle* (3.2) capable of injecting payloads into their planned orbit from the sub-orbital trajectory that resulted from operation of lower stages

ISO 24917:2020(E)

3.6

nose section

set of a *fairing* (3.7) and fairing adapter

3.7

fairing

technical device intended to protect a spacecraft or a space *nose section* (3.6) from external influences during transportation on a launcher, and to keep it on trajectory when launching into orbit

3.8

integration site

equipment and facility designed for *launch vehicle* (3.3) storage, assembly, testing, preparation, maintenance, servicing and preparation for transportation to the *launch pad* (3.9)

[SOURCE: ISO/TR 17400:2003, 3.1]

3.9

launch pad

equipment and facility designed to provide for the pre-launch and launch operations of spacecraft

[SOURCE: ISO/TR 17400:2003, 3.3]

3.10

statement of work

contractual document prepared during project initiation and planning that describes what the project needs to deliver and outlines all work required to complete the project

[SOURCE: ISO 10795:2019, 3.229]

3.11

technical specification

specification expressing technical requirements for designing and developing the solution to be implemented

Note 1 to entry: The technical specification evolves from the functional specification and defines the technical requirements for the selected solution as part of a business agreement.

[SOURCE: ISO 10795:2019, 3.238]

3.12

test metrological support

establishment and application of scientific and organizational foundations, technical facilities, rules and standards necessary to achieve the measurement traceability, precision, completeness, operativeness and the reliability of parameters control and technical performance characteristics of items

3.13

development test programme plan

obligate organizational and methodological document which specifies the *test object* (3.23) and objectives, types, sequence and scope of experiments, order, conditions, place, time, support of test, test reporting and responsibilities for test support and performance

3.14

reliability assurance programme plan

document specifying a set of requirements and measures aimed at providing and controlling the satisfaction of requirements established in the *statement of work* (3.10) for a space *launch vehicle* (3.3) and its components' reliability during their development

3.15

development test

test to provide information that can be used to check the validity of analytic techniques and assumed design parameters, uncover unexpected system response characteristics, evaluate design changes, determine interface compatibility, prove qualification and acceptance procedures and techniques, check manufacturing technology, or establish accept/reject criteria

[SOURCE: ISO 10786:2011, 3.17]

3.16

safety assurance programme plan

document which establishes a set of requirements and measures aimed at assuring that all safety risks associated with the space *launch vehicle* (3.3) design, development, manufacture and use are accordingly identified, assessed, minimized, controlled and accepted

3.17

communications systems programme plan

document establishing the structure of communication systems (including telemetry measurement, command and tracking communication lines, etc.) hardware born set on *launch vehicle* (3.3), *launch pad* (3.9) and positioned along the flight route necessary for performance the measurement requirements, location and orientation of sensors and their characteristics, frequency bands, minimal frequency of sensor scanning

3.18

flight test

test in real conditions of the functioning and performance of target tasks

3.19

prototype model (IIII) 8://Stallua

item produced in the research and development process applying the newly developed working engineering and technological documentation for test verification of the conformity of its parameters and characteristics with the requirements specified in *statement of work* (3.10) to research and development and correctness of adopted technical solutions

https**3.20**.indards.iteh.ai/catalog/standards/iso/424fea67-e2d8-4611-b059-9696fba8c3f0/iso-24917-2020

model

test mock-up

structurally, or physically, or structurally and physically similar item presenting a simplified reproduction of a *test object* (3.23) or its part intended for testing

3.21

structural model

model (3.20) representing the structural flight characteristics

3.22

electrical model

model (3.20) representing the electrical flight characteristics

3.23

test object

item under test

3.24

test type

classified test grouping identified according to a certain attribute

3.25

qualification test

required formal contractual test used to demonstrate that the design, manufacturing, and assembly have resulted in hardware designs conforming to specification requirements

[SOURCE: ISO 14623:2003, 2.52, modified — The term has been changed to singular form.]

3.26

acceptance test

required formal test conducted on flight hardware to ascertain that the materials, manufacturing processes and workmanship meet specifications and that the hardware is acceptable for intended usage

[SOURCE: ISO 14623:2003, 2.2, modified — The term has been changed to singular form.]

3.27

operational test

test conducted at the *launch vehicle* (3.3) site in an operational environment, with the equipment in its operational configuration

3.28

critical unit

unit (3.4) whose failure can affect the system operation sufficiently to cause the failure of the stated vehicle objectives or a partial loss of the mission, or whose proper performance is essential from a safety standpoint

3.29

pyrotechnic device

device or assembly containing, or actuated by, propellants or explosives, with the exception of large rocket motors

EXAMPLE Initiators, ignitors, detonators, squibs, safe and arm devices, booster cartridges, pressure cartridges, separation bolts and nuts, pin pullers, linear separation systems, shaped charges, explosive guillotines, pyrovalves, detonation transfer assemblies (mild detonating fuse, confined detonating cord, confined detonating fuse, shielded mild detonating cord, etc.), through-bulkhead initiators, mortars, thrusters, explosive circuit interrupters, and other similar items.

Formation 100 0001 and 1000 of 1000 of

[SOURCE: ISO 26871:2012, 3.1.31]

4 Abbreviated terms

CSP communications systems programme plan

CTS control and test station

DTP development test programme plan

EMC electromagnetic compatibility

FTP flight test programme plan

FV flight vehicle

IS integration site

LPRE liquid-propellant engine

LS launching site

LV launch vehicle

OCN on-board cable network

OS orbital stage

PHS pneumatic/hydraulic system

RAP reliability assurance programme plan

SAP safety assurance programme plan

SC spacecraft

SNS space nose section

SOW statement of work

SRC space-rocket complex

5 Testing philosophy

5.1 Objectives, tasks and principles of development test for launch vehicle and its units

5.1.1 Development test

A development test is one of the methods of verification which guarantees that all characteristics of the FV meet the requirements of the SOW. The FV is tested in the SRC during the launch preparation for test flight.

The development test of an FV and units of an LV includes ground development test phases and a flight test. The complete test programme for launch vehicles, upper stage, encompasses development, qualification, acceptance, pre-launch validation and follow-on operational test and evaluations. The test programme encompasses the testing of progressively more complex assemblies of hardware and computer software. Generally, the FV development test structure may be represented as a scheme in compliance with ISO 14300-1 (see Figure 1).

5.1.2 Objectives

5.1.2.1 Objectives of ground development test

The main objective of a ground development test is to verify the FV preparation technology for launch and launch itself, preliminarily to verify and evaluate the implementation of the specified parameters and characteristics, operation and interaction of the FV and its components when the operation conditions are being simulated (or under effect of these conditions).

5.1.2.2 Objectives of flight test

The main objective of a flight test is to comprehensively check the FV serviceability and confirm the SOW-specified requirements for the space rocket complex under real operation conditions.

5.1.2.3 Objectives for reliability and safety programmes

One of the main objectives of the LV (OS) ground development test is to achieve the SOW-assigned levels of reliability and safety indexes before flight test commencement and confirm these during the flight test. The reliability and safety index levels are normalized in the RAP and SAP, the latter including an environmental safety guarantee.

5.1.2.4 Objectives of test for launch vehicle and its units

The main objectives of the development test of an FV, LV and its units are as follows:

- a) verification of unit structure strength, rigidity, confirmation of rocket module parameters, verification of equipment mechanical loading regimes;
- b) breadboarding;
- c) test of technological cycle of preparing FV for launch and launch itself;
- d) comprehensive verification of units functioning during launch and propulsion systems operation in the assigned regimes;
- e) verification of the ground technical means/launch vehicle compatibility;
- f) test of FV interfaces [LV, upper stage vehicle, spacecraft (SC)];
- g) confirmation of the correctness of adopted engineering solutions;
- h) verification of the sufficiency of measuring aids and telemetry data processing techniques;
- i) individual tests of all FV components;
- j) verification of operation convenience;
- k) personnel training.

5.1.3 Test planning

The tasks to be solved during LVs testing are identified according to the design, assigned characteristics, LV test maturity, design (modernization) novelty, dedicated operation conditions change and are presented in the test programmes.

5.1.4 Organization and test sequence

The organization and order for conducting the development test are determined by the comprehensive development test programme plan.

5.1.5 Development test programme plan

5.1.5.1 Planning

In order to meet the assigned LV (OS) characteristics requirements, the supplier plans a development test.

5.1.5.2 Initiation of the programme

The comprehensive development test programme plan is developed in accordance with the LV (OS) hierarchical structure. The main starting documents for developing the FV development test programme are the statement of work, the preliminary project and the reliability assurance programme.