

INTERNATIONAL STANDARD



**Information technology – Home electronic system (HES) application model –
Part 3-3: Model of a system of interacting energy management agents (EMAs)
for demand-response energy management**

Document Preview

[ISO/IEC 15067-3-3:2019](https://standards.iteh.ai/catalog/standards/iso/85cb692d-5a02-4ac2-ad78-5714f911c039/iso-iec-15067-3-3-2019)

<https://standards.iteh.ai/catalog/standards/iso/85cb692d-5a02-4ac2-ad78-5714f911c039/iso-iec-15067-3-3-2019>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2019 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

iTeh Standards
(standards.iteh.ai)
Document Preview

[ISO/IEC 15067-3-3:2019](https://standards.iteh.ai/catalog/standards/iso/85cb692d-5a02-4ac2-ad78-5714f911c039/iso-iec-15067-3-3-2019)

<https://standards.iteh.ai/catalog/standards/iso/85cb692d-5a02-4ac2-ad78-5714f911c039/iso-iec-15067-3-3-2019>



ISO/IEC 15067-3-3

Edition 1.0 2019-10

INTERNATIONAL STANDARD



**Information technology – Home electronic system (HES) application model –
Part 3-3: Model of a system of interacting energy management agents (EMAs)
for demand-response energy management**

Document Preview

ISO/IEC 15067-3-3:2019

<https://standards.iteh.ai/catalog/standards/iso/85cb692d-5a02-4ac2-ad78-5714f911c039/iso-iec-15067-3-3-2019>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.020

ISBN 978-2-8322-7522-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms, definitions and abbreviations	6
3.1 Terms and definitions.....	6
3.2 Abbreviations.....	7
4 Conformance.....	7
5 Energy management agent for home or residential community	8
5.1 Overview for home or residential community	8
5.2 System architecture for an energy management system with multiple EMAs	8
5.3 Interacting energy management agents.....	10
6 Topology of energy management systems	12
6.1 Overview of topologies.....	12
6.2 Local EMA topology model.....	13
6.3 Hybrid EMA topology model	14
Annex A (informative) An energy management system with multiple energy management agents	16
A.1 Use cases for energy management systems with multiple energy management agents.....	16
A.2 Demand-response functionality of interacting EMAs.....	19
A.3 Communication capability among EMAs.....	21
Annex B (informative) Service scenarios of an interacting energy management agent.....	22
B.1 A service scenario of hierarchical interacting energy management agents	22
B.2 A service scenario of mesh interacting energy management agents	24
Bibliography.....	27
Figure 1 – Example of an energy management system in a building with two homes.....	8
Figure 2 – System architecture of an energy management system for a home with multiple EMAs.....	9
Figure 3 – Example model of hierarchical interacting energy management agents	11
Figure 4 – Example model of mesh interacting energy management agents	11
Figure 5 – Example model of mixed hierarchical and mesh interacting energy management agents	12
Figure 6 – Topology models for a system of interacting EMAs.....	13
Figure 7 – Physical topology example of local EMA topology model.....	14
Figure 8 – Physical topology example of hybrid EMA topology model.....	14
Figure A.1 – Example of local EMA topology model for a home.....	16
Figure A.2 – Example of local EMA topology model for a residential community.....	17
Figure A.3 – Hybrid EMA topology model example for a home	17
Figure A.4 – Hybrid EMA topology model example for a residential community	18
Figure A.5 – Function of hierarchical interacting energy management agents	20
Figure A.6 – Function of mesh interacting energy management agents	20
Figure B.1 – EMA to EMA interaction model in a hierarchical interacting EMA environment.....	23

Figure B.2 – EMA to EMA interactions to achieve user's energy cost budget25

Table B.1 – Information flows between server EMA and client EMA24

Table B.2 – Information flows among EMAs26

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[ISO/IEC 15067-3-3:2019](https://standards.itih.ai/catalog/standards/iso/85cb692d-5a02-4ac2-ad78-5714f911c039/iso-iec-15067-3-3-2019)

<https://standards.itih.ai/catalog/standards/iso/85cb692d-5a02-4ac2-ad78-5714f911c039/iso-iec-15067-3-3-2019>

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) APPLICATION MODEL – Part 3-3: Model of a system of interacting energy management agents (EMAs) for demand-response energy management

FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees and ISO member bodies.
- 3) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC National Committees and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO, IEC or ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 5) ISO and IEC do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. ISO or IEC are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC National Committees or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this ISO/IEC publication may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 15067-3-3 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

The list of all currently available parts of the ISO/IEC 15067 series, under the general title *Information technology – Home electronic system (HES) application model*, can be found on the IEC and ISO websites.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

The text of this standard is based on the following documents:

FDIS	Report on voting
JTC1-SC25/2899/FDIS	JTC1-SC25/2907/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document specifies a high-level model of interacting energy management agents (EMAs). These EMAs provide automated demand-response services in a residential community or a building consisting of multiple apartments. This document extends the energy services for residential homes specified in ISO/IEC 15067-3.

Interacting EMAs provide coordination among EMAs to offer improved energy management and overall efficiency. Each EMA enables the allocation of energy among appliances and switching energy sources from grid to local generation or storage according to consumer preferences. This document specifies the structure and interfaces among EMAs. In this model, EMAs may have a hierarchical interacting structure and/or mesh interacting structure. One EMA connected to the home area network controls and coordinates with other EMAs connected to other home area networks or with supplemental EMAs in the cloud.

Typical smart energy services may include integrated energy management for multiple energy systems, energy sharing and trading within the community, energy information sharing for more efficient energy usage, etc. These energy services offer benefits in electrical energy management.

The intent of these models is to accommodate flexible and efficient energy management. Interacting EMAs enable the allocation of energy among houses in a community and appliances within houses, and the choice of energy supplies from local and/or external sources. External sources may be public utilities or other suppliers. Local sources may include local power generators and storage devices. Distributed EMAs extend these capabilities to an environment with multiple houses and apartments.

Based on this model, a specification of a mechanism for interoperability among EMA products from different manufacturers will be proposed as an additional subpart of ISO/IEC 15067.

[ISO/IEC 15067-3-3:2019](https://standards.iteh.ai/catalog/standards/iso/85cb692d-5a02-4ac2-ad78-5714f911c039/iso-iec-15067-3-3-2019)

<https://standards.iteh.ai/catalog/standards/iso/85cb692d-5a02-4ac2-ad78-5714f911c039/iso-iec-15067-3-3-2019>

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) APPLICATION MODEL –

Part 3-3: Model of a system of interacting energy management agents (EMAs) for demand-response energy management

1 Scope

This part of ISO/IEC 15067 specifies a high-level architecture and a set of models for a demand-response energy management system with multiple interacting EMAs in a home or community housing (such as one or more apartment buildings or a campus of houses). These models specify the structure among multiple EMAs, which can be arranged in a mesh or hierarchical structure. This document builds upon ISO/IEC 15067-3.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 15067-3:2012, *Information technology – Home electronic system (HES) application model – Part 3: Model of a demand-response energy management system for HES*

3 Terms, definitions and abbreviations

3.1 Terms and definitions

ISO/IEC 15067-3-3:2019

<https://standards.iteh.ai/catalog/standards/iso/85cb692d-5a02-4ac2-ad78-5714f911c039/iso-iec-15067-3-3-2019>

For the purposes of this document, the terms and definitions given in ISO/IEC 15067-3:2012 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1.1

client EMA

EMA that acts as a client to another EMA

3.1.2

service provider

business that provides demand-response services as specified in ISO/IEC 15067-3

3.1.3

distributed energy resources

DER

energy generation and storage resources possibly supplied by non-utilities and customers

Note 1 to entry: As used in this document, this term applies to resources inside a home or building.

3.1.4
energy management agent
EMA

set of control functions that manage energy consumption as an agent for the customer

Note 1 to entry: An energy management agent (EMA) is specified in ISO/IEC 15067-3.

3.1.5
HES gateway

residential gateway that conforms to ISO/IEC 15045-1 and ISO/IEC 15045-2

3.1.6
residential community

one or more multi-dwelling buildings or housing units for the purpose of residence

Note 1 to entry: A typical residential community is an apartment building. The residential community may contain a public common use area with a community energy system and a private use area in homes, each with an HES energy system.

3.1.7
server EMA

EMA that acts as a server to other EMAs

3.1.8
smart energy management appliance

home appliance equipped with built-in energy management agent components that provide energy management capabilities for demand-response

3.1.9
supplemental EMA

EMA located outside of the home or building

3.2 Abbreviations

iEMA	interacting energy management agent
EMA	energy management agent
EV	electric vehicle
DER	distributed energy resources
DR	demand reponse
HAN	home area network
HES	home electronic system
ID	identity
SP	service provider
SSL	secure sockets layer
TV	television
WAN	wide area network

4 Conformance


Implementations of an energy management system with multiple EMAs shall conform to one of the two logical models specified in Clause 5. The chosen model shall conform to one of the two topology models specified in Clause 6.

If there is a supplemental EMA in the cloud, all data flowing into the residential community from the supplemental EMA and/or from the residential community into the supplemental EMA shall pass through an HES gateway located in a residence or serving the entire community.

5 Energy management agent for home or residential community

5.1 Overview for home or residential community

Figure 1 shows an example of a physical energy management system in a single community domain that includes multiple private residential homes and common spaces in a residential community. In some cases, one or more EMAs may be physically located in a home and one or more supplemental EMAs in a cloud.



NOTE 1 The HAN networks are shown with a dashed line in red; the WAN network is shown with a dashed line in blue; the power line is shown in solid green.

NOTE 2 The shapes within Figure 1 are explained in 5.2.

Figure 1 – Example of an energy management system in a building with two homes

The configuration shown in Figure 1 consists of multiple interacting EMAs in the homes and supplemental EMAs in the cloud for two reasons.

- 1) One reason is that it may be advantageous to assign responsibilities for a subset of appliances to different EMAs within one home. For example, one EMA may be assigned to a washing machine, refrigerator and TV, another EMA assigned for lighting, heating and air-conditioning, and another EMA assigned to electric vehicles, local power generators and storage devices.
- 2) The other reason is that EMAs may coordinate energy management among multiple homes within a residential community to optimize desired parameters, such as cost and comfort.

5.2 System architecture for an energy management system with multiple EMAs

ISO/IEC 15067-3:2012, 5.1 introduces the HES energy management model. The model shows the system architecture and interrelationship among the elements.

This document extends ISO/IEC 15067-3 for installation of multiple EMAs within a house, multiple houses in a community, an apartment building or a campus of apartment buildings.

Figure 2 shows the extended model of a home or a community energy management system with multiple EMAs. The system may be extended to manage multiple EMAs in a home and supplemental EMAs in the cloud.


At least one EMA is located on a home area network. Supplemental EMAs may be located in the cloud.

The models specified in this document are organized into one of the following topologies:

- local EMA topology model (multiple EMAs within a home);
- hybrid EMA topology model (multiple EMAs in the home and supplemental EMAs in the cloud).

Figure 2 shows the system architecture and interrelationship among the elements. The framework is very similar to the HES model using an EMA. Within this figure, the rectangle box in blue represents the HES gateway. The circles represent power-using smart appliances that can communicate via a home area network (HAN). The rectangular shapes represent appliances that are not able to communicate. The octagonal shape represents a power conversion device. The cross shapes represent power storage devices. The triangle shapes represent DER power-generating devices. The rectangle with a curved corner represents the utility elements such as a meter. The diamond shape represents the controller element (e.g. EMA, sensor or DR switch). The pentagon shape represents the energy supplier, such as the utility, transmitters, and distributors.

NOTE Elements of the HES model are specified in ISO/IEC 15067-3.



IEC

Figure 2 – System architecture of an energy management system for a home with multiple EMAs