
**Ships and marine technology —
Navigation and ship operations —
Guidelines for onboard telephone
equipment**

*Navires et technologie maritime — Navigation et opérations
maritimes — Lignes directrices concernant le matériel téléphonique
embarqué*

ITeH Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 21792:2019](https://standards.iteh.ai/catalog/standards/iso/ac58394b-1761-42c3-85bd-22fb638b5a2a/iso-21792-2019)

<https://standards.iteh.ai/catalog/standards/iso/ac58394b-1761-42c3-85bd-22fb638b5a2a/iso-21792-2019>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 21792:2019](https://standards.iteh.ai/catalog/standards/iso/ac58394b-1761-42c3-85bd-22fb638b5a2a/iso-21792-2019)

<https://standards.iteh.ai/catalog/standards/iso/ac58394b-1761-42c3-85bd-22fb638b5a2a/iso-21792-2019>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 Types of telephones.....	1
4 General characteristics	2
4.1 General.....	2
4.2 Automatic telephones.....	3
4.3 Common battery telephones.....	4
4.4 Battery-less telephones.....	4
4.5 Sound-powered telephones.....	4
5 Quality	4
5.1 General.....	4
5.2 Measures to prevent howling.....	4
5.3 Measures to suppress noise.....	4
6 Data recommendations — Automatic telephones	5
6.1 General.....	5
6.2 Multifunction telephones.....	5
6.2.1 Signal condition.....	5
6.3 Analog telephone.....	5
6.3.1 Signal condition.....	5
6.3.2 Output signal.....	5
6.3.3 Input signal.....	6
6.4 Connection to external communication equipment.....	6
6.4.1 Signal condition.....	6
6.4.2 Output signal.....	6
6.4.3 Input signal.....	6
7 Installation	6
7.1 General.....	6
7.2 Environment.....	6
7.2.1 Temperature.....	6
7.2.2 Vibration and swinging motion.....	7
7.2.3 Dust and water protection.....	7
7.3 Explosion protection.....	7
7.4 Cabling.....	7
8 Performance tests	8
8.1 General.....	8
8.2 Shop test.....	8
8.3 Onsite test.....	11
8.3.1 General.....	11
8.3.2 Automatic telephones.....	11
8.3.3 Common battery telephones, battery-less telephones and sound-powered telephones.....	13
9 Maintenance	14
9.1 General.....	14
9.2 Routine maintenance.....	14
9.3 Periodic maintenance.....	14
9.3.1 Method.....	14
9.3.2 Measures against corrosion.....	15
9.4 Periodic maintenance programme and procedures.....	15

9.4.1	Automatic telephones.....	15
9.4.2	Common battery telephones, battery-less telephones and sound-powered telephones	16
9.5	Replacement period	16
Bibliography		18

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[ISO 21792:2019](https://standards.itih.ai/catalog/standards/iso/ac58394b-1761-42c3-85bd-22fb638b5a2a/iso-21792-2019)

<https://standards.itih.ai/catalog/standards/iso/ac58394b-1761-42c3-85bd-22fb638b5a2a/iso-21792-2019>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 8, *Ships and marine technology*, Subcommittee SC 6, *Navigation and ship operations*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

<https://standards.iteh.ai/catalog/standards/iso/ac58394b-1761-42c3-85bd-22fb638b5a2a/iso-21792-2019>

Introduction

Onboard telephone equipment generally includes automatic telephones, common battery telephones, battery-less telephones and sound-powered telephones.

Until now, there have been no comprehensive standards for onboard telephone equipment provided by different manufacturers, and this has impeded the equipment improvements of reliability.

This document will promote sharing common understanding among all parties involved, including the manufacturers, engineering companies, shipbuilders and ship owners.

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[ISO 21792:2019](https://standards.itih.ai/catalog/standards/iso/ac58394b-1761-42c3-85bd-22fb638b5a2a/iso-21792-2019)

<https://standards.itih.ai/catalog/standards/iso/ac58394b-1761-42c3-85bd-22fb638b5a2a/iso-21792-2019>

Ships and marine technology — Navigation and ship operations — Guidelines for onboard telephone equipment

1 Scope

This document provides general and specific recommendations related to the quality of communication, connectivity, installation, performance and maintenance of onboard telephone equipment, including automatic telephones, common battery telephones, battery-less telephones and sound-powered telephones.

It also specifies requirements for the related performance tests (shop tests and onsite tests) and for the maintenance tests.

It is not applicable to digital telephones, LAN (VoIP) telephones, and wireless telephones.

NOTE These telephones are excluded because they were under development during the elaboration of this document so that their specifications remained to be determined.

[Table 1](#) further illustrates the applicability of this document.

Table 1 — Applicability of this document

Type of connection	Signal	
	Analog	Digital
Wired	X	n.a.
Wireless	n.a.	n.a.
X: covered in this document. n.a.: not applicable.		

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1 Types of telephones

3.1.1

automatic telephone

telephone commanded under an *automatic telephone exchanger* (3.3)

Note 1 to entry: Automatic telephones can be classified into four types — desk, wall-mounted, flush-mounted and portable — based on their structural appearance.

Note 2 to entry: Automatic analog telephones are called "automatic telephones" in this document.

3.1.2

common battery telephone

telephone powered by a DC power supply (DC24V)

Note 1 to entry: Common battery telephones are classified into two types — “selective” and “direct” — based on their connectivity.

Note 2 to entry: Common battery telephones can be classified into four types — desk, wall-mounted, flush-mounted, and portable — based on their structural appearance.

3.1.3

battery-less telephone

telephone fitted with a hand crank generator for communicating by voice, amplified by self-generated power

Note 1 to entry: Battery-less telephones are classified into two types — “selective” and “direct” — based on their connectivity.

Note 2 to entry: Battery-less telephones can be classified into four types — desk, wall-mounted, flush-mounted, and portable — based on their structural appearance.

3.1.4

sound-powered telephone

battery-less telephone (3.1.3) not requiring an external power source for conversation (talk circuit)

Note 1 to entry: A hand crank generator is only used for signalling actions.

Note 2 to entry: Sound-powered telephones can be classified into four types — desk, wall-mounted, flush-mounted, and portable — based on their structural appearance.

3.2

automatic telephone equipment

system that connects *automatic telephones* (3.1.1) to an *automatic telephone exchanger* (3.3), thereby enabling telephonic ringing and telephonic conversation between any two automatic telephones through selection signals (such as push button or dial pulse dialling)

<https://standards.iteh.ai/catalog/standards/iso/ac58394b-1761-42c3-85bd-22fb638b5a2a/iso-21792-2019>

automatic telephone exchanger

telephone exchanger that uses *automatic telephones* (3.1.1), made durable to withstand typical shipboard vibration and environments

Note 1 to entry: This is also available for public announcements by way of a PA system. Through this, the automatic telephone is able to communicate with land telephones via SATCOM or INMARSAT, etc.

3.4

howling

unpleasant noise caused by audio feedback due to repeated amplification by the amplifier of the voice input, that impedes intelligible conversation


4 General characteristics

4.1 General

The classification and connection of telephones are shown in [Table 2](#) and [Figure 1](#).

Table 2 — Classification of telephones

Type of telephone	Connection	Amplified	DC power supply
Automatic telephone	Multiple	X	X
Common battery telephone	Direct/Selective	X	X
Battery-less telephone		X	n.a.
Sound-powered telephone		n.a.	n.a.
X: existing configuration. n.a: not applicable.			



NOTE The telephones covered in this document are written in white letters on black.

Figure 1 — Connection of telephones

The onboard telephone equipment includes automatic telephones, automatic telephone exchanger, common battery telephones, battery-less telephones and sound-powered telephones.

The equipment should ensure accurate transmission and reproduction of the caller voice signals.

4.2 Automatic telephones

The automatic telephone equipment enables calling between onboard and outboard telephone equipment by connecting to outboard communication systems (such as INMARSAT, VSAT, cellular phones, and landline telephones). It also enables paging broadcasts from the telephone equipment by coupling with a public addresser.

The automatic telephone exchanger should be able to withstand typical vibration and swinging motions (pitch and roll) for use in a shipboard environment.

The automatic telephone exchanger should comply with ISO 19847 and ISO 16425.

Electric source for the automatic telephones should be supplied by both AC power and DC power (DC24V). In case the AC power is lost, the telephones can switch to the DC power supply automatically.

4.3 Common battery telephones

Selective common battery telephones permit telephonic ringing and telephonic conversation between any two devices.

Direct common battery telephones only permit telephonic ringing and telephonic conversation between parent and child telephones (such as 1:1, 1:2, and 1:3 configurations).

A DC power supply (DC24V) is required for common battery telephones.

4.4 Battery-less telephones

Battery-less telephones are able to use their built-in generator to call other telephones, even if power is not supplied from an external source.

If a complete power failure occurs on a ship, the battery-less telephone (or sound-powered telephone) may be the only emergency system available for communication.

4.5 Sound-powered telephones

In high noise environments, the hand crank generator may also power a latching circuit at a remote station that augments the hand crank generator powered signalling circuit with an externally powered audible or visual signalling device.

The hand crank generator powers the signaling circuit to notify another station. Sound-powered telephones use "common talk" (everyone hears the conversation) for all stations on the circuit.

Sound-powered telephones are classified as direct call and selective call.

If a complete power failure occurs on a ship, the sound-powered telephone (or the battery-less telephone) may be the only emergency system available for communication.

5 Quality

[ISO 21792:2019](https://standards.iteh.ai/ISO/21792:2019)

<https://standards.iteh.ai/catalog/standards/iso/ac58394b-1761-42c3-85bd-22fb638b5a2a/iso-21792-2019>

5.1 General

When dealing with onboard telephone equipment, the measures given in [5.2](#) and [5.3](#) should be taken to ensure the accurate transmission of caller voice information.

5.2 Measures to prevent howling

Howling may occur due to the position and directivity of handsets and speakers of the onboard telephone equipment.

The following measures should be taken to prevent howling.

- a) The microphones and speakers should be kept sufficiently far away from each other with their amplification loop broken to prevent howling.
- b) In the case of paging broadcasts from the automatic telephone, the telephones and speakers should be kept sufficiently far away from each other, and a handset designed to prevent howling should be used.

5.3 Measures to suppress noise

Noise may increase if the voice signal of the telephone receives interference from other electrical circuits (such as power lines). The following measures should be taken to suppress the generation of the noise.

- a) For voice signal cables such as the microphone, shielded cables that can prevent the noise due to electromagnetic induction from other lines should be used.