

SLOVENSKI STANDARD oSIST prEN 16072:2021

01-januar-2021

Inteligentni transportni sistemi - e-Varnost - Zahteve za delovanje vseevropskega elektronskega klica v sili

Intelligent transport systems - ESafety - Pan-European eCall operating requirements

Intelligente Verkehrssysteme - eSicherheit - Betriebsanforderungen für den gesamteuropäischen eCall

Systèmes de transport intelligents - eSafety - Exigences opérationnelles du service eCall paneuropéen

Ta slovenski standard je istoveten z: prEN 16072

ICS:

03.220.20 Cestni transport Road transport

13.200 Preprečevanje nesreč in katastrof

35.240.60 Uporabniške rešitve IT v prometu IT applications in transport

oSIST prEN 16072:2021 en,fr,de

oSIST prEN 16072:2021

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN 16072:2023

https://standards.iteh.ai/catalog/standards/sist/246fb495-0258-49d0-932e-0bbc4d135c0f/sist-en-16072-2023

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

DRAFT prEN 16072

October 2020

ICS 03.220.20; 13.200

Will supersede EN 16072:2015

English Version

Intelligent transport systems - ESafety - Pan-European eCall operating requirements

Systèmes de transport intelligents - eSafety - Exigences opérationnelles du service eCall paneuropéen

Intelligente Verkehrssysteme - eSicherheit -Betriebsanforderungen für den gesamteuropäischen eCall

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 278.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning: This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Cont	Contents		
Europe	ean foreword	4	
Introduction			
1	Scope	7	
2	Normative references		
3	Terms and definitions		
4	Symbols and abbreviations		
5	Conformance		
6	High level functional requirements		
6.1	General high level functional requirements		
6.1.1	General		
6.1.2	Linguistic aspects		
6.1.3	High level In-vehicle system requirements		
6.1.4	eCall architecture		
6.1.5	eCall operation sequence		
6.2	eCall service chain		
6.2.1	General		
6.2.2	Actors in eCall service provision	15	
6.2.3 6.2.4	Privacy aspects	15 16	
	Operational requirements		
7			
7.1 7.2	General		
7.2 7.3	Liability		
7.3 7.3.1	Routing of an eCall Separate S		
7.3.1			
7.3.2 7.3.3	eCall 'flag'eCall routing to PSAP		
7.3.3 7.4	Prioritization of an eCall		
7. 4 7.5	Post-crash performance of in-vehicle equipment		
7.5 7.6	Location and direction		
7.6.1	Location data		
7.6.2	Data concerning direction and location		
7.0.2	Minimum Set of Data (MSD)		
7.7.1	Data within the MSD		
7.7.2	Optional additional data		
7.7.2	Modes of operation for automatic triggered eCall	20	
7.9	In-vehicle 'Human Machine Interface' (HMI) aspects		
7.9.1	General		
7.9.2	HMI aspects in the case of automatic triggering		
7.9.3	HMI aspects in the case of a manual triggering		
7.9.4	Alerting of initiated eCall (automatically or manually triggered)		
7.10	Triggering		
	Automatic eCall triggering strategy		
	Manual eCall triggering strategy		

7.10.3	Manual termination of ecall by vehicle occupants before trigger confirmation	
7.11	Termination of an in progress eCall	22
7.12	Requirements to physical layer	22
7.12.1	Transport protocol	22
7.12.2	Performance requirements- time required to transmit data	22
7.12.3	End-to-end performance criteria	22
7.12.4	Performance criteria - Wireless network	23
7.12.5	Performance criteria - PSAP	23
7.13	Establish voice channel	23
7.13.1	General	23
7.13.2	Service area issues	23
7.13.3	Roaming requirements for service	24
7.14	Acknowledgement of eCall	24
7.15	Continuing availability	24
7.16	PSAP response	24
7.17	eCall termination	24
7.17.1	General	24
7.17.2	IVS redial	24
7.17.3	PSAP call-back	24
7.17.4	Record transaction	25
8	Defences against attack	25
8.1	Call line security	25
8.2	Hoax calls	25
8.3	False generation of eCalls	26
8.4	End of life management.	26
8.5	Denial of service attack	26
8.6	Malicious attack on PSAP	26
9	Different and additional requirements for specific UNECE vehicle categories	27
10	Test and conformance requirements	27
10.1	General	
10.2	In-vehicle equipment conformance	
400	Network conformance	
10.4	PSAP conformance	
10.5	Interoperability conformance	
11	Marking, labelling and packaging	28
Biblio	graphy	29

European foreword

This document (prEN 16072:2020) has been prepared by Technical Committee CEN/TC 278 "Intelligent transport systems", the secretariat of which is held by NEN.

This document is currently submitted to the CEN Enquiry.

This document will supersede EN 16072:2015.

The following revisions have been introduced:

- Subclause 7.10.1 has been adapted to better cover electrical vehicles;
- Subclause 7.17.3 has been adapted to comply with regulations;
- Subclause 11.3 has been changed to avoid conflicting requirements;
 - Removed references to the type of (mobile) networks (e.g. circuit switched (GSM and UMTS) or packet switched (aka IMS eCall) where it caused text to be less readable or duplicated;
 - Added clarification or reworded text to improve readability.

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN 16072:2023

https://standards.iteh.ai/catalog/standards/sist/246fb495-0258-49d0-932e-0bbc4d135c0f/sist-en-16072-2023

Introduction

The scale of death and injury on roads in Europe needs to be fully comprehended to understand the need for 'Emergency Call' (eCall). In 2008 there were 38 900 fatalities in EU-27. The figure for 2009 is around 34 500 fatalities. The trend 2001 to 2008 is around 5 % reduction annually. Road accident injuries are in the region of 1,7 million (2008). Roads remain unsafe and further efforts are needed. The pan-European in-vehicle emergency call, eCall, is estimated to have the potential to save up to 2 500 fatalities annually in EU-28 when fully deployed and furthermore to reduce the severity of injuries, to bring significant savings to the society in and to reduce human suffering.

Emergency calls made from vehicles or mobile telephones using wireless technologies can assist with the objectives of significantly reducing road deaths and injuries, but drivers often have poor (imprecise) location- awareness, especially on interurban roads or abroad. Additionally, in many situations, the car occupants may not be in a position to call using a normal mobile phone.

The situation is worse for those travelling abroad: A high (and increasing) number of vehicles travelling outside their home country is thus also contributing to the need for automated emergency call system in vehicles. In EU there are over 100 million trips to another EU country per year (EU-15). 65 % people feel less protected while abroad and most do not know which number to call in an emergency (in some countries over 60 %). Language problems are pertinent and may render proper communication difficult. Yet, in the most crucial cases, the victim(s) may not be able to call because they have been injured/trapped, do not know the local number to call and in many cases, particularly in rural situations and late at night, there may be no witnesses, who happen to have a mobile phone and a sense of community.

eCall, in the context of 'Road Traffic and Transport Telematics' (otherwise known as 'Intelligent Transport Systems' or 'ITS'), can be described as an 'automatic or user instigated system to provide notification to Public Safety Answering Points (PSAP), by means of wireless communications, that a vehicle has crashed, and to provide coordinates, a defined Minimum Set of Data, and where possible a voice link to the PSAP'.

The objective of implementing the pan-European in-vehicle emergency call system (eCall) is to automate the notification of a traffic accident, wherever in the European Union and associated countries, with the same technical standards and the same quality of services objectives of other emergency (TS12) services.

Definition of the Minimum Set of Data, the communications media and means of transferring the data are not specified in this European Standard.

This European Standard specifies the generic operational requirements for the provision of an eCall service. The practical provision and operation of eCall service and equipment is dependent on the communications medium being available throughout the lifetime of equipment installed in vehicles.

NOTE The term PSAP, which is most widely used in the eCall documentation, European Commission documents etc., equates to the term emergency call response centre.

The European Committee for Standardization (CEN) draws attention to the fact that it is claimed that compliance with this European Standard may involve the use of patents concerning eCall given in this European Standard.

The patents held may refer to the implementation of eCall in general using the network access device referenced (but not defined) in this European Standard, but do not specifically directly refer to any of the application specification clauses defined herein.

CEN takes no position concerning the evidence, validity and scope of these patent rights.

The holder of these patent rights has ensured to CEN that he/she is willing to negotiate licenses under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this

respect, the statement of the holders of these patent rights are registered with CEN. Information may be obtained from:

Mr. Thomas R. Rouse

VP QTL Patent Counsel QUALCOMM Incorporated

5775 Morehouse Drive

San Diego, California 92121

Phone: +1-858-587-1121

Fax: +1-858-658-2503

Email: trouse@qualcomm.com

URL: www.qualcomm.com

Mr. Thomas W. Davis Jr. General Council AIRBIQUITY Incorporated

1011 Western Avenue, Suite 600

Seattle, Washington 98104

USA

Phone: +1.206.219.2700 Fax: +1.206.842.9259

Toll-Free:+1.888.334.7741

Email: tdavis@airbiquity.com

URL: www.airbiquity.com

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. CEN shall not be held responsible for identifying any or all such patent rights.

SIST EN 16072:2023

https://standards.iteh.ai/catalog/standards/sist/246fb495-0258-49d0-932e-0bbc4d135c0f/sist-en-16072-2023

1 Scope

The objective of implementing the pan-European in-vehicle emergency call system (eCall) is to automate the notification of a traffic accident, wherever in Europe, with the same technical standards and the same quality of services objectives by using 'Public Land Mobile Networks'(PLMN) (such as GSM and UMTS), which supports the European pre-assigned emergency destination address (see normative references) and to provide a means of manually triggering the notification of an incident.

This document specifies the general operating requirements and intrinsic procedures for in-vehicle emergency call (eCall) services in order to transfer an emergency message from a vehicle to a Public Safety Answering Point (PSAP) in the event of a crash or emergency, via an eCall communication session and to establish a voice channel between the in-vehicle equipment and the PSAP.

Private third party in-vehicle emergency supporting services may also provide a similar eCall function by other means. The provision of such services are defined in EN 16102, and are outside the scope of this document.

The communications protocols and methods for the transmission of the eCall message are not specified in this document.

This document specifies the operating requirements for an eCall service. An important part of the eCall service is a Minimum Set of Data (MSD). The operating requirements for the MSD are determined in this document, but the form and data content of the MSD is not defined herein. A common European MSD is determined in EN 15722.

This document does not specify whether eCall is provided using embedded equipment or other means (for example in the case of aftermarket equipment).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15722:2020, Intelligent transport systems — eSafety — eCall minimum set of data (MSD)

EN 16062:2020, Intelligent transport systems — eSafety — eCall high level application requirements (HLAP)

EN 16454:2015, Intelligent transport systems - ESafety - ECall end to end conformance testing

CEN/TS 17184:2018, Intelligent transport systems - eSafety - eCall High level application Protocols (HLAP) using IMS packet switched networks

CEN/TS 17240:2018, Intelligent transport systems. ESafety. ECall end to end conformance testing for IMS packet switched based systems

EN ISO 24978:2009, Intelligent transport systems - ITS Safety and emergency messages using any available wireless media - Data registry procedures (ISO 24978:2009)

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1

112

single European emergency call number supporting *Teleservice 12*

3.2

E112

emergency communications service using the single European emergency call number, 112, which is enhanced with location information of the calling user

3.3

association

data concept; structural relationship

3.4

cellular network

wireless communications network consisting of multiple adjacent access points (cells) with the capability of homogeneous transfer of a communications session instance to an adjacent cell without significant interruption to the session

3.5

data

representations of static or dynamic objects in a formalized manner suitable for communication, interpretation, or processing by humans or by machines

3.6

data concept_{irds.iteh.ai/catalog/standards/sist/246fb495-0258}

any of a group of *data* structures (i.e., object class, property, value domain, *data elements*, message, interface dialogue, *association*) referring to abstractions or things in the natural world that can be identified with explicit boundaries and meaning and whose properties and behaviour all follow the same rules

3.7

data element

single unit of information of interest (such as a fact, proposition, observation, etc.) about some (entity) class of interest (e.g. a person, place, process, property, concept, *association*, state, event) considered to be indivisible in a particular context

3.8

eCall emer

emergency call generated either automatically via activation of in-vehicle sensors or manually by the *vehicle occupants*; when activated it provides notification and relevant location information to the most appropriate *Public Safety Answering Point*, by means of *mobile wireless communications networks*, carries a defined standardized *Minimum Set of Data* notifying that there has been an incident that requires response from the emergency services, and establishes an audio channel between the occupants of the vehicle and the most appropriate *Public Safety Answering Point*

3.9

eCall generator

occupant of a vehicle or equipment within a vehicle that has cause to trigger an *eCall transaction* by automatic or manual means

3.10

eCall identifier

one of two information element bits (flags) included in the emergency call set-up message that may be used by the mobile network to filter and route automatically and manually initiated *eCalls* to a designated PSAP

3.11

eCall in-vehicle system

in-vehicle equipment together with the means to trigger, manage and effect the *eCall transaction*

3.12

eCall service

capability of *in-vehicle equipment* to be an *eCall generator*, triggering of an *eCall transaction*, intent of a PSAP to be an *eCall* responder and provision of that response

3.13

eCall transaction

establishment of a *mobile wireless communications session* across a *public wireless communications network* and the transmission of a *Minimum Set of Data* from a vehicle to a *Public Safety Answering Point* and the establishment of a voice channel between the vehicle and the PSAP

3.14

eCall trigger

signal emanating from within the vehicle to the *eCall in-vehicle equipment* which requests to start an *eCall transaction*

3.15

emergency call response centre SIST El

Term used in ITS Implementation Directive to mean 'Public Safety Answering Point' (PSAP) - 16072-2023

3.16

geographic information service/system (GIS)

system or service that provides spatial data, management, retrieval, analysis, and visualization functions designed to capture, store, manipulate, analyse, manage, and present all types of geographical data

3.17

identifier

any label, symbol or token that names or identifies an entity or a collection of *data* or the means of designating or referring to a specific instance of a *data concept*

3.18

engine control activated

vehicle status where vehicle functions are available following first action taken by a driver to make the vehicle operate

Note 1 to entry: This is typically initiated by pressing the start/stop button, the turning of a key in an ignition sequence or other methods of vehicle activation as specified by *vehicle manufacturer*.