
**Assembly tools for screws and
nuts — Double-headed open-ended
engineers' wrenches — Outside
dimensions**

*Outils de manœuvre pour vis et écrous — Clés à fourche doubles —
Dimensions extérieures*

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 10102:2018](#)

<https://standards.iteh.ai/catalog/standards/iso/52ed09ee-c85d-4175-8794-6369c4d25382/iso-10102-2018>



Reference number
ISO 10102:2018(E)

© ISO 2018

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 10102:2018](#)

<https://standards.iteh.ai/catalog/standards/iso/52ed09ee-c85d-4175-8794-6369c4d25382/iso-10102-2018>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

| | Page |
|--------------------------------|-----------|
| Foreword | iv |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 1 |
| 4 Dimensions | 1 |
| 5 Designation | 4 |
| 6 Marking | 4 |
| Bibliography | 5 |

iTeh Standards

(<https://standards.iteh.ai>)

Document Preview

[ISO 10102:2018](#)

<https://standards.iteh.ai/catalog/standards/iso/52ed09ee-c85d-4175-8794-6369c4d25382/iso-10102-2018>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html

This document was prepared by Technical Committee ISO/TC 29, *Small tools*, Subcommittee SC 10, *Assembly tools for screws and nuts, pliers and nippers*.

This third edition cancels and replaces the second edition (ISO 10102:2001), which has been technically revised with the following changes:

[ISO 10102:2018](http://www.iso.org/iso/foreword.html)

- Tables 1 and 2 have been merged into one [Table 1](http://www.iso.org/iso/foreword.html);
- sizes of pairings have been added;
- title has changed.

Assembly tools for screws and nuts — Double-headed open-ended engineers' wrenches — Outside dimensions

1 Scope

This document specifies the overall length and the maximum head thickness for double-headed open-ended engineers' wrenches.

NOTE The wrenches covered by this document are the ones identified in ISO 1703:2005 under reference No. 1 1 01 02 0.

This document does not cover technical specifications for these products. Technical specifications are given in ISO 1711-1:2016, series C.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 691, *Assembly tools for screws and nuts — Wrench and socket openings — Tolerances for general use*

ISO 3318, *Assembly tools for screws and nuts — Open-ended wrenches, box wrenches and combination wrenches — Maximum widths of heads*

3 Terms and definitions

No terms and definitions are listed in this document.

<https://standards.iteh.ai/catalog/standards/iso/52ed09ee-c85d-4175-8794-6369c4d25382/iso-10102-2018>

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>


4 Dimensions

The length, l , and thickness, e , are given in [Table 1](#), which is based on the following formulae:

- $l_{\min} = s_1 \times 8 + 55$ mm, except for pairing 34 × 36
- $e_{\max} = s_2^{0,75}$
- $l_{\max} = l_{\min} \times 1,4$

The maximum outside head dimensions shall be those specified in ISO 3318.

[Figure 1](#) is given only as an example. It is not intended to influence the manufacturer's design.

**Key**

- e thickness
 l length of the wrench
 s_1, s_2 nominal width across flats
 a Maximum outside head dimensions according to ISO 3318.

Figure 1 — Double-headed open-ended engineers' wrench**Table 1 — Lengths of wrenches and thickness of the heads**

| Pairing ^a Nominal sizes | Document Preview | | e mm maximum |
|---------------------------------------|-------------------------|---------|----------------------|
| $s_1 \times s_2$ | minimum | maximum | |
| 3,2 × 4 | 81 | 113 | 3 |
| 3,2 × 5,5 | 81 | 113 | 3,5 |
| 4 × 5 | 87 | 122 | 3,5 |
| 5 × 5,5 | 95 | 133 | 3,5 |
| 5,5 × 7 | 99 | 139 | 4,5 |
| 6 × 7 ^b | 103 | 144 | 4,5 |
| 7 × 8 | 111 | 155 | 4,5 |
| 8 × 9 ^b | 119 | 167 | 5 |
| 8 × 10 | 119 | 167 | 5,5 |
| 10 × 11 | 135 | 189 | 6 |
| 10 × 12 ^b | 135 | 189 | 6,5 |
| 10 × 13 | 135 | 189 | 7 |
| 11 × 13 | 143 | 200 | 7 |
| 12 × 13 ^b | 151 | 211 | 7 |
| 12 × 14 ^b | 159 | 223 | 7 |
| 13 × 14 ^b | 159 | 223 | 7 |
| 13 × 15 | 159 | 223 | 7,5 |
| 13 × 16 | 159 | 223 | 8 |

^a The tolerances on openings s_1 and s_2 shall conform with ISO 691.

^b The pairing contains at least one value of s not covered by ISO 272:1982.

^c This pairing is not covered by ISO 1085.