INTERNATIONAL STANDARD

ISO 10045

Second edition 2017-11

Alpine skis — Binding mounting area — Requirements for test screws

Skis alpins — Zone de montage de la fixation — Spécifications des vis d'essai

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 10045:2017 https://standards.iteh.ai/catalog/standards/sist/8cab3836-25a5-4b1f-9b07-d1ad0065b3b1/iso-10045-2017



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 10045:2017 https://standards.iteh.ai/catalog/standards/sist/8cab3836-25a5-4b1f-9b07-d1ad0065b3b1/iso-10045-2017



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Contents			Page
Fore	iv		
Introduction			v
1	Scop	oe	1
2	Normative references		1
3	Terms and definitions		
4	Desi	ignation	1
5	Requ 5.1 5.2 5.3 5.4 5.5 5.6	Wirements General Materials Dimensions 5.3.1 Screw head 5.3.2 Thread and end configuration Surface Strength requirements Typical application characteristics 5.6.1 General 5.6.2 Mounting characteristics 5.6.3 Fastening characteristics	1 2 2 2 2 3 3 3 4 4 4 4
		iTeh STANDARD PREVIEW	

ISO 10045:2017

(standards.iteh.ai)

https://standards.iteh.ai/catalog/standards/sist/8cab3836-25a5-4b1f-9b07-d1ad0065b3b1/iso-10045-2017

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 83, Sports and other recreational facilities and equipment, Subcommittee SC 4, Snowsports equipment. 2017

https://standards.iteh.a/catalog/standards/sist/8cab3836-25a5-4b1f-9b07-

This second edition cancels and replaces the first edition (ISO 10045:1991), which has been technically revised.

Introduction

The use of test screws ensures the comparability of measurement data, which are determined by the manufacturer or other institutions by testing the binding mounting area of alpine skis.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 10045:2017 https://standards.iteh.ai/catalog/standards/sist/8cab3836-25a5-4b1f-9b07-d1ad0065b3b1/iso-10045-2017

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 10045;2017 https://standards.iteh.ai/catalog/standards/sist/8cab3836-25a5-4b1f-9b07-d1ad0065b3b1/iso-10045-2017

Alpine skis — Binding mounting area — Requirements for test screws

1 Scope

This document specifies the dimensions, mechanical properties and fastening characteristics of test screws used for testing the binding mounting area of alpine skis.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1478, Tapping screws thread

ISO 4042, Fasteners — Electroplated coatings

ISO 4757, Cross recesses for screws

ISO 6004, Alpine skis — Ski binding screws — Requirements EVIEW

ISO 6005, Alpine skis — Ski binding screws a Test methods . ai)

EN 10084, Case hardening steels — Technical delivery conditions

https://standards.iteh.ai/catalog/standards/sist/8cab3836-25a5-4b1f-9b07-d1ad0065b3b1/iso-10045-2017

3 Terms and definitions

For the purposes of this document, the definitions given in ISO 6004 and the following definition apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1

test screw

fastener, which is used for testing the binding mounting area and for ensuring the comparability of measurement data

4 Designation

Designation of a test screw according to this document with a nominal diameter of 5,4 mm and a length of 12 mm:

— test screw ISO 10045 — TBS 5,4 × 12.

5 Requirements

5.1 General

The strength requirements and typical application characteristics shall be tested according to ISO 6005.

5.2 Materials

C15E (steel grade number 1.1141; Brinell hardness 143 HBW) according to EN 10084 shall be used.

5.3 Dimensions

5.3.1 Screw head

Test screws shall

- have a maximum head diameter of 10 mm, and
- be cross-recess type Z No. 3 according to ISO 4757, with a recommended penetration depth of 2,72 mm to 3,18 mm.

The bottom side of the head shall be coarse-toothed (see <u>Figure 1</u>).

5.3.2 Thread and end configuration

The cross-section of the screw may be circular or non-circular within the major diameter of 5,31 mm to 5,46 mm (see Figure 1).

The thread length shall be at least 1 mm longer than the penetration depth, irrespective of the shaft length. The tolerance on the length of the screw shall be ± 0.5 mm.

The shaft end shall correspond to the standard PREVIEW (standards.iteh.ai)

ISO 10045:2017 https://standards.iteh.ai/catalog/standards/sist/8cab3836-25a5-4b1f-9b07-d1ad0065b3b1/iso-10045-2017

Dimensions in millimetres




Figure 1 — Head, thread and end configuration

Key

X cross-recess type Z Nr. 3 (according to ISO 4757)

Y coarse toothed

5.4 Surface

Test screws shall have a zinc electroplated coating, Fe/Zn 5c (according to ISO 4042), with a clear chromate conversion coating and a thickness of 10 μm when measured on the top surface of the screw head.

Adequate precautions shall be taken during electroplating to avoid hydrogen embrittlement.

5.5 Strength requirements

- 5.5.1 The breaking moment for test screws under a torque of the same axis and direction as the driving torque shall be not less than 10 Nm.
- **5.5.2** When subjected to the ductility test, the screws shall not break.