
**Gaseous hydrogen — Fuelling
stations —**

**Part 1:
General requirements**

Carburant d'hydrogène gazeux — Stations-service —

Partie 1: Exigences générales
iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 19880-1:2020

<https://standards.iteh.ai/catalog/standards/sist/1b771923-fa7e-46c4-9fb5-2a5aafb94d72/iso-19880-1-2020>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 19880-1:2020

<https://standards.iteh.ai/catalog/standards/sist/1b771923-fa7e-46c4-9fb5-2a5aafb94d72/iso-19880-1-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	vii
1 Scope	1
2 Normative references	3
3 Terms and definitions	3
4 Abbreviated terms	15
5 Risk management	16
5.1 Hydrogen fuelling station safety recommendations.....	16
5.2 Risk assessment.....	17
5.3 Mitigation measures to improve system safety.....	17
5.3.1 General.....	17
5.3.2 Mitigations which reduce the potential for the formation of a flammable mixture.....	17
5.3.3 Mitigation for the formation of a flammable mixture in enclosures.....	18
5.3.4 Mitigation for the formation of a flammable mixture under a canopy.....	18
5.3.5 Mitigations which reduce the potential for ignition.....	19
5.3.6 Mitigation of the escalation and/or impact of a fire or explosion originating from the fuelling installation.....	20
5.3.7 Mitigation of the effect of an external fire/events on the fuelling station installation.....	21
5.3.8 Mitigation of risk to the high pressure hydrogen storage system of the vehicle being fuelled.....	23
5.4 Safety distances.....	23
5.4.1 General.....	23
5.4.2 Safety distances relating to hydrogen vent stack outlets.....	24
5.5 Protection measures for non-hydrogen hazards.....	24
5.5.1 General.....	24
5.5.2 Protection measures for asphyxiation hazard in an enclosure (confined space).....	24
5.5.3 Protection measures for emergency egress from enclosed spaces.....	25
5.5.4 Ingress protection measures.....	25
5.5.5 Protection measures for hose whip.....	25
5.5.6 Protection measures for noise.....	26
5.5.7 Protection against exposure to extremely cold or hot temperatures.....	26
6 Hydrogen supply safety and operation	26
6.1 On site generation.....	26
6.1.1 Hydrogen generators using water electrolysis.....	26
6.1.2 Hydrogen generators using fuel processing technologies.....	26
6.2 Hydrogen delivery.....	27
6.2.1 Gaseous hydrogen supply by tube trailers and multiple element gas containers (MEGC).....	27
6.2.2 Liquid hydrogen supply by tanker.....	28
6.3 Pipeline.....	31
7 Equipment and Components	32
7.1 General recommendations.....	32
7.1.1 Hydrogen materials.....	32
7.1.2 Material hydrogen compatibility.....	32
7.1.3 Other material recommendations.....	33
7.2 Piping carrying hydrogen.....	33
7.2.1 General.....	33
7.2.2 Pipe fittings, valves, hoses, for gaseous hydrogen.....	33
7.3 Hydrogen storage recommendations.....	34
7.3.1 General.....	34
7.3.2 Gaseous hydrogen storage vessels.....	34

7.3.3	Gaseous hydrogen storage siting recommendations.....	34
7.4	Hazardous areas (with potentially flammable mixtures).....	36
7.4.1	General.....	36
7.4.2	Equipment in hazardous areas.....	37
7.5	Hydrogen compressors.....	37
7.5.1	General.....	37
7.5.2	Vibration and movement.....	38
7.5.3	Control and monitoring.....	38
7.6	Instruments for gaseous hydrogen systems.....	39
7.7	Filters for gaseous hydrogen.....	39
7.8	Gaseous hydrogen vent systems.....	40
7.8.1	General.....	40
7.8.2	Vent outlet.....	40
7.8.3	Vent sizing.....	41
7.8.4	Multiple relief devices.....	42
7.9	Pneumatics and hydraulics.....	42
7.10	Hydrogen purifier.....	43
7.11	Enclosures and buildings containing hydrogen equipment.....	43
7.11.1	General design.....	43
7.11.2	Maintenance access and possible occupancy.....	43
7.11.3	Ventilation of enclosures and buildings containing hydrogen equipment.....	44
7.11.4	Use of enclosures or compartments within enclosures to control hazards areas.....	44
7.11.5	Electrical and mechanical equipment within enclosures and buildings containing hydrogen equipment.....	45
7.11.6	Over-pressure protection of enclosures and buildings containing hydrogen equipment.....	45
8	Dispensing systems.....	45
8.1	General requirements.....	45
8.2	Hydrogen vehicle fuelling.....	46
8.2.1	Dispensing system process control.....	46
8.2.2	Dispensing system safety devices.....	49
8.3	Dispensing systems.....	52
8.3.1	General design and assembly.....	52
8.3.2	Dispensing system hydrogen components.....	52
8.3.3	Dispenser housings and cabinets.....	55
8.3.4	Dispenser fuelling assembly.....	55
8.4	Dispenser installation.....	56
8.4.1	General.....	56
8.4.2	Location and protection of dispensers.....	56
8.4.3	Fuelling pad.....	57
8.4.4	Hazardous area around the dispenser.....	57
8.4.5	Installation of the fuelling assembly to prevent damage in service.....	57
8.4.6	Electrical continuity for bonding and grounding.....	57
8.5	Operating considerations.....	58
8.6	Maintenance and inspection.....	58
9	Hydrogen quality.....	58
9.1	General.....	58
9.2	Dispensing system fuel filters.....	58
10	Electrical.....	59
10.1	General electrical.....	59
10.1.1	Components.....	59
10.1.2	Site (interconnections to and/or between equipment assemblies).....	59
10.1.3	Electrical bonding and grounding.....	60
10.1.4	Lightning protection.....	60
10.2	Hazardous areas (potentially flammable mixtures).....	60
10.2.1	General.....	60
10.2.2	Protection requirements for electrical equipment within hazardous areas.....	60

10.2.3	Protection from ignition due to accumulation of static charge	60
10.3	Electromagnetic compatibility and interference (EMC)	62
10.3.1	General	62
10.3.2	Industrial (EMC) Environments	62
10.3.3	Residential, Commercial, and Light-Industrial (EMC) Environments	62
11	Instrumentation and control system	62
11.1	General	62
11.2	Emergency shutdown functionality	63
11.2.1	General	63
11.2.2	Manually actuated emergency stop devices	64
11.2.3	Hydrogen detection systems	64
11.3	Remote system control	65
11.4	Modifications to control system	66
12	Station inspection and tests	66
12.1	General	66
12.2	Pressure test	66
12.3	Leak test	67
12.4	Electrical testing	67
12.5	Fuelling safety and performance functional testing	68
12.5.1	General	68
12.5.2	Fuelling protocol test	68
12.5.3	Test procedure	69
12.5.4	Site acceptance testing options	69
12.5.5	Additional performance considerations for fuelling	71
12.6	Hydrogen quality testing	72
12.7	Station inspection and tests following modifications	72
13	Operation	72
13.1	General	72
13.2	Warning signs	72
13.3	Dispenser operational instructions	73
13.4	Functional identification	74
13.5	Marking of equipment (data plate)	74
13.6	Reference designations	75
13.7	Training	75
13.8	Emergency response plan	75
13.9	Emergency contact information	76
14	Technical documentation	76
14.1	General	76
14.2	Information to be provided	76
14.3	Recommendations applicable to all documentation	78
14.4	Installation documents	78
14.4.1	General	78
14.4.2	Installation documentation for hazardous areas	79
14.4.3	Venting documentation	79
14.4.4	Seismic documentation	79
14.4.5	Handling and lifting documentation	79
14.5	Overview diagrams and function diagrams	80
14.6	Circuit diagrams	80
14.7	Flow (P&ID) diagrams	80
14.8	Fuelling station operating manual	81
14.9	Maintenance and service manuals	81
14.10	Parts list	81
15	Inspection and maintenance	82
15.1	Inspection and maintenance program	82
15.2	Maintenance and testing frequency of gas detection	83
15.3	Maintenance and inspection frequency of filters	83

ISO 19880-1:2020(E)

15.4	Maintenance of pressure relief devices.....	84
15.5	Hot work.....	84
15.6	Modifications to the hydrogen fuelling station and associated equipment.....	84
Annex A	(informative) Safety methodologies and risk assessment.....	85
Annex B	(informative) Further guidance on risk management.....	107
Annex C	(informative) Hydrogen dispensing and examples of fuelling and communications protocols, and corresponding verification testing.....	113
Annex D	(informative) Reference fuelling limits of hydrogen and fuel cell vehicles.....	131
Annex E	(informative) Pressure level application to design verification requirements for hydrogen dispensing systems and compressed hydrogen storage systems.....	132
Annex F	(informative) Countermeasures for unsuitable hydrogen fuelling protocols.....	137
Annex G	(informative) Recommendations for, and example of, vehicular impact protection measures.....	138
Annex H	(informative) Example for leakage testing of hydrogen fuelling system.....	141
Annex I	(informative) Minimum fuelling station acceptance inspection, testing and validation checklist.....	142
Annex J	(informative) Hydrogen station testing apparatus (HSTA).....	149
Annex K	(informative) Sampling procedures and hardware for hydrogen fuel quality analysis.....	151
Bibliography	167

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[ISO 19880-1:2020](https://standards.iteh.ai/catalog/standards/sist/1b771923-fa7e-46c4-9fb5-2a5aafb94d72/iso-19880-1-2020)

<https://standards.iteh.ai/catalog/standards/sist/1b771923-fa7e-46c4-9fb5-2a5aafb94d72/iso-19880-1-2020>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 197, *Hydrogen technologies*.

This first edition cancels and replaces ISO/TS 19880-1:2016, which has been technically revised.

The main changes compared to the ISO/TS 19880-1:2016 are as follows:

- where appropriate, guidance information from the TS was converted to requirements;
- the difference between the risk assessment and the design requirement clauses were clarified and references were added to ensure that the appropriate clauses were linked;
- Annex A from the TS on safety distances was removed;
- Annex C from the TS on hydrogen quality control was removed to ISO 19880-8;
- the presentation of the information was improved and much of the guidance information was moved to informative annexes.

A list of all parts in the ISO 19880 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 19880-1:2020

<https://standards.iteh.ai/catalog/standards/sist/1b771923-fa7e-46c4-9fb5-2a5aafb94d72/iso-19880-1-2020>

Gaseous hydrogen — Fuelling stations —

Part 1: General requirements

1 Scope

This document defines the minimum design, installation, commissioning, operation, inspection and maintenance requirements, for the safety, and, where appropriate, for the performance of public and non-public fuelling stations that dispense gaseous hydrogen to light duty road vehicles (e.g. fuel cell electric vehicles).

This document is not applicable to the dispensing of cryogenic hydrogen, or hydrogen to metal hydride applications.

Since this document is intended to provide minimum requirements for fuelling stations, manufacturers can take additional safety precautions as determined by a risk management methodology to address potential safety risks of specific designs and applications.

While this document is targeted for the fuelling of light duty hydrogen road vehicles, requirements and guidance for fuelling medium and heavy duty road vehicles (e.g. buses, trucks) are also covered.

Many of the generic requirements within this document are applicable to fuelling stations for other hydrogen applications, including but not limited to the following:


- fuelling stations for motorcycles, fork-lift trucks, trams, trains, fluvial and marine applications;
- fuelling stations with indoor dispensing;
- residential applications to fuel land vehicles;
- mobile fuelling stations; and
- non-public demonstration fuelling stations.

However, further specific requirements that can be necessary for the safe operation of such fuelling stations are not addressed in this document.

This document provides requirements for and guidance on the following elements of a fuelling station (see [Figure 1](#) and [Figure 2](#)):

- hydrogen production/delivery system:
 - delivery of hydrogen by pipeline, trucked in gaseous and/or liquid hydrogen, or metal hydride storage trailers;
 - on-site hydrogen generators using water electrolysis process or hydrogen generators using fuel processing technologies;
 - liquid hydrogen storage;
 - hydrogen purification systems, as applicable;
- compression:
 - gaseous hydrogen compression;

- pumps and vaporizers;
- gaseous hydrogen buffer storage;
- pre-cooling device;
- gaseous hydrogen dispensing systems.



^a May include a buffer vessel (or accumulator) for dampening or adjusting flow of compressor suction inlet.

Figure 1 — Example of typical elements that a fuelling station consists of, including hydrogen supply




Figure 2 — Image of an example hydrogen fuelling station

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies

ISO 13850, *Safety of machinery — Emergency stop function — Principles for design*

ISO 14687, *Hydrogen fuel — Product specification*

ISO 15649, *Petroleum and natural gas industries — Piping*

ISO 17268, *Gaseous hydrogen land vehicle refuelling connection devices*

ISO 19880-8, *Gaseous hydrogen — Fuelling stations — Part 8: Hydrogen quality control*

ISO 21013-1, *Cryogenic vessels — Pressure-relief accessories for cryogenic service — Part 1: Reclosable pressure-relief valves*

ISO 21013-2, *Cryogenic vessels — Pressure-relief accessories for cryogenic service — Part 2: Non-reclosable pressure-relief devices*

ISO 21013-3, *Cryogenic vessels — Pressure-relief accessories for cryogenic service — Part 3: Sizing and capacity determination*

ISO 22734, *Hydrogen generators using water electrolysis*

ISO/IEC 80079 (all parts), *Explosive atmospheres*

IEC 60079 (all parts), *Explosive atmospheres*

IEC 60204-1:2005, *Safety of machinery — Electrical equipment of machines — Part 1: General requirements*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 62282-3-100, *Fuel cell technologies. Stationary fuel cell power systems. Safety*

EN 13445-5, *Unfired pressure vessels. Inspection and testing*

SAE J2600: 2015-08, *Compressed Hydrogen Surface Vehicle Fuelling Connection Devices*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>

— IEC Electropedia: available at <http://www.electropedia.org/>

3.1

acceptance criteria

<risk or harm > acceptable level of risk or *harm* (3.34), locally defined as:

- a tolerable risk value; or
- a specified harm level; or
- requirements in a prescriptive document

3.2

accessory

device with an operational function

3.3

bleed

<venting> intentional expiration of a fluid from a fluid system

3.4

basic process control system

BPCS

system which responds to input signals from the process, its associated equipment, other programmable systems and/or an operator and generates output signals causing the process and its associated equipment to operate in the desired manner but which does not perform any safety-instrumented functions with a claimed *SIL* (3.73) ≥ 1

[SOURCE: IEC 61511-1:2004, 3.2.3]

3.5

breakaway device

device on the *fuelling hose* (3.27) that disconnects the hose from the *dispenser* (3.13) when a tension limit is exceeded and blocks the flow of hydrogen from the dispenser, e.g. if the vehicle moves away with the fuelling hose connected to the vehicle

3.6

buffer storage vessels

pressure vessels designed for the purpose of storing compressed hydrogen, which can be located between a hydrogen generator and a compressor for an even flow of gas to the compressor or between the compressor and *dispensing system* (3.17) for accumulation of pressurized gas supply for vehicle fuelling

iTeh STANDARD PREVIEW

(presscode.iteh.ai)

ISO 19880-1:2020

<https://standards.iteh.ai/catalog/standards/sist/1b771923-fa7e-46c4-9fb5-2a5aafb94d72/iso-19880-1-2020>

3.7

building

structure, usually enclosed by walls and a roof, constructed to provide support or shelter for intended occupancy

3.8

canopy

roof, overhead shelter, or hood which affords a degree of weather protection

3.9

compressed hydrogen storage system

CHSS

hydrogen storage on-board vehicle, as defined in the GTR#13

3.10

component pressure rating

maximum pressure at which it is permissible to operate a component as specified by the manufacturer at a specified temperature

Note 1 to entry: Components designed with a maximum allowable pressure per the European PED represent the component pressure rating by the manufacturer that as indicated by the value of "PS".

Note 2 to entry: This is sometimes referred to as the *maximum allowable working pressure* (3.45) for the component, for example for vessels.

Note 3 to entry: In addition to the specification of the maximum temperature, the manufacturer can define an allowable minimum temperature or temperature range expected for service. For additional thermal conditions and risks potentially experiences during *fires* (3.23), see 5.3.6.4.

Note 4 to entry: Pressures up to 10 % above the rating can occur during fault management by PSV. See [E.3](#) regarding limited cycle testing to 110 % of the rating as part of verification testing to demonstrate capability of the component.

Note 5 to entry: See [Annex E](#) for discussion of pressure terminology and its application to *dispensing systems* ([3.17](#)) and *fuelling stations* ([3.29](#)) in general.

3.11 control system

system which responds to input signals from the process and/or from an operator and generates output signals causing the process to operate in the desired manner

Note 1 to entry: Also see *safety-instrumented system (SIS)* ([3.72](#)) and *basic process control system (BPCS)* ([3.4](#)).

3.12 connector

matching parts (such as male and female parts) that can be put together to form a "connection" which permits the transfer of fluids, electric power, or control signals

Note 1 to entry: *Fittings* ([3.24](#)) are a type of connector used in piping systems.

Note 2 to entry: Examples of connectors commonly used in hydrogen systems are as follows:

- a) The fuelling *nozzle* ([3.53](#)) "connector" mates with the *receptacle* ([3.64](#)) "connector" on the vehicle to form the connection for transfer of compressed hydrogen between the *dispenser* ([3.13](#)) and the vehicle, as defined in ISO 17268 for this specific application;
- b) The hose assemblies have connectors on each end that allow coupling to the hoses and connection to the piping system, e.g. hose *breakaway device* ([3.5](#)) or fuelling nozzle;
- c) *Control systems* ([3.11](#)) often use electrical connectors to allow rapid and secure assembly or replacement.

3.13 dispenser

equipment in the *dispensing system* ([3.17](#)), including the *dispenser cabinet(s)* ([3.14](#)) and support structure, that is physically located in the fuelling area

Note 1 to entry: The hydrogen dispenser typically includes, as a minimum, the *fuelling assembly* ([3.26](#)), required temperature and pressure instrumentation, filters, and the user interface to conduct vehicle fuelling.

Note 2 to entry: The manufacturer of the hydrogen dispenser can elect to include additional equipment in the dispenser, including the possibility of all equipment in the dispensing system.

3.14 dispenser cabinet

protective *housing* ([3.40](#)) that encloses process piping and can also enclose measurement, control and ancillary *dispenser* ([3.13](#)) equipment

3.15 dispenser fuel pressure

pressure of the hydrogen gas supplied to the vehicle by the station

Note 1 to entry: See [Annex E](#) for discussion of pressure terminology and its application to *dispensing systems* ([3.17](#)).

3.16 dispenser fuel temperature

temperature of the hydrogen gas supplied to the vehicle by the station

3.17 dispensing system

system downstream of the hydrogen supply system comprising all equipment necessary to carry out the vehicle fuelling operation, through which the compressed hydrogen is supplied to the vehicle

3.18

enclosure

structure, protective *housing* (3.40), container, machine cabinet, etc. which encloses or partially encloses equipment of a station that may have access for maintenance but is not intended to be occupied

Note 1 to entry: The use of an enclosure could be to protect equipment from the environment, provide noise attenuation, or provide *safety* (3.69) to the areas surrounding the equipment.

Note 2 to entry: A *canopy* (3.8) without walls is not regarded as an enclosure in this context.

3.19

explosion

ignition and rapid combustion that causes an over-pressure

Note 1 to entry: A rapid deflagration and/or a detonation are explosions.

Note 2 to entry: Slow deflagrations or jet flames do not create an over-pressure and are therefore not considered to be explosions.

3.20

explosive gas atmosphere

mixture with air, under atmospheric conditions, of flammable substances in the form of gas or vapour, which, after ignition, permits self-sustaining flame propagation

Note 1 to entry: Although a mixture which has a concentration above the upper flammable limit (UFL) is not an explosive gas atmosphere, it can readily become so and, generally for area classification purposes, it is advisable to consider it as an explosive gas atmosphere.

[SOURCE: IEC 60079-10-1:2015, 3.2]

(standards.iteh.ai)

3.21

factory acceptance testing

FAT

tests performed in the factory on *fuelling station* (3.29) equipment or systems to verify functionality and/or integrity prior to shipment to the site, (or an appropriate alternative type acceptance methodology)

3.22

fallback

back-up control strategy, for example in the fuelling protocol when the anticipated precooling of hydrogen to within a specified range of temperatures is not achieved, however fuelling is able to continue, typically at a different fuelling rate

3.23

fire

non-premixed combustion process of a solid, liquid pool, or a jet plume of flammable substance

Note 1 to entry: A fire is the combustion of a solid or liquid of a process first of pyrolysis or evaporation to a combustible gas where a non-premixed combustion process ensues. Also, a non-premixed combustion of a flammable plume (jet fire) is also covered by this definition as is combustion of metals and of hydrogen released by a metal hydride. A fire as defined here does not create an over-pressure therefore is not an *explosion* (3.19), nor is it a deflagration or a detonation which are premixed combustion phenomena.

3.24

fitting

part or design feature on a component used to join (i.e. connect) any pressure retaining components in the system

3.25

forecourt

surfaced area where vehicle dispensing operations are conducted including the *fuelling pad* (3.28) and any area underneath a *canopy* (3.8)

3.26**fuelling assembly**

part of the *dispenser* (3.13) providing the interface between the *hydrogen fuelling station* (3.29) and the vehicle - an assembly consisting of a hose *breakaway device* (3.5), a hose(s), a *nozzle* (3.53) and connections between these components

Note 1 to entry: The fuelling assembly can include, or not, a nozzle vent line (with hose breakaway device and hose) depending on the type of nozzle, and communications, if used.

3.27**fuelling hose**

flexible conduit used for dispensing gaseous hydrogen to vehicles through a fuelling *nozzle* (3.53)

3.28**fuelling pad**

area with special construction requirements adjacent to the hydrogen *dispensers* (3.13), where customers park their vehicles during fuelling

3.29**hydrogen fuelling station
fuelling station**

facility for the dispensing of compressed hydrogen vehicle fuel, often referred to as a hydrogen refuelling station (HRS) or hydrogen filling station, including the supply of hydrogen, and hydrogen compression, storage, and *dispensing systems* (3.17)

3.30**stand-alone**

<hydrogen fuelling station or dispenser> independent for the dispensing of compressed hydrogen only

3.31**integrated**

<hydrogen fuelling station or dispenser> being part of an existing, or new build, conventional *fuelling station* (3.29) for the dispensing of compressed hydrogen

3.32**fuelling station operator**

person or organization responsible for the safe operation, maintenance and housekeeping of the *fuelling station* (3.29)

3.33**guard**

part of a machine specially used to provide protection by means of a physical barrier

Note 1 to entry: Depending on its construction, a guard can be called casing, cover, screen, door, enclosed guard, etc.

3.34**harm**

physical injury or damage to the health of people, or damage to property or the environment

[SOURCE: ISO/IEC Guide 51:2014, 3.1, modified — The word "physical" has been added.]

3.35**harmonised standard**

European standard developed by a recognised European Standards Organization (CEN, CENELEC, or ETSI), in line with a European Directive

3.36**hazard**

potential source of *harm* (3.34)

[SOURCE: ISO/IEC Guide 51: 2014, 3.2]