

# FINAL DRAFT International Standard

## IEC/IEEE FDIS 80005-3

## Utility connections in port —

Part 3:

Low Voltage Shore Connection (LVSC) Systems — General h Standar requirements

Alimentation des navires à quai —

Partie 3: Systèmes de connexion à quai à basse tension — Exigences générales

EC/IEEE EDIS 80005

https://standards.iteh.ai/catalog/standards/iso/ahd35dac\_1c6d\_45/

ISO/TC 8/SC 3

Secretariat: ANSI

Voting begins on: **2025-05-13** 

Voting terminates on: 2025-07-08

ad8t-2b4d1bb25ca2/iec-ieee-tdis-80005-3

Member bodies are requested to consult relevant national interests in IEC/TC 18 before casting their ballot to the e-Balloting application.

This draft is submitted to a parallel vote in ISO and in IEC.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

#### IEC/IEEE FDIS 80005-3:2025(en)

# iTeh Standards (https://standards.iteh.ai) Document Preview

#### <u>IEC/IEEE FDIS 80005-3</u>

https://standards.iteh.ai/catalog/standards/iso/abd35dac-1c6d-45c7-ad8f-2b4d1bb25ca2/iec-ieee-fdis-80005-3



#### COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

#### – 2 –

#### **CONTENTS**

FC	DREWO	RD	5			
IN	TRODU	CTION	7			
1	Scop	e	8			
2	Norm	ative references	8			
3	Terms and definitions10					
4		ral requirements				
•	4.1	System description				
	4.2	Distribution system				
	4.2.1	General				
	4.2.2	Equipotential bonding				
	4.3	Compatibility assessment before connection				
	4.4	LVSC system design and operation				
	4.4.1	System design				
	4.4.2	System operation				
	4.5	Personnel safety				
	4.6	Design requirements				
	4.6.1	General				
	4.6.2	Protection against moisture and condensation				
	4.6.3	Location and construction	15			
	4.6.4	Electrical equipment in hazardous areas	16			
	4.7					
	4.8	Electrical requirements	17			
	4.9	Emergency shutdown including emergency-stop facilities				
5	LV sł	nore supply system requirements FDIS 80005-3	18			
	5.1	Voltages and frequenciesVoltages and frequencies	-fdis-80005-3			
	5.2	Quality of LV shore supply				
6	Shore	e-side installation	20			
	6.1	General	20			
	6.2	System component requirements				
	6.2.1	Shore-side main circuit-breaker				
	6.2.2	Shore power transformer				
	6.2.3	System earthing methodology				
	6.2.4	Protective earthing				
	6.2.5	Equipotential bonding	21			
	6.3	Shore-to-ship electrical protection system	22			
	6.4	LV safety protocol, interlocking and communication	23			
	6.4.1	General	23			
	6.4.2	Operating of the low-voltage (LV) circuit-breakers and disconnectors	23			
	6.5	Shore connection convertor equipment	23			
	6.5.1	General	23			
	6.5.2	Cooling	24			
	6.5.3	Protection	24			
7	Ship-	to-shore connection and interface equipment	24			
	7.1	General	24			
	7 2	Cable management system	25			

## IEC/IEEE FDIS 80005-3:2025(en)

		E FDIS 80005-3 – 3 – EEE 2025	
	7.2.	1 General	25
	7.2.		
	7.2.	·	
	7.3	Ship and shore couplers	
	7.3.	·	
	7.3.		
	7.3.		
	7.4	Ship-to-shore connection cable	31
	7.5	Storage	
8	Ship	o-side installation	
	8.1	General	31
	8.2	Ship electrical distribution system	
	8.2.	·	
	8.2.		
	8.2.		
	8.3	Shore connection switchboard	
	8.3.	1 General	32
	8.3.	2 Ship-side main circuit-breaker	32
	8.3.	Instrumentation and protection	32
	8.3.	4 Operation of the circuit-breaker	33
	8.4	Onboard transformer	33
	8.5	Onboard main switchboard	34
	8.5.	1 GeneralS	34
	8.5.	2 Circuit-breaker	34
	8.5.	3 Instrumentation	34
	8.5.	4 Protection	35
	8.5.	<u>1110/11111 1 1115 00003 3</u>	
	a 8.6 ds	Ship power restoration	f.l.:36:0005
9	) LVS	SC system control and monitoring	36
	9.1	General requirements	36
	9.2	Load transfer via blackout	36
	9.3	Load transfer via automatic synchronization	37
	9.3.	1 General	37
	9.3.	Protection requirements	37
1	0 Veri	ification and testing	37
	10.1	General	37
	10.2	Initial tests of shore-side installation	38
	10.2	2.1 General	38
	10.2	2.2 Tests	38
	10.3	Initial tests of ship-side installation	38
	10.3	3.1 General	38
	10.3	3.2 Tests	38
	10.4	Tests of the LVSC system at the first call	39
	10.4	1.1 General	39
	10.4	4.2 Tests	39
1	1 Peri	iodic tests and maintenance	39
	11.1	General	39
	11 2	Tasts and varification of the LVSC system at repeated calls	40

## IEC/IEEE FDIS 80005-3:2025(en)

40 D		© IEC/IEEE 2029
	mentation	
12.1	General	
12.2	System description	
· ·	informative) Shore-to-ship connection cable	
A.1	General	
A.2	Rated voltage	
A.3	General design	
A.3.1		
A.3.2		
A.3.3		
A.3.4	3	
A.3.5	2 21 21 21 21 21 21	
A.3.6		
A.3.7	3	
A.4	Tests on complete cables	
	normative) Ship-to-shore cable management and connector	
B.1	General	
Bibliograp	hy	4 <sup>-</sup>
Figure 1 -	- Block diagram of a typical LVSC system	1
Figure 2 -	- Phase sequence rotation – Positive direction	19
Figure 3 -	- Balanced three-phase variables in time domain	<u>ai)1</u>
	Shore connection accessories	
	- Safety circuit Document Preview	
	l – Bending test arrangement	
•		
/standards.	I – Contact assignment <u>IEC/IEEE FDIS 80005-3</u> iteh.ai/catalog/standards/iso/abd35dac-1c6d-45c7-ad8t-2b4	d1bb25ca2/iec-ieee-fdis-
Table 1 –	Number of parallel connections with the use of IEC 60309-	52 <sup>-</sup>
Table B.1	- Connector types	4

IEC/IEEE FDIS 80005-3 © IEC/IEEE 2025

- 5 -

#### **UTILITY CONNECTIONS IN PORT –**

# Part 3: Low-voltage shore connection (LVSC) systems – General requirements

#### **FOREWORD**

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation.

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

IEEE Standards documents are developed within IEEE Societies and Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of IEEE and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards. Use of IEEE Standards documents is wholly voluntary. IEEE documents are made available for use subject to important notices and legal disclaimers (see <a href="http://standards.ieee.org/IPR/disclaimers.html">http://standards.ieee.org/IPR/disclaimers.html</a> for more information).

IEC collaborates closely with ISO and IEEE in accordance with conditions determined by agreement between the organizations. This Triple Logo International Standard was jointly developed by the IEC, ISO and IEEE under the terms of that agreement.

- 2) The formal decisions of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. In the ISO, Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote. The formal decisions of IEEE on technical matters, once consensus within IEEE Societies and Standards Coordinating Committees has been reached, is determined by a balanced ballot of materially interested parties who indicate interest in reviewing the proposed standard. Final approval of the IEEE Standard document is given by the IEEE Standards Association (IEEE-SA) Standards Board.
- 3) IEC/ISO/IEEE Publications have the form of recommendations for international use and are accepted by IEC National Committees/ISO member bodies /IEEE Societies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC/ISO/IEEE Publications is accurate, IEC, ISO or IEEE cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications (including IEC/ISO/IEEE Publications) transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC/ISO/IEEE Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC, ISO and IEEE do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC, ISO and IEEE are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC, ISO or IEEE or their directors, employees, servants or agents including individual experts and members of technical committees and IEC National Committees and ISO member bodies, or volunteers of IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board, for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC/ISO/IEEE Publication or any other IEC, ISO or IEEE Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

-6-

9) Attention is drawn to the possibility that implementation of this IEC/ISO/IEEE Publication may require use of material covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. IEC, ISO or IEEE shall not be held responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from ISO or the IEEE Standards Association.

IEC/IEEE 80005-3 was prepared by IEC technical committee 18: Electrical installations of ships and of mobile and fixed offshore units, in cooperation with

- IEC subcommittee 23H: Plugs, socket-outlets and couplers for industrial and similar applications, and for electric vehicles, of IEC technical committee 23: Electrical accessories;
- ISO Technical Committee 8: Ships and marine technology, subcommittee 3: Piping and machinery;
- IEEE IAS Petroleum and Chemical Industry Committee (PCIC) of the IEEE Industry Applications Society.

This document is published as a triple logo (IEC, ISO and IEEE) standard.

The text of this International Standard is based on the following IEC documents:

Draft	Report on voting
18/XX/FDIS	18/XX/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table. In ISO, the standard has been approved by XX members out of YY having a cast vote.

The language used for the development of this International Standard is English.

This document was drafted in accordance with the rules given in the ISO/IEC Directives, Part 2, available at <a href="https://www.iec.ch/members\_experts/refdocs">www.iec.ch/members\_experts/refdocs</a>. The main document types developed by IEC are described in greater detail at <a href="https://www.iec.ch/publications/">www.iec.ch/publications/</a>.

A list of all the parts in the IEC 80005 series, published under the general title *Utility connections in port*, can be found on the IEC website.

The IEC Technical Committee and IEEE Technical Committee have decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn, or
- revised.