

SLOVENSKI STANDARD SIST EN IEC 61158-3-2:2023

01-november-2023

Industrijska komunikacijska omrežja - Specifikacije za procesna vodila - 3-2. del: Definicija opravil na ravni podatkovnih povezav - Elementi tipa 2 (IEC 61158-3-2:2023)

Industrial communication networks - Fieldbus specifications - Part 3-2: Data-link layer service definition - Type 2 elements (IEC 61158-3-2:2023)

Industrielle Kommunikationsnetze - Feldbusse - Teil 3-2: Dienstfestlegungen des Data Link Layer (Sicherungsschicht) - Typ 2-Elemente (IEC 61158-3-2:2023)

(https://standards.iteh.ai)

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 3-2: Définition des services de la couche liaison de données - Eléments de type 2 (IEC 61158 -3-2:2023)

SIST EN IEC 61158-3-2:2023

https://Ta.slovenski.standard.je.istoveten.z:86-1 EN IEC 61158-3-2:2023 65/sist-en-iec-61158-3-2-2023

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.20	Podatkovni povezovalni sloj	Data link layer
35.110	Omreževanje	Networking

SIST EN IEC 61158-3-2:2023 en,fr,de

iTeh Standards (https://standards.iteh.ai) Document Preview

<u>SIST EN IEC 61158-3-2:2023</u>

https://standards.iteh.ai/catalog/standards/sist/fl 7bcc86-1fb3-4d88-b6d8-96bd5b5f9165/sist-en-iec-61158-3-2-2023

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

EN IEC 61158-3-2

April 2023

ICS 25.040.40; 35.100.20; 35.110

Supersedes EN 61158-3-2:2014; EN 61158-3-2:2014/A1:2019

English Version

Industrial communication networks - Fieldbus specifications - Part 3-2: Data-link layer service definition - Type 2 elements (IEC 61158-3-2:2023)

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 3-2: Définition des services de la couche liaison de données - Eléments de type 2 (IEC 61158-3-2:2023) Industrielle Kommunikationsnetze - Feldbusse - Teil 3-2: Dienstfestlegungen des Data Link Layer (Sicherungsschicht) - Typ 2-Elemente (IEC 61158-3-2:2023)

This European Standard was approved by CENELEC on 2023-04-13. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

SIST EN IEC 61158-3-2:2023

https://standards.iteh.ai/catalog/standards/sist/fl7bcc86-1fb3-4d88-b6d8-96bd5b5f9165/sist-en-iec-61158-3-2-202



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61158-3-2:2023 (E)

European foreword

The text of document 65C/1201/FDIS, future edition 3 of IEC 61158-3-2, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61158-3-2:2023.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2024-01-13 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2026-04-13 document have to be withdrawn

This document supersedes EN 61158-3-2:2014 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CENELEC by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

iTeh Standards

Endorsement notice

Document Preview

The text of the International Standard IEC 61158-3-2:2023 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated: 3-2-2023

IEC 61158-1 NO	E Approved as EN IEC 61158-1
----------------	------------------------------

IEC 61158-2 NOTE Approved as EN 61158-2

IEC 61158-5-2 NOTE Approved as EN IEC 61158-5-2

IEC 61158-6-2 NOTE Approved as EN IEC 61158-6-2

IEC 61784-1 (series) NOTE Approved as EN IEC 61784-1 (series)1

IEC 61784-2 (series) NOTE Approved as EN IEC 61784-2 (series)²

¹ To be published. Stage at time of publication: FprEN IEC 61784-1-X:2023.

² To be published. Stage at time of publication: FprEN IEC 61784-2-X:2023.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 61158-4-2	2023	Industrial communication networks - Fieldbus specifications - Part 4-2: Data-lin layer protocol specification - Type 2 elements	EN IEC 61158-4-2 k	2023
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic reference model: The basic model	-	-
ISO/IEC 7498-3	· (h	Information technology - Open Systems Interconnection - Basic reference model: Naming and addressing	eh.ai)	-
ISO/IEC 8886	-	Information technology - Open Systems Interconnection - Data link service definition	V <u>V</u>	-
ISO/IEC 10731	1994 ar	Information technology - Open Systems Interconnection - Basic Reference Model - Conventions for the definition of OSI services	od5b5f9165/sist-en-	ice-61158-3-2-2023

iTeh Standards (https://standards.iteh.ai) Document Preview

<u>SIST EN IEC 61158-3-2:2023</u>

https://standards.iteh.ai/catalog/standards/sist/fl 7bcc86-1fb3-4d88-b6d8-96bd5b5f9165/sist-en-iec-61158-3-2-2023



IEC 61158-3-2

Edition 3.0 2023-03

INTERNATIONAL STANDARD

Industrial communication networks – Fieldbus specifications – Part 3-2: Data-link layer service definition – Type 2 elements

(https://standards.iteh.ai)
Document Preview

SIST EN IEC 61158-3-2:2023

https://standards.iteh.ai/catalog/standards/sist/fl 7bcc86-1fb3-4d88-b6d8-96bd5b5f9165/sist-en-iec-61158-3-2-2023

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 25.040.40; 35.100.20; 35.110

ISBN 978-2-8322-6558-1

Warning! Make sure that you obtained this publication from an authorized distributor.

-2-

CONTENTS

) TION	
•		
	eneral	
	pecifications	
	onformance	
	ive references	
	definitions, symbols, abbreviated terms and conventions	
	eference model terms and definitions	
	ervice convention terms and definitions	
	ommon data-link service terms and definitions	
	dditional Type 2 data-link specific definitions	
	ommon symbols and abbreviations	
	dditional Type 2 symbols and abbreviations	
	ommon conventions	
	tion-mode and connectionless-mode data-link service	
4.1 O	verview	18
4.1.1	Data transfer services	
4.1.2	DL-management services	22
4.1.3	Timing services	22
	acilities of the data-link service	22
4.3 M	odel of the data-link service	23
4.3.1	General	23
4.3.2	DLS-instance identification	
4.3.3	Model of abstract queue concepts	
4.3.4	QoS features	24
4.3.5 andards tel	DLS-TxStatus	
4.3.6	Receive queues	25
	equence of primitives	
4.4.1	Constraints on sequence of primitives	
4.4.2	Relation of primitives at DLSAPs	
4.4.3	Sequence of primitives at one DLSAP	
	onnection-mode data transfer	
4.5.1	General	
4.5.2	Function	
4.5.3	Types of primitives and parameters	
4.5.4	Sequence of primitives	
	onnectionless-mode data transfer	
4.6.1	General	
4.6.2	Function	
4.6.3	Types of primitives and parameters	
4.6.4	Sequence of primitives	
	ueue maintenance	
4.7.1	Function	
4.7.2	Types of primitives and parameters	
4.7.3	Request primitive	
4.7.4	Confirmation primitive	33

4.7	.5 Sequence of primitives	33
4.8	Tag filter	34
4.8	.1 Function	34
4.8	.2 Types of primitives and parameters	34
4.8	.3 Sequence of primitives	35
5 DL	-management services	
5.1	Sequence of primitives	35
5.2	Link synchronization	
5.2	•	
5.2	.2 Types of primitives and parameters	36
5.2		
5.3	Synchronized parameter change	
5.3	•	
5.3		
5.3		
5.4	Event reports	
5.4		
5.4		
5.4	· ```` L · · · · · · · · · · · · · · · · · ·	
5.5	Bad FCS	
5.5		
5.5		
5.5		
5.6	Current moderator	
5.6		
5.6		
5.6	.3 Sequence of primitives	42
5.7	Enable moderator	
5.7		
stand5:	.2 Types of primitives and parameters 4.88-5.038-2004-55.91.05.815-91	
5.7		
5.8	Power-up and online	
5.8	·	
5.8		
5.8	·······································	
5.9	Listen only	
5.9	•	
5.9		
5.9		
5.10	Time distribution	
	0.1 Function	
	0.2 Types of primitives and parameters	
	aphy	
Ziziiog.	~~~··	
Figure	– Relationships of DLSAPs, DLSAP-addresses and group DL-addresses	13
-	2 – NUT structure	
-		
•	B – Medium access during scheduled time	
Figure 4	I – Medium access during unscheduled time	21

Figure 5 – Queue model for the peer and multipoint DLS, DLSAPs and their DLCEPs	22
Figure 6 – Queue model of a multipoint DLS between a sending DLS-user and one or more receiving DLS-users	24
Figure 7 – DLS primitive time-sequence diagram	26
Figure 8 – State transition diagram for sequences of DLS primitives at one DLSAP	27
Figure 9 – Sequence of primitives for a successful connection-mode transfer	29
Figure 10 – Sequence of primitives for an unsuccessful connection-mode transfer	29
Figure 11 – Sequence of primitives for a successful connectionless-mode transfer	32
Figure 12 – Sequence of primitives for an unsuccessful connectionless-mode transfer	32
Figure 13 – Sequence of primitives for a queue maintenance request	34
Figure 14 – Sequence of primitives for a tag filter request	35
Figure 15 – Sequence of primitives for a local link synchronization	37
Figure 16 – Sequence of primitives for a DLM-get/set parameters request	39
Figure 17 – Sequence of primitives for a DLM-tMinus change request	39
Figure 18 – Sequence of primitives for a DLM-event indication	41
Figure 19 – Sequence of primitives for a DLM-bad-FCS indication	42
Figure 20 – Sequence of primitives for a DLM-current-moderator indication	42
Figure 21 – Sequence of primitives for a DLM-enable-moderator request	43
Figure 22 – Sequence of primitives for a DLM-power-up indication	44
Figure 23 – Sequence of primitives for a DLM-online request	44
Figure 24 – Sequence of primitives for a DLM-listen-only request	45
Table 1 – Summary of connection-mode and connectionless-mode primitives and	0.0
parameters	
Table 2 – DL-connection-mode transfer primitives and parameters	
Table 3 – DL-connectionless-mode transfer primitives and parameters	
Table 4 – Fixed tag services available to the DLS-user	
Table 5 – DL-queue maintenance primitives and parameters (single flush)	
Table 6 – DL-queue maintenance primitives and parameters (flush by QoS)	
Table 7 – DL-connectionless-mode tag filter primitives and parameters	
Table 8 – Summary of DL-management primitives and parameters	
Table 9 – Link synchronization primitives and parameters	37
Table 10 – Synchronized parameter change primitives and parameters (set configuration)	38
Table 11 – Synchronized parameter change primitives and parameters (get configuration)	38
Table 12 – Synchronized parameter change primitives and parameters (start countdown)	38
Table 13 – Synchronized parameter change primitives and parameters (tMinus)	
Table 14 – DLMS-configuration-data	
Table 15 – Event report primitives and parameters	
Table 16 – DLMS events being reported	
Table 17 – Bad FCS primitives and parameters	
Table 18 – Current moderator primitives and parameters	
Table 19 – Enable moderator primitives and parameters	
Table 10 Eliable illegerator primitives and parameters	∓∪

Table 20 – Power-up primitives and parameters	43
Table 21 – Online primitives and parameters	44
Table 22 – Listen-only primitives and parameters	45
Table 23 – DLMS time and time quality parameters	46
Table 24 – Time distribution source quality	46

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN IEC 61158-3-2:2023

https://standards.iteh.ai/catalog/standards/sist/fl7bcc86-1fb3-4d88-b6d8-96bd5b5f9165/sist-en-jec-61158-3-2-2022

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 3-2: Data-link layer service definition – Type 2 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in the IEC 61784-1 series and the IEC 61784-2 series.

IEC 61158-3-2 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This third edition cancels and replaces the second edition published in 2014 and Amendment 1:2019. This edition constitutes a technical revision.

IEC 61158-3-2:2023 © IEC 2023

-7-

This edition includes the following significant technical changes with respect to the previous edition:

- a) update of normative and bibliographic references;
- b) use of more inclusive terminology ("master" replaced by "active" or "supervisor");
- c) miscellaneous editorial corrections.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65C/1201/FDIS	65C/1242/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all the parts of the IEC 61158 series, under the general title *Industrial communication* networks – Fieldbus specifications, can be found on the IEC web site.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or STEN IEC 61158-3-2:2023
- https://sandamended.ai/catalog/standards/sist/f17bcc86-1fb3-4d88-b6d8-96bd5b5f9165/sist-en-iec-61158-3-2-2023

IEC 61158-3-2:2023 © IEC 2023

INTRODUCTION

- 8 -

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC 61158-1.

Throughout the set of fieldbus standards, the term "service" refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the data-link layer service defined in this document is a conceptual architectural service, independent of administrative and implementation divisions.

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN IEC 61158-3-2:2023

https://gtandards.itah.gi/gatala.g/gtandards/gigt/f17hag96_1fb2_4d99_h6d9_06hd5h5f0165/gigt_on_igg_61159_2_2_2002