
**Industrijska komunikacijska omrežja - Specifikacije za procesna vodila - 5-26. del:
Definicija opravil na aplikacijski ravni - Elementi tipa 26 (IEC 61158-5-26:2023)**

Industrial communication networks - Fieldbus specifications - Part 5-26: Application layer service definition - Type 26 elements (IEC 61158-5-26:2023)

Industrielle Kommunikationsnetze - Feldbusse - Teil 5-26: Application layer service definition (Anwendungsschicht) - Type 26-Elemente (IEC 61158-5-26:2023)

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 5-26: Définition des services de la couche application - Eléments de type 26 (IEC 61158-5-26:2023)

Ta slovenski standard je istoveten z: IEC EN IEC 61158-5-26:2023

<https://standards.iteh.ai/catalog/standards/sist/ddd7438a-28b3-4b91-afb3-7930fa4c6697/sist-en-iec-61158-5-26-2023>

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.70	Uporabniški sloj	Application layer
35.110	Omreževanje	Networking

SIST EN IEC 61158-5-26:2023**en,fr,de**

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 61158-5-26

April 2023

ICS 25.040.40; 35.100.70; 35.110

Supersedes EN IEC 61158-5-26:2019

English Version

**Industrial communication networks - Fieldbus specifications -
Part 5-26: Application layer service definition - Type 26 elements
(IEC 61158-5-26:2023)**

Réseaux de communication industriels - Spécifications des
bus de terrain - Partie 5-26: Définition des services de la
couche application - Eléments de type 26
(IEC 61158-5-26:2023)

Industrielle Kommunikationsnetze - Feldbusse - Teil 5-26:
Application layer service definition (Anwendungsschicht) -
Type 26-Elemente
(IEC 61158-5-26:2023)

This European Standard was approved by CENELEC on 2023-04-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

[SIST EN IEC 61158-5-26:2023](https://standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/ddd7438a-28b3-4b91-afb3-7930fa4c6697/sist-en-iec-61158-5-26-2023>



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61158-5-26:2023 (E)**European foreword**

The text of document 65C/1203/FDIS, future edition 2 of IEC 61158-5-26, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61158-5-26:2023.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2024-01-20 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2026-04-20 document have to be withdrawn

This document supersedes EN IEC 61158-5-26:2019 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

iTeh Standards
Endorsement notice
(<https://standards.itih.ai>)

The text of the International Standard IEC 61158-5-26:2023 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

<https://standards.itih.ai/catalog/standards/sist/ddd7438a-28b3-4b91-afb3-7930fa4c6697/sist-en-iec-61158-5-26-2023>

IEC 61784-1 (series) NOTE Approved as EN IEC 61784-1 (series)¹

IEC 61784-2 (series) NOTE Approved as EN IEC 61784-2 (series)²

¹ To be published. Stage at time of publication : FprEN 61784-1-X:2023.

² To be published. Stage at time of publication : FprEN 61784-2-X:2023.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61131-3	-	Programmable controllers - Part 3: Programming languages	EN 61131-3	-
IEC 61158-1	2023	Industrial communication networks - Fieldbus specifications - Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series	EN 61158-1	2023
IEC 61158-6-26	2023	Industrial communication networks - Fieldbus specifications - Part 6-26: Application layer protocol specification - Type 26 elements	EN IEC 61158-6-26	— ³
IEC 61784-2-21	2023	Industrial networks - Profiles - Part 2-21: Additional real-time fieldbus profiles based on ISO/IEC/IEEE 8802-3 - CPF 21	-	-
ISO/IEC 646	-	Information technology; ISO 7-bit coded character set for information interchange	-	-
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic reference model: The basic model	-	-
ISO/IEC/IEEE 8802-3	-	Standard for Ethernet	-	-
ISO/IEC 8822	-	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 8824-1	-	Information technology - Abstract Syntax Notation One (ASN.1) - Part 1: Specification of basic notation	-	-
ISO/IEC 9545	-	Information technology - Open Systems Interconnection - Application layer structure	-	-

³ To be published. Stage at time of publication: FprEN IEC 61158-6-26:2023.

EN IEC 61158-5-26:2023 (E)

ISO/IEC 10731	-	Information technology - Open Systems Interconnection - Basic Reference Model - Conventions for the definition of OSI services	-	-
IEC 60559	-	Floating-Point arithmetic	HD 592 S1	-
IETF RFC 768	1980	User Datagram Protocol	-	-
IETF RFC 791	1981	Internet Protocol	-	-
IETF RFC 792	1981	Internet Control Message Protocol	-	-
IETF RFC 793	1981	Transmission Control Protocol	-	-
IETF RFC 796	2081	Address mappings	-	-
IETF RFC 826	1982	An Ethernet Address Resolution Protocol: Or Converting Network Protocol Addresses to 48.bit Ethernet Address for Transmission on Ethernet Hardware	-	-
IETF RFC 894	1984	Standard for the Transmission of IP Datagrams over Ethernet	-	-
IETF RFC 919	1984	Broadcasting Internet Datagrams	-	-
IETF RFC 922	1984	Broadcasting Internet datagrams in the presence of subnets	-	-
IETF RFC 950	1985	Internet Standard Subnetting Procedure	-	-

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN IEC 61158-5-26:2023](https://standards.iteh.ai/catalog/standards/sist/ddd7438a-28b3-4b91-afb3-7930fa4c6697/sist-en-iec-61158-5-26-2023)

<https://standards.iteh.ai/catalog/standards/sist/ddd7438a-28b3-4b91-afb3-7930fa4c6697/sist-en-iec-61158-5-26-2023>



IEC 61158-5-26

Edition 2.0 2023-03

INTERNATIONAL STANDARD

**Industrial communication networks – Fieldbus specifications –
Part 5-26: Application layer service definition – Type 26 elements**

**(<https://standards.iteh.ai>)
Document Preview**

[SIST EN IEC 61158-5-26:2023](https://standards.iteh.ai/catalog/standards/sist/ddd7438a-28b3-4b91-afb3-7930fa4c6697/sist-en-icc-61158-5-26-2023)

<https://standards.iteh.ai/catalog/standards/sist/ddd7438a-28b3-4b91-afb3-7930fa4c6697/sist-en-icc-61158-5-26-2023>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-6581-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
1.1 General.....	8
1.2 Specifications	9
1.3 Conformance	9
2 Normative references	9
3 Terms, definitions, symbols, abbreviated terms and conventions	11
3.1 Terms and definitions from other ISO/IEC standards.....	11
3.1.1 Terms and definitions from ISO/IEC 7498-1	11
3.1.2 Terms and definitions from ISO/IEC 8822	11
3.1.3 Terms and definitions from ISO/IEC 9545	11
3.1.4 Terms and definitions from ISO/IEC 8824-1	12
3.2 Fieldbus application layer Type 26-specific definitions	12
3.3 Abbreviated terms and symbols	18
3.4 Conventions.....	20
3.4.1 Overview	20
3.4.2 General conventions.....	20
3.4.3 Conventions for class definitions	21
3.4.4 Conventions for service definitions	22
4 Concepts	23
5 Data type ASE.....	23
5.1 Overview.....	23
5.2 Formal definition of data type objects.....	24
5.2.1 Data type class definitions	24
5.2.2 Attributes	25
5.3 FAL defined data types	26
5.3.1 Fixed length types	26
5.3.2 String types	32
5.4 Data type ASE service specification.....	33
6 Communication model specification	33
6.1 General.....	33
6.2 Protocol stack for Type 26 fieldbus	33
6.3 Overview of Type 26 communication model	34
6.4 Cyclic data communication service with Common-memory	35
6.4.1 Overview	35
6.4.2 Common-memory: allocation to each node.....	36
6.4.3 Data sharing among nodes with the CM.....	37
6.4.4 CM data type	39
6.5 ASEs	39
6.5.1 Overview of Type 26 ASEs	39
6.5.2 Type 26 specific conventions for FAL service common parameters	40
6.5.3 Cyclic-data ASE.....	41
6.5.4 Message data ASE	47
6.5.5 Load measurement ASE	77
6.5.6 Network management ASE	83

6.5.7	General purpose command server ASE	97
6.5.8	AR ASE	100
6.5.9	FAL ASE summary	113
Bibliography.....		116
Figure 1	– Protocol stack for Type 26 fieldbus	34
Figure 2	– Unconfirmed Push-Publisher/Subscriber type interaction.....	35
Figure 3	– Unconfirmed/Confirmed Client/Server type interaction.....	35
Figure 4	– Common memory allocation	37
Figure 5	– Data sharing with the CM	38
Figure 6	– Node #01 for reception only	38
Figure 7	– Node #01 without the CM	39
Figure 8	– Data sharing among nodes with and without CM3	39
Figure 9	– The structure of ASEs for Type 26 FAL	40
Figure 10	– Virtual-address-space for Byte block	52
Figure 11	– Virtual-address-space for Word block.....	54
Figure 12	– AR ASE internal architecture.....	101
Figure 13	– Structure of IP address	111
Table 1	– Write service parameters.....	44
Table 2	– Send-CM service parameters	45
Table 3	– Read service parameters.....	45
Table 4	– Update memory service parameters	46
Table 5	– Get- buffer service parameters	47
Table 6	– Byte block read service parameters.....	52
Table 7	– Byte block write service parameters	53
Table 8	– Word block read service parameters	54
Table 9	– Word block write service parameters	55
Table 10	– Network parameter read service parameters	56
Table 11	– Extended network parameter read service parameters	57
Table 12	– Network parameter write service parameters	58
Table 13	– Extended network parameter write service parameters	59
Table 14	– Stop command service parameters.....	60
Table 15	– Operation command service parameters.....	60
Table 16	– profile read service parameters	61
Table 17	– Transparent message service parameters	63
Table 18	– Log data read service parameters	64
Table 19	– Log data items.....	64
Table 20	– Log data clear service parameters.....	69
Table 21	– Message return service parameters.....	70
Table 22	– Vendor specific message service parameters	71
Table 23	– Set remote node configuration parameter service parameters	72
Table 24	– Data elements and Node configuration parameters.....	72

Table 25 – Service parameters of Read remote participating node management information parameter service.....	73
Table 26 – Participating node management information parameters.....	74
Table 27 – Read remote node management information parameter service parameters	75
Table 28 – Node management information parameters	76
Table 29 – Read remote node setting information parameter service parameters.....	77
Table 30 – Node setting information parameters	77
Table 31 – Start TK-holding-time measurement service parameters.....	79
Table 32 – Terminate TK-holding-time measurement service parameters.....	80
Table 33 – Token-holding-time measurement result	81
Table 34 – Start GP_Comm sender log service parameters	82
Table 35 – Terminate GP_Comm sender log service parameters	82
Table 36 – GP_Comm sender log measurement result.....	83
Table 37 – Service parameters for Set configuration parameter	87
Table 38 – Configuration parameters	87
Table 39 – Read node management information parameter service parameters.....	88
Table 40 – Node management information parameters	88
Table 41 – Service parameters for Read participating node mgt. information parameter	89
Table 42 – Participating node management information parameters.....	90
Table 43 – Service parameters for Read network management information parameter.....	90
Table 44 – Network management information parameters	91
Table 45 – Service parameters for Read message sequence number management information.....	91
Table 46 – Read message sequence number management information parameters	92
Table 47 – Read node status service parameters.....	92
Table 48 – Read node status parameters.....	93
Table 49 – Upper layer operating condition matrix	93
Table 50 – Reset node service parameters	94
Table 51 – Set network address service parameters	94
Table 52 – Register service parameters.....	95
Table 53 – Event service parameters	95
Table 54 – Activate/Deactivate measurement service parameters	96
Table 55 – Get log data service parameters.....	97
Table 56 – Send command service parameters.....	100
Table 57 – CT send service parameters.....	104
Table 58 – MT send service parameters	106
Table 59 – CS send service parameters.....	107
Table 60 – Notify state change service parameters.....	108
Table 61 – Control measurement service parameters.....	109
Table 62 – DLSAP assignments.....	110
Table 63 – DLS Primitives and parameters	112
Table 64 – Lower layer T-profile and the required standards.....	113
Table 65 – Summary of FAL ASEs	113

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –****Part 5-26: Application layer service definition –
Type 26 elements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in the IEC 61784-1 series and the IEC 61784-2 series.

IEC 61158-5-26 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This second edition cancels and replaces the first edition published in 2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) expand Common-memory-area as a new Common-memory-area-3 (CM3);
- b) add new services with expansion of Common-memory-area:
 - Extended-cyclic-data transfer service;
 - Extended-participation-request service;
 - Extended-network-parameter-read service;
 - Extended-network-parameter-write service.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65C/1203/FDIS	65C/1244/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC web site under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This document is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC 61158-1.

The application service is provided by the application protocol making use of the services available from the data-link or other immediately lower layer. This document defines the application service characteristics that fieldbus applications and/or system management can exploit.

Throughout the set of fieldbus standards, the term "service" refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the application layer service defined in this document is a conceptual architectural service, independent of administrative and implementation divisions.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN IEC 61158-5-26:2023](https://standards.iteh.ai/catalog/standards/sist/ddd7438a-28b3-4b91-afb3-7930fa4c6697/sist-en-iec-61158-5-26-2023)

<https://standards.iteh.ai/catalog/standards/sist/ddd7438a-28b3-4b91-afb3-7930fa4c6697/sist-en-iec-61158-5-26-2023>

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 5-26: Application layer service definition – Type 26 elements

1 Scope

1.1 General

The fieldbus application layer (FAL) provides user programs with a means to access the Fieldbus communication environment. In this respect, the FAL can be viewed as a "window between corresponding application programs."

This part of IEC 61158 provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 26 fieldbus. The term "time-critical" is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This document defines in an abstract way the externally visible service provided by the Type26 fieldbus application layer in terms of:

- an abstract model for defining application resources (objects) capable of being manipulated by users via the use of the FAL service;
- the primitive actions and events of the service;
- the parameters associated with each primitive action and event, and the form which they take; and
- the interrelationship between these actions and events, and their valid sequences.

The purpose of this document is to define the services provided to:

- the FAL user at the boundary between the user and the Application Layer of the Fieldbus Reference Model, and
- Systems Management at the boundary between the Application Layer and Systems Management of the Fieldbus Reference Model.

This document specifies the structure and services of the Type 26 fieldbus application layer, in conformance with the OSI Basic Reference Model (see ISO/IEC 7498-1) and the OSI Application Layer Structure (see ISO/IEC 9545).

FAL services and protocols are provided by FAL application-entities (AE) contained within the application processes. The FAL AE is composed of a set of object-oriented Application Service Elements (ASEs) and a Layer Management Entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for the management of the instances of FAL classes.