

# SLOVENSKI STANDARD

**DSIST EN 301 006-1:2001**

**01-ji izvod**

---

Ja vgrajeni standard je izstavljen za uporabo v Sloveniji. Vsi pravni in poslovni izmenjavi morajo biti v skladu z njim.

Q3 interface at the Local Exchange (LE) for line and circuit testing of analogue and Integrated Services Digital Network (ISDN) subscriber lines; Part 1: Q3 interface specification

**Ta slovenski standard je istoveten z: EN 301 006-1 V1.2.3:2001**

---

**ICS:**

|        |   |  |
|--------|---|--|
| 33.080 | Digitalno omrežje z integriranimi storitvami (ISDN) | Integrated Services Digital Network (ISDN) |
|--------|---|--|

**DSIST EN 301 006-1:2001**

en



# EN 301 006-1 V1.2.3 (1998-10)

European Standard (Telecommunications series)

## **Q3 interface at the Local Exchange (LE) for line and circuit testing of analogue and Integrated Services Digital network (ISDN) subscriber lines; Part 1: Q3 interface specification**



---

Reference

REN/SPS-03030-1c (9bc90iq0.PDF)

---

KeywordsTMN, information model, Q3 interface, LE, fault,  
testing, management, PSTN, ISDN***ETSI***

---

Postal address

F-06921 Sophia Antipolis Cedex - FRANCE

---

Office address

650 Route des Lucioles - Sophia Antipolis

Valbonne - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C

Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

Internet

secretariat@etsi.fr

<http://www.etsi.org>

---

***Copyright Notification***

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998.  
All rights reserved.

---

## Contents

|   |    |
|---|----|
| Intellectual Property Rights.....                                       | 7  |
| Foreword .....  | 7  |
| Introduction .....  | 7  |
| 1 Scope .....   | 9  |
| 2 References .....  | 9  |
| 3 Definitions and abbreviations .....                                   | 10 |
| 3.1 Definitions .....   | 10 |
| 3.2 Abbreviations.....  | 11 |
| 4 Information model diagrams .....                                      | 12 |
| 4.1 Entity relationship diagram.....                                    | 12 |
| 4.1.1 Line testing and line circuit testing.....                        | 13 |
| 4.1.2 The testResultNotifications of the tests .....                    | 13 |
| 4.2 Inheritance hierarchy .....   | 14 |
| 4.3 Naming hierarchy.....   | 14 |
| 5 Information model description.....                                    | 15 |
| 5.1 Description of object classes.....                                  | 15 |
| 5.1.1 Access port fragment.....   | 15 |
| 5.1.2 Support fragment.....   | 15 |
| 5.1.2.1 Event report management .....                                   | 15 |
| 5.1.2.2 Log control function .....                                      | 15 |
| 5.1.3 Test fragment .....   | 16 |
| 5.1.3.1 Access test (accessTest).....                                   | 16 |
| 5.1.3.2 Dialled digit test (dialledDigitTest) .....                     | 16 |
| 5.1.3.3 Dial tone test (dialToneTest) .....                             | 16 |
| 5.1.3.4 Electrical measurement test (electricalMeasurementTest).....    | 17 |
| 5.1.3.5 Subscriber Private Meter (SPM) pulses (spmPulses) .....         | 17 |
| 5.1.3.6 Cable pair identification tone (cablePairIdTone).....           | 17 |
| 5.1.3.7 Ringing (ringing) .....   | 17 |
| 5.1.3.8 Test to line circuit (testToLineCircuit) .....                  | 17 |
| 5.1.3.9 Dry Loop (dryLoop) .....  | 17 |
| 5.1.3.10 Loop test (loopTest) .....                                     | 18 |
| 5.1.3.11 Pattern test (patternTest).....                                | 18 |
| 5.1.3.12 Voice access test (voiceAccessTest).....                       | 18 |
| 5.1.3.13 Metallic test access (metallicTestAccess).....                 | 19 |
| 5.1.3.14 Test threshold class administration (testThresholdClass) ..... | 19 |
| 5.1.3.15 ISDN quick test (isdnQuickTest).....                           | 20 |
| 5.2 Definition of attributes.....                                       | 20 |
| 5.2.1 Relative distinguished name .....                                 | 20 |
| 5.2.2 State attributes.....   | 20 |
| 5.2.2.1 Operational state (operationalState) .....                      | 20 |
| 5.2.2.2 Administrative state (administrativeState).....                 | 21 |
| 5.2.2.3 Availability status (availabilityStatus) .....                  | 21 |
| 5.2.3 Relationship attributes.....                                      | 21 |
| 5.3 Actions description .....   | 21 |
| 5.4 Notifications description.....                                      | 21 |
| 6 Formal object class definitions .....                                 | 22 |
| 6.1 Definitions of object classes .....                                 | 22 |
| 6.1.1 Access port fragment.....   | 22 |
| 6.1.2 Support fragment.....   | 22 |
| 6.1.3 Test fragment .....   | 22 |
| 6.1.3.1 ISDN quick test .....   | 23 |
| 6.1.3.2 Metallic test access .....                                      | 23 |

|         |  |    |
|---------|--|----|
| 6.1.3.3 | Test threshold class.....                | 24 |
| 6.2     | Name bindings .....                      | 24 |
| 6.2.1   | Test fragment .....                      | 24 |
| 6.2.1.1 | ISDN quick test .....                    | 24 |
| 6.2.1.2 | Metallic test access .....               | 24 |
| 6.2.1.3 | Test threshold class.....                | 24 |
| 6.3     | Definition of packages .....             | 25 |
| 6.3.1   | Metallic test access line package.....   | 25 |
| 6.4     | Definition of attributes.....            | 25 |
| 6.4.1   | AC voltage threshold.....                | 25 |
| 6.4.2   | Capacitance threshold .....              | 25 |
| 6.4.3   | DC voltage threshold.....                | 25 |
| 6.4.4   | Dial speed threshold.....                | 25 |
| 6.4.5   | ISDN quick test.....                     | 26 |
| 6.4.6   | Metallic test access message .....       | 26 |
| 6.4.7   | Metallic test access timeout period..... | 26 |
| 6.4.8   | Proposed metallic test access .....      | 27 |
| 6.4.9   | Pulse no pulse ratio .....               | 27 |
| 6.4.10  | Resistance threshold.....                | 27 |
| 6.4.11  | Test threshold class ID .....            | 27 |
| 6.4.12  | Type of line .....                       | 27 |
| 6.5     | Definition of actions .....              | 27 |
| 6.6     | Definition of notifications.....         | 27 |
| 6.7     | Definition of parameters .....           | 27 |
| 6.8     | ASN.1 defined types module .....         | 29 |
| 7       | Protocol requirements .....              | 31 |

**Annex A (normative): Requirements and specification of parameters for access port tests.....32**

|             |   |    |
|-------------|---|----|
| A.1         | General test requirements .....             | 32 |
| A.1.1       | Scheduled testing .....                     | 32 |
| A.1.2       | Test capability.....                        | 32 |
| A.2         | Access port test requirements .....         | 32 |
| A.2.1       | Access port test management functions ..... | 32 |
| A.2.2       | Test scheduling .....                       | 33 |
| A.2.3       | Test result management .....                | 33 |
| A.2.4       | Test threshold management.....              | 34 |
| A.2.5       | Test requirements description .....         | 34 |
| A.2.5.1     | PSTN line testing .....                     | 34 |
| A.2.5.1.1   | Foreign voltage or current .....            | 34 |
| A.2.5.1.2   | Capacitance measurement.....                | 34 |
| A.2.5.1.3   | Insulation resistance measurement.....      | 34 |
| A.2.5.1.4   | Loop resistance measurement.....            | 35 |
| A.2.5.1.5   | Dial pulse test .....                       | 35 |
| A.2.5.1.6   | DTMF dialling test .....                    | 35 |
| A.2.5.1.7   | Subscriber private meter testing .....      | 35 |
| A.2.5.1.8   | Ring subscriber.....                        | 35 |
| A.2.5.1.9   | Monitoring of the line.....                 | 35 |
| A.2.5.1.10  | Cable pair identification tone..            | 35 |
| A.2.5.1.11  | Dry loop.....                               | 35 |
| A.2.5.1.12  | Register recall button test .....           | 36 |
| A.2.5.1.13  | Ring back procedure.....                    | 36 |
| A.2.5.2     | PSTN inward tests.....                      | 36 |
| A.2.5.2.1   | Line circuit testing .....                  | 36 |
| A.2.5.2.1.1 | Feeding voltage .....                       | 36 |
| A.2.5.2.1.2 | Feeding current .....                       | 36 |
| A.2.5.2.1.3 | Loop and ring trip detection.....           | 36 |
| A.2.5.2.1.4 | Ringing current sending .....               | 36 |
| A.2.5.2.1.5 | Private meter pulses .....                  | 36 |
| A.2.5.2.1.6 | Codec testing.....                          | 37 |

|                               |   |           |
|-------------------------------|---|-----------|
| A.2.5.2.1.7                   | Digit reception .....   | 37        |
| A.2.5.2.2                     | Other inward tests .....  | 37        |
| A.2.5.2.2.1                   | Dial tone test .....  | 37        |
| A.2.5.3                       | ISDN BA testing .....   | 37        |
| A.2.5.3.1                     | ISDN BA line testing.....   | 37        |
| A.2.5.3.2                     | ISDN BA line termination testing.....                             | 37        |
| A.2.5.3.2.1                   | Loopbacks .....   | 37        |
| A.2.5.3.2.2                   | Activation and deactivation of lines.....                         | 38        |
| A.2.5.3.3                     | ISDN BA line circuit testing.....                                 | 38        |
| A.2.5.3.3.1                   | Power feed .....  | 38        |
| A.2.5.4                       | ISDN PRA testing .....  | 38        |
| A.2.5.4.1                     | ISDN PRA line testing.....  | 38        |
| A.2.5.4.2                     | ISDN PRA line termination testing .....                           | 38        |
| A.2.5.5                       | ISDN BA and PRA quick tests.....                                  | 38        |
| A.2.5.6                       | Connection of external test systems .....                         | 38        |
| <b>Annex B (normative):</b>   | <b>Test categories.....</b>                                       | <b>39</b> |
| B.1                           | Electrical measurement tests.....                                 | 39        |
| B.2                           | Dialled digit test.....   | 40        |
| B.3                           | Dial tone test .....  | 41        |
| B.4                           | Subscriber private meter pulses test.....                         | 42        |
| B.5                           | Ringing test .....  | 42        |
| B.6                           | Test to line circuit .....  | 43        |
| B.7                           | ISDN loopback test .....  | 44        |
| B.8                           | ISDN quick test.....  | 45        |
| <b>Annex C (normative):</b>   | <b>Test termination.....</b>                                      | <b>47</b> |
| C.1                           | Termination of uncontrolled tests .....                           | 47        |
| C.2                           | Termination of controlled tests .....                             | 47        |
| <b>Annex D (normative):</b>   | <b>Test result notification .....</b>                             | <b>49</b> |
| <b>Annex E (normative):</b>   | <b>Additional requirements on the test action performer .....</b> | <b>50</b> |
| E.1                           | Indication of supported tests .....                               | 50        |
| E.2                           | Indication of unsuccessful test requests .....                    | 50        |
| <b>Annex F (informative):</b> | <b>Task Information Base (TIB) .....</b>                          | <b>51</b> |
| F.1                           | Description of the service .....                                  | 51        |
| F.2                           | Components of service (TIB A).....                                | 51        |
| F.3                           | Management function list (TIB B).....                             | 52        |
| <b>Annex G (informative):</b> | <b>Description of management functions .....</b>                  | <b>53</b> |
| G.1                           | Model for the test function.....                                  | 53        |
| G.1.1                         | Environment.....  | 53        |
| G.1.2                         | Uncontrolled tests .....  | 53        |
| G.1.3                         | Controlled tests .....  | 54        |
| G.2                           | Functional model.....   | 55        |
| G.2.1                         | Test initiation .....   | 55        |
| G.2.2                         | Test scheduling .....   | 55        |
| G.2.3                         | Reporting of test results .....                                   | 56        |
| G.2.4                         | Test suspension and resumption.....                               | 57        |

|                               |                           |           |
|-------------------------------|---------------------------|-----------|
| G.2.5                         | Test termination .....    | 57        |
| <b>Annex H (informative):</b> | <b>Message flows.....</b> | <b>58</b> |
| <b>Annex J (informative):</b> | <b>Bibliography.....</b>  | <b>61</b> |
| History .....                 | 62                        |           |