



**SLOVENSKI STANDARD**  
**SIST EN 300 402-4 V1.2.3:2005**  
**01-april-2005**

---

**Digitalno omrežje z integriranimi storitvami (ISDN) - Protokol digitalne naročniške signalizacije št. 1 (DSS1) - Podatkovna povezovalna plast - 4. del: Izjava o skladnosti izvedbe protokola (PICS) - Proforma specifikacija za splošni protokol**

Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Data link layer; Part 4: Protocol Implementation Conformance Statement (PICS) proforma specification for the general protocol

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 402-4 V1.2.3:2005](https://standards.iteh.ai/catalog/standards/sist/06c0bd3f-0c1a-461b-bc7e-30a981f91e6d/sist-en-300-402-4-v1-2-3-2005)  
<https://standards.iteh.ai/catalog/standards/sist/06c0bd3f-0c1a-461b-bc7e-30a981f91e6d/sist-en-300-402-4-v1-2-3-2005>

**Ta slovenski standard je istoveten z: EN 300 402-4 Version 1.2.3**

---

**ICS:**

|           |   |  |
|-----------|---|--|
| 33.080    | Digitalno omrežje z integriranimi storitvami (ISDN) | Integrated Services Digital Network (ISDN) |
| 35.100.20 | Podatkovni povezovalni sloj                         | Data link layer                            |

**SIST EN 300 402-4 V1.2.3:2005**      **en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 300 402-4 V1.2.3:2005

<https://standards.iteh.ai/catalog/standards/sist/06c0bd3f-0c1a-461b-bc7e-30a981f91e6d/sist-en-300-402-4-v1-2-3-2005>

# ETSI EN 300 402-4 V1.2.3 (1999-11)

---

*European Standard (Telecommunications series)*

**Integrated Services Digital Network (ISDN);  
Digital Subscriber Signalling System No. one (DSS1) protocol;  
Data link layer;  
Part 4: Protocol Implementation Conformance  
Statement (PICS) proforma specification  
for the general protocol**

---

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

[SIST EN 300 402-4 V1.2.3:2005](https://standards.iteh.ai/catalog/standards/sist/06c0bd3f-0c1a-461b-bc7e-30a981f91e6d/sist-en-300-402-4-v1-2-3-2005)

<https://standards.iteh.ai/catalog/standards/sist/06c0bd3f-0c1a-461b-bc7e-30a981f91e6d/sist-en-300-402-4-v1-2-3-2005>



---

**Reference**

REN/SPS-05198-4 (3q100iq0.PDF)

---

**Keywords**

ISDN, DSS1, layer 2, D-channel, LAPD, PICS,  
QSIG, SSIG

**ETSI**

---

**Postal address**

F-06921 Sophia Antipolis Cedex - FRANCE

---

**Office address**

650 Route des Lucioles - Sophia Antipolis  
Valbonne - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C

Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

<https://standards.etsi.org/standards-search/300-402-4-v1-2-3-2005>

---

**Internet**

secretariat@etsi.fr

Individual copies of this ETSI deliverable  
can be downloaded from

<http://www.etsi.org>

If you find errors in the present document, send your  
comment to: editor@etsi.fr

---

**Important notice**

This ETSI deliverable may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference should be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1999.  
All rights reserved.

# Contents

|  |          |
|--|----------|
| Intellectual Property Rights .....   | 5        |
| Foreword .....   | 5        |
| Introduction .....   | 5        |
| 1 Scope .....  | 6        |
| 2 References .....   | 6        |
| 3 Definitions and abbreviations .....  | 6        |
| 3.1 Definitions .....  | 6        |
| 3.2 Abbreviations .....  | 7        |
| 4 Conformance .....  | 7        |
| <b>Annex A (normative): PICS proforma for ETS 300 402-2.....</b>             | <b>8</b> |
| A.1 Guidance for completing the PICS proforma.....                           | 8        |
| A.1.1 Purpose and structure .....  | 8        |
| A.1.2 Symbols, abbreviations and conventions .....                           | 8        |
| A.1.3 Instructions for completing the PICS proforma.....                     | 9        |
| A.2 Identification of the implementation .....                               | 10       |
| A.2.1 Date of the statement .....  | 10       |
| A.2.2 Implementation Under Test (IUT) identification .....                   | 10       |
| A.2.3 System Under Test (SUT) identification .....                           | 10       |
| A.2.4 Product supplier.....  | 11       |
| A.2.5 Client .....   | 11       |
| A.2.6 PICS contact person .....  | 12       |
| A.3 Identification of the protocol to which this PICS proforma applies ..... | 12       |
| A.4 The PICS proforma tables .....   | 13       |
| A.4.1 Correspondence to a physical interface .....                           | 13       |
| A.4.2 Structure of the tables.....   | 13       |
| A.5 Global statement of conformance .....                                    | 13       |
| A.6 Roles.....   | 14       |
| A.7 User .....   | 14       |
| A.7.1 Major capabilities .....   | 14       |
| A.7.2 Subsidiary capabilities .....  | 16       |
| A.7.3 Protocol data units .....  | 16       |
| A.7.3.1 Frames received by the user .....                                    | 16       |
| A.7.3.2 Frames transmitted by the user .....                                 | 17       |
| A.7.4 PDU parameters .....   | 18       |
| A.7.4.1 Service data units .....   | 18       |
| A.7.4.1.1 Service data units received by the user.....                       | 18       |
| A.7.4.1.2 Service data units transmitted by the user .....                   | 19       |
| A.7.4.2 Address field variables.....   | 19       |
| A.7.5 Timers .....   | 20       |
| A.7.6 System parameters .....  | 21       |
| A.8 Network.....   | 21       |
| A.8.1 Major capabilities .....   | 21       |
| A.8.2 Subsidiary capabilities .....  | 22       |
| A.8.3 Protocol data units .....  | 23       |
| A.8.3.1 Frames received by the network .....                                 | 23       |
| A.8.3.2 Frames transmitted by the network .....                              | 24       |
| A.8.4 PDU parameters .....   | 24       |

|   |  |           |
|---|--|-----------|
| A.8.4.1   | Service data units .....   | 24        |
| A.8.4.1.1   | Service data units received by the network .....                         | 24        |
| A.8.4.1.2   | Service data units transmitted by the network .....                      | 25        |
| A.8.4.2   | Address field variables.....   | 25        |
| A.8.5   | Timers .....   | 26        |
| A.8.6   | System parameters .....  | 27        |
| <b>Annex B (normative): PICS proforma for annex ZA of ETS 300 402-2.....</b>                              |  | <b>28</b> |
| B.1   | Guidance for completing the PICS proforma.....                           | 28        |
| B.1.1   | Purpose and structure .....  | 28        |
| B.1.2   | Symbols, abbreviations and conventions .....                             | 28        |
| B.1.3   | Instructions for completing the PICS proforma.....                       | 29        |
| B.2   | Identification of the implementation.....                                | 29        |
| B.2.1   | Date of the statement .....  | 30        |
| B.2.2   | Implementation Under Test (IUT) identification.....                      | 30        |
| B.2.3   | System Under Test (SUT) identification .....                             | 30        |
| B.2.4   | Product supplier.....  | 30        |
| B.2.5   | Client .....   | 31        |
| B.2.6   | PICS contact person .....  | 31        |
| B.3   | Identification of the protocol to which this PICS proforma applies ..... | 32        |
| B.4   | The PICS proforma tables .....   | 32        |
| B.4.1   | Correspondence to a physical interface .....                             | 32        |
| B.4.2   | Structure of the tables.....   | 32        |
| B.5   | Global statement of conformance.....                                     | 32        |
| B.6   | Roles.....   | 33        |
| B.7   | PICS questions .....   | 33        |
| B.7.1   | Major capabilities.....  | 33        |
| B.7.2   | Subsidiary capabilities.....   | 34        |
| B.7.3   | Protocol data units.....   | 34        |
| B.7.3.1   | Frames received .....  | 34        |
| B.7.3.2   | Frames transmitted.....  | 35        |
| B.7.4   | PDU parameters .....   | 36        |
| B.7.5   | Timers .....   | 37        |
| B.7.6   | System parameters.....   | 37        |
| <b>Annex C (informative): Changes to the present document compared with ETS 300 402-4 edition 1 .....</b> |  | <b>38</b> |
| History .....   |  | 39        |

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Services and Protocols for Advanced Networks (SPAN).

The present document is part 4 of a multi-part standard covering the Integrated Services Digital Network (ISDN) Digital Subscriber Signalling System No. one (DSS1) data link layer specification as described below:

- Part 1: "General aspects [ITU-T Recommendation Q.920 (1993), modified]";
- Part 2: "General protocol specification [ITU-T Recommendation Q.921 (1993), modified]";
- Part 3: "Frame relay protocol specification";
- Part 4: "Protocol Implementation Conformance Statement (PICS) proforma specification for the general protocol";**
- Part 5: "Protocol Implementation Conformance Statement (PICS) proforma specification for the frame relay protocol"; <https://standards.iteh.ai/catalog/standards/sist/06c0bd3f-0c1a-461b-bc7e-30a98191e6d/sist-en-300-402-4-v1-2-3-2005>
- Part 6: "Test Suite Structure and Test Purposes (TSS&TP) specification for the general protocol";
- Part 7: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the general protocol".

### National transposition dates

|  |                  |
|--|------------------|
| Date of adoption of this EN:   | 12 November 1999 |
| Date of latest announcement of this EN (doa):  | 29 February 2000 |
| Date of latest publication of new National Standard or endorsement of this EN (dop/e): | 31 August 2000   |
| Date of withdrawal of any conflicting National Standard (dow):                         | 31 August 2000   |

## Introduction

To evaluate conformance of a particular implementation, it is necessary to have a statement of which capabilities and options have been implemented for a given Open Systems Interconnection (OSI) protocol. Such a statement is called an Implementation Conformance Statement (ICS). An ICS stating what capabilities and options have been implemented for a particular protocol is called a protocol ICS. This is commonly abbreviated to "PICS".

---

# 1 Scope

The present document provides the Protocol Implementation Conformance Statement (PICS) proforma for the Integrated Services Digital Network (ISDN) Digital Subscriber Signalling System No. one (DSS1) protocol data link layer general protocol as specified in ETS 300 402-2 [1] in compliance with the relevant requirements and in accordance with the relevant guidance given in ISO/IEC 9646-7 [3].

The supplier of an implementation that is claimed to conform to ETS 300 402-2 [1] is required to complete a copy of the PICS proforma provided in annex A of the present document.

The supplier of an implementation that is claimed to conform to annex ZA of ETS 300 402-2 [1] is required to complete a copy of the PICS proforma provided in annex B of the present document.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- iTech STANDARD PREVIEW  
(standards.iteh.ai)
- [1] ETS 300 402-2 (1995): "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Data link layer; Part 2: General protocol specification [ITU-T Recommendation Q.921 (1993), modified]" <https://standards.iteh.ai/document/61111/30a981f91e6d/sist-en-300-402-4-v1-2-3-2005>
- [2] ISO/IEC 9646-1: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts".
- [3] ISO/IEC 9646-7: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".

---

# 3 Definitions and abbreviations

## 3.1 Definitions

For the purposes of the present document, the following terms and definitions apply, in addition to those in ETS 300 402-2 [1], ISO/IEC 9646-1 [2] and ISO/IEC 9646-7 [3]:

**Implementation Conformance Statement (ICS):** statement made by the supplier of an implementation or system claimed to conform to a given specification, stating which capabilities have been implemented. The ICS can take several forms: protocol ICS, profile ICS, profile specific ICS, and information object ICS (see ISO/IEC 9646-1 [2])

**network:** DSS1 protocol entity at the network side of the user-network interface

**Protocol Implementation Conformance Statement (PICS):** ICS for an implementation or system claimed to conform to a given specification (see ISO/IEC 9646-1 [2])

**PICS proforma:** document, in the form of a questionnaire, which when completed for an implementation or system becomes a PICS (see ISO/IEC 9646-1 [2])

**user:** DSS1 protocol entity at the user side of the user-network interface



## 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

|      |  |
|------|--|
| AND  | Boolean "and"  |
| DL   | Data Link  |
| DSS1 | Digital Subscriber Signalling System No. one   |
| FR   | Frames Received  |
| FT   | Frames Transmitted   |
| ICS  | Implementation Conformance Statement   |
| ISDN | Integrated Services Digital Network  |
| IUT  | Implementation Under Test  |
| M    | Mandatory requirement (to be observed in all cases)  |
| MC   | Major Capabilities   |
| N/A  | Not applicable, not supported or the conditions for status are not met   |
| No   | not supported  |
| NOT  | Boolean "not"  |
| O    | Option (may be selected to suit the implementation, provided that any requirements applicable to the option are observed)        |
| O.n  | Options, but support required for either at least one or only one of the options in the group labelled with the same numeral "n" |
| OR   | Boolean "or"   |
| OSI  | Open Systems Interconnection   |
| PDU  | Protocol Data Unit   |
| PICS | Protocol Implementation Conformance Statement  |
| PR   | Parameter Received   |
| PT   | Parameter Transmitted  |
| R    | Role   |
| SAP  | Service Access Point   |
| SAPI | Service Access Point Identifier  |
| SC   | Subsidiary Capabilities  |
| SDU  | Service Data Unit  |
| SP   | System Parameter   |
| SUT  | System Under Test  |
| TEI  | Terminal Endpoint Identifier   |
| TM   | Timer  |
| Yes  | supported  |

STANDARD PREVIEW  
(standards.iteh.ai)

SIST EN 300 402-4 V1.2.3:2005  
<https://standards.iteh.ai/catalog/standards/sist/06c0bd3f-0c1a-461b-bc7e-10a981f91e6d/sist-en-300-402-4-v1-2-3-2005>

---

## 4 Conformance

A PICS proforma that conforms to this PICS proforma specification shall be technically equivalent to either annex A or annex B, and shall preserve the numbering and ordering of the items in annex A or annex B, respectively.

A PICS that conforms to this PICS proforma specification shall:

- describe an implementation which conforms to the main text or to annex ZA of ETS 300 402-2 [1];
- be a conforming PICS proforma, which has been completed in accordance with the instructions for completion given in clauses A.1 or B.1, respectively; and
- include the information necessary to uniquely identify both the supplier and the implementation.

## Annex A (normative): PICS proforma for ETS 300 402-2

Notwithstanding the provisions of the copyright clause related to the text of the present document, ETSI grants that users of the present document may freely reproduce the PICS proforma in this annex so that it can be used for its intended purposes and may further publish the completed PICS.

### A.1 Guidance for completing the PICS proforma

#### A.1.1 Purpose and structure

The purpose of this PICS proforma is to provide a mechanism whereby a supplier of an implementation of the requirements defined in ETS 300 402-2 may provide information in a standardized manner.

The PICS proforma is subdivided into clauses as follows:

- A.1: instructions for completing the various parts of the PICS proforma;
- A.2: identification of the implementation;
- A.3: identification of the protocol to which this PICS proforma applies;
- A.4: explanation of the PICS proforma tables;
- A.5: global statement of conformance;
- A.6: questions to determine roles;
- A.7: questions for the user role; and
- A.8: questions for the network role.

#### A.1.2 Symbols, abbreviations and conventions

The PICS proforma contained in this annex is comprised of information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7.

Item column:

The item column contains a unique reference (a mnemonic plus a number) for each item within the PICS proforma.

An additional lower case letter has been added to differentiate PICS items related to the user role (e.g. MCu) and PICS items related to the network role (e.g. MCn). In earlier PICS proformas both these cases were identified by the same mnemonic (e.g. MC).

Item description column:

The item description contains a brief summary of the static requirement for which a support answer is required.

Conditions for status column:

The conditions for status column contains a specification, if appropriate, of the predicate upon which a conditional status is based.

Status column:

The following notations, defined in ISO/IEC 9646-7, are used for the status column:

|     |   |
|-----|---|
| M   | Mandatory - the capability is required to be supported.   |
| O   | Optional - the capability may be supported or not.  |
| N/A | Not Applicable - in the given context, it is impossible to use the capability.  |
| O.i | qualified optional - for mutually exclusive or selectable options from a set. "i" is an integer that identifies a unique group of related optional items and the logic of their selection, defined below the table. |
| X   | eXcluded or prohibited - there is a requirement not to use this capability in a given context.  |

NOTE 1: To support a capability means that the capability is implemented in conformance to ETS 300 402-2.

Reference column:

Except where explicitly stated, the reference column refers to the appropriate parts of ETS 300 402-2 describing the particular item.

NOTE 2: A reference indicates only the location of the most essential information about an item. All additional requirements contained in ETS 300 402-2 have also to be taken into account when making a statement about the conformance of that particular item.

Support column:

The following notation, defined in ISO/IEC 9646-7, is used for the support column:

Yes  No    Tick "Yes" if item is supported, tick "No" if item is not supported.

N/A    Tick "N/A" if the item is "not applicable".  
<https://standards.iteh.ai/catalog/standards/sist/06c0bd3f-0c1a-461b-bc7e-30a981f91e6d/sist-en-300-402-4-v1-2-3-2005>

Prerequisite line:

A prerequisite line takes the form: Prerequisite: <predicate>.

A prerequisite line after a subclause heading or table title indicates that the whole subclause or the whole table is not required to be completed if the predicate is FALSE.

### A.1.3 Instructions for completing the PICS proforma

The supplier of the implementation shall complete the PICS proforma. For each row in each PICS proforma table the supplier shall enter an explicit answer (i.e. by ticking the appropriate "Yes", "No", or "N/A" in each of the support column boxes provided. Where a support column box is left blank, or where it is marked "N/A" without any tick box, no answer is required. If necessary, the supplier may enter additional comments at the end of each table, or separately.

More detailed instructions may be found at the beginning of each subclause of the proforma.

## A.2 Identification of the implementation

Identification of the Implementation Under Test (IUT) and the system in which it resides (the System Under Test (SUT)) should be filled in to provide as much detail as possible regarding version numbers and configuration options.

The product supplier and client information should both be filled in if they are different.

A person who can answer queries regarding information supplied in the PICS should be named as the contact person.

### A.2.1 Date of the statement

.....

### A.2.2 Implementation Under Test (IUT) identification

IUT name:

.....  
.....

IUT version:

.....

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

### A.2.3 System Under Test (SUT) identification

SUT name:

.....  
.....  
[SIST EN 300 402-4 V1.2.3:2005  
https://standards.iteh.ai/catalog/standards/sist/06c0bd3f-0c1a-461b-bc7e-30a981f91e6d/sist-en-300-402-4-v1-2-3-2005](https://standards.iteh.ai/catalog/standards/sist/06c0bd3f-0c1a-461b-bc7e-30a981f91e6d/sist-en-300-402-4-v1-2-3-2005)

Hardware configuration:

.....  
.....  
.....

Operating system:

.....  
.....

### A.2.4 Product supplier

Name:

.....

E-mail address:

.....

Address:

.....

.....

Telephone number:

.....

Facsimile number:

.....

Additional information:

.....

.....

.....

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 402-4 V1.2.3:2005](https://standards.iteh.ai/catalog/standards/sist/06c0bd3f-0c1a-461b-bc7e-30a981f91e6d/sist-en-300-402-4-v1-2-3-2005)

### A.2.5 Client

<https://standards.iteh.ai/catalog/standards/sist/06c0bd3f-0c1a-461b-bc7e-30a981f91e6d/sist-en-300-402-4-v1-2-3-2005>

Name:

.....

E-mail address:

.....

Address:

.....

.....

Telephone number:

.....

Facsimile number:

.....