

---

---

**Information technology —  
Programming languages — Fortran —  
Part 1:  
Base language**

*Technologies de l'information — Langages de programmation —  
Fortran —  
Partie 1: Langage de base*

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

[ISO/IEC 1539-1:2018](https://standards.iteh.ai/catalog/standards/sist/5c376c5-5a69-4be4-a143-84361b77d375/iso-iec-1539-1-2018)

<https://standards.iteh.ai/catalog/standards/sist/5c376c5-5a69-4be4-a143-84361b77d375/iso-iec-1539-1-2018>



**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO/IEC 1539-1:2018](https://standards.iteh.ai/catalog/standards/sist/5c376c5-5a69-4be4-a143-84361b77d375/iso-iec-1539-1-2018)

<https://standards.iteh.ai/catalog/standards/sist/5c376c5-5a69-4be4-a143-84361b77d375/iso-iec-1539-1-2018>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Foreword . . . . .	xii
Introduction . . . . .	xiii
1 Scope . . . . .	1
2 Normative references . . . . .	2
3 Terms and definitions . . . . .	3
4 Notation, conformance, and compatibility . . . . .	24
4.1 Notation, symbols and abbreviated terms . . . . .	24
4.1.1 Syntax rules . . . . .	24
4.1.2 Constraints . . . . .	25
4.1.3 Assumed syntax rules . . . . .	25
4.1.4 Syntax conventions and characteristics . . . . .	25
4.1.5 Text conventions . . . . .	26
4.2 Conformance . . . . .	26
4.3 Compatibility . . . . .	27
4.3.1 Previous Fortran standards . . . . .	27
4.3.2 New intrinsic procedures . . . . .	27
4.3.3 Fortran 2008 compatibility . . . . .	27
4.3.4 Fortran 2003 compatibility . . . . .	28
4.3.5 Fortran 95 compatibility . . . . .	29
4.3.6 Fortran 90 compatibility . . . . .	29
4.3.7 FORTRAN 77 compatibility . . . . .	29
4.4 Deleted and obsolescent features . . . . .	30
4.4.1 General . . . . .	30
4.4.2 Nature of deleted features . . . . .	30
4.4.3 Nature of obsolescent features . . . . .	30
5 Fortran concepts . . . . .	31
5.1 High level syntax . . . . .	31
5.2 Program unit concepts . . . . .	34
5.2.1 Program units and scoping units . . . . .	34
5.2.2 Program . . . . .	34
5.2.3 Procedure . . . . .	34
5.2.4 Module . . . . .	35
5.2.5 Submodule . . . . .	35
5.3 Execution concepts . . . . .	35
5.3.1 Statement classification . . . . .	35
5.3.2 Statement order . . . . .	35
5.3.3 The END statement . . . . .	36
5.3.4 Program execution . . . . .	36
5.3.5 Execution sequence . . . . .	37
5.3.6 Image execution states . . . . .	37

5.3.7	Termination of execution . . . . .	38
5.4	Data concepts . . . . .	38
5.4.1	Type . . . . .	38
5.4.2	Data value . . . . .	39
5.4.3	Data entity . . . . .	39
5.4.4	Definition of objects and pointers . . . . .	40
5.4.5	Reference . . . . .	41
5.4.6	Array . . . . .	41
5.4.7	Coarray . . . . .	41
5.4.8	Established coarrays . . . . .	42
5.4.9	Pointer . . . . .	42
5.4.10	Allocatable variables . . . . .	42
5.4.11	Storage . . . . .	42
5.5	Fundamental concepts . . . . .	43
5.5.1	Names and designators . . . . .	43
5.5.2	Statement keyword . . . . .	43
5.5.3	Other keywords . . . . .	43
5.5.4	Association . . . . .	43
5.5.5	Intrinsic . . . . .	43
5.5.6	Operator . . . . .	43
5.5.7	Companion processors . . . . .	44
6	Lexical tokens and source form . . . . .	45
6.1	Processor character set . . . . .	45
6.1.1	Characters . . . . .	45
6.1.2	Letters . . . . .	45
6.1.3	Digits . . . . .	45
6.1.4	Underscore . . . . .	45
6.1.5	Special characters . . . . .	45
6.1.6	Other characters . . . . .	46
6.2	Low-level syntax . . . . .	46
6.2.1	Tokens . . . . .	46
6.2.2	Names . . . . .	46
6.2.3	Constants . . . . .	47
6.2.4	Operators . . . . .	47
6.2.5	Statement labels . . . . .	48
6.2.6	Delimiters . . . . .	48
6.3	Source form . . . . .	49
6.3.1	Program units, statements, and lines . . . . .	49
6.3.2	Free source form . . . . .	49
6.3.3	Fixed source form . . . . .	50
6.4	Including source text . . . . .	51
7	Types . . . . .	53
7.1	Characteristics of types . . . . .	53
7.1.1	The concept of type . . . . .	53
7.1.2	Type classification . . . . .	53
7.1.3	Set of values . . . . .	53
7.1.4	Constants . . . . .	53
7.1.5	Operations . . . . .	53
7.2	Type parameters . . . . .	54
7.3	Types, type specifiers, and values . . . . .	54
7.3.1	Relationship of types and values to objects . . . . .	54
7.3.2	Type specifiers and type compatibility . . . . .	55
7.4	Intrinsic types . . . . .	57
7.4.1	Classification and specification . . . . .	57

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

ISO/IEC 1539-1:2018  
<https://standards.iteh.ai/catalog/standards/sist/5c376c5-5a69-4be4-a143-84361b77d375/iso-iec-1539-1-2018>

7.4.2	Intrinsic operations on intrinsic types . . . . .	57
7.4.3	Numeric intrinsic types . . . . .	57
7.4.4	Character type . . . . .	61
7.4.5	Logical type . . . . .	64
7.5	Derived types . . . . .	64
7.5.1	Derived type concepts . . . . .	64
7.5.2	Derived-type definition . . . . .	65
7.5.3	Derived-type parameters . . . . .	69
7.5.4	Components . . . . .	70
7.5.5	Type-bound procedures . . . . .	77
7.5.6	Final subroutines . . . . .	79
7.5.7	Type extension . . . . .	81
7.5.8	Derived-type values . . . . .	83
7.5.9	Derived-type specifier . . . . .	83
7.5.10	Construction of derived-type values . . . . .	84
7.5.11	Derived-type operations and assignment . . . . .	86
7.6	Enumerations and enumerators . . . . .	86
7.7	Binary, octal, and hexadecimal literal constants . . . . .	87
7.8	Construction of array values . . . . .	88
8	Attribute declarations and specifications . . . . .	91
8.1	Attributes of procedures and data objects . . . . .	91
8.2	Type declaration statement . . . . .	91
8.3	Automatic data objects . . . . .	93
8.4	Initialization . . . . .	93
8.5	Attributes . . . . .	93
8.5.1	Attribute specification . . . . .	93
8.5.2	Accessibility attribute . . . . .	94
8.5.3	ALLOCATABLE attribute . . . . .	94
8.5.4	ASYNCHRONOUS attribute . . . . .	94
8.5.5	BIND attribute for data entities . . . . .	95
8.5.6	CODIMENSION attribute . . . . .	95
8.5.7	CONTIGUOUS attribute . . . . .	97
8.5.8	DIMENSION attribute . . . . .	98
8.5.9	EXTERNAL attribute . . . . .	101
8.5.10	INTENT attribute . . . . .	101
8.5.11	INTRINSIC attribute . . . . .	103
8.5.12	OPTIONAL attribute . . . . .	104
8.5.13	PARAMETER attribute . . . . .	104
8.5.14	POINTER attribute . . . . .	104
8.5.15	PROTECTED attribute . . . . .	105
8.5.16	SAVE attribute . . . . .	105
8.5.17	TARGET attribute . . . . .	106
8.5.18	VALUE attribute . . . . .	106
8.5.19	VOLATILE attribute . . . . .	106
8.6	Attribute specification statements . . . . .	107
8.6.1	Accessibility statement . . . . .	107
8.6.2	ALLOCATABLE statement . . . . .	108
8.6.3	ASYNCHRONOUS statement . . . . .	108
8.6.4	BIND statement . . . . .	108
8.6.5	CODIMENSION statement . . . . .	108
8.6.6	CONTIGUOUS statement . . . . .	109
8.6.7	DATA statement . . . . .	109
8.6.8	DIMENSION statement . . . . .	111
8.6.9	INTENT statement . . . . .	111
8.6.10	OPTIONAL statement . . . . .	112

8.6.11	PARAMETER statement . . . . .	112
8.6.12	POINTER statement . . . . .	112
8.6.13	PROTECTED statement . . . . .	113
8.6.14	SAVE statement . . . . .	113
8.6.15	TARGET statement . . . . .	113
8.6.16	VALUE statement . . . . .	113
8.6.17	VOLATILE statement . . . . .	114
8.7	IMPLICIT statement . . . . .	114
8.8	IMPORT statement . . . . .	116
8.9	NAMELIST statement . . . . .	118
8.10	Storage association of data objects . . . . .	119
8.10.1	EQUIVALENCE statement . . . . .	119
8.10.2	COMMON statement . . . . .	121
8.10.3	Restrictions on common and equivalence . . . . .	122
9	Use of data objects . . . . .	123
9.1	Designator . . . . .	123
9.2	Variable . . . . .	123
9.3	Constants . . . . .	124
9.4	Scalars . . . . .	124
9.4.1	Substrings . . . . .	124
9.4.2	Structure components . . . . .	124
9.4.3	Coindexed named objects . . . . .	126
9.4.4	Complex parts . . . . .	126
9.4.5	Type parameter inquiry . . . . .	126
9.5	Arrays . . . . .	127
9.5.1	Order of reference . . . . .	127
9.5.2	Whole arrays . . . . .	127
9.5.3	Array elements and array sections . . . . .	127
9.5.4	Simply contiguous array designators . . . . .	130
9.6	Image selectors . . . . .	131
9.7	Dynamic association . . . . .	132
9.7.1	ALLOCATE statement . . . . .	132
9.7.2	NULLIFY statement . . . . .	136
9.7.3	DEALLOCATE statement . . . . .	136
9.7.4	STAT= specifier . . . . .	138
9.7.5	ERRMSG= specifier . . . . .	139
10	Expressions and assignment . . . . .	140
10.1	Expressions . . . . .	140
10.1.1	Expression semantics . . . . .	140
10.1.2	Form of an expression . . . . .	140
10.1.3	Precedence of operators . . . . .	144
10.1.4	Evaluation of operations . . . . .	145
10.1.5	Intrinsic operations . . . . .	146
10.1.6	Defined operations . . . . .	153
10.1.7	Evaluation of operands . . . . .	154
10.1.8	Integrity of parentheses . . . . .	154
10.1.9	Type, type parameters, and shape of an expression . . . . .	155
10.1.10	Conformability rules for elemental operations . . . . .	156
10.1.11	Specification expression . . . . .	156
10.1.12	Constant expression . . . . .	158
10.2	Assignment . . . . .	159
10.2.1	Assignment statement . . . . .	159
10.2.2	Pointer assignment . . . . .	164
10.2.3	Masked array assignment – WHERE . . . . .	168

iTech STANDARD PREVIEW  
 (standards.itech.ai)  
 ISO/IEC 1539-1:2018  
<https://standards.itech.ai/catalog/standards/sist/5c376c5-5a69-4be4-a143-84361b77d375/iso-iec-1539-1-2018>

10.2.4	FORALL . . . . .	170
11	Execution control . . . . .	173
11.1	Executable constructs containing blocks . . . . .	173
11.1.1	Blocks . . . . .	173
11.1.2	Rules governing blocks . . . . .	173
11.1.3	ASSOCIATE construct . . . . .	174
11.1.4	BLOCK construct . . . . .	175
11.1.5	CHANGE TEAM construct . . . . .	177
11.1.6	CRITICAL construct . . . . .	179
11.1.7	DO construct . . . . .	180
11.1.8	IF construct and statement . . . . .	187
11.1.9	SELECT CASE construct . . . . .	188
11.1.10	SELECT RANK construct . . . . .	191
11.1.11	SELECT TYPE construct . . . . .	193
11.1.12	EXIT statement . . . . .	196
11.2	Branching . . . . .	196
11.2.1	Branch concepts . . . . .	196
11.2.2	GO TO statement . . . . .	196
11.2.3	Computed GO TO statement . . . . .	197
11.3	CONTINUE statement . . . . .	197
11.4	STOP and ERROR STOP statements . . . . .	197
11.5	FAIL IMAGE statement . . . . .	198
11.6	Image execution control . . . . .	198
11.6.1	Image control statements . . . . .	198
11.6.2	Segments . . . . .	199
11.6.3	SYNC ALL statement . . . . .	200
11.6.4	SYNC IMAGES statement . . . . .	201
11.6.5	SYNC MEMORY statement . . . . .	202
11.6.6	SYNC TEAM statement . . . . .	203
11.6.7	EVENT POST statement . . . . .	204
11.6.8	EVENT WAIT statement . . . . .	204
11.6.9	FORM TEAM statement . . . . .	204
11.6.10	LOCK and UNLOCK statements . . . . .	205
11.6.11	STAT= and ERRMSG= specifiers in image control statements . . . . .	207
12	Input/output statements . . . . .	210
12.1	Input/output concepts . . . . .	210
12.2	Records . . . . .	210
12.2.1	Definition of a record . . . . .	210
12.2.2	Formatted record . . . . .	210
12.2.3	Unformatted record . . . . .	210
12.2.4	Endfile record . . . . .	211
12.3	External files . . . . .	211
12.3.1	External file concepts . . . . .	211
12.3.2	File existence . . . . .	211
12.3.3	File access . . . . .	212
12.3.4	File position . . . . .	214
12.3.5	File storage units . . . . .	215
12.4	Internal files . . . . .	216
12.5	File connection . . . . .	216
12.5.1	Referring to a file . . . . .	216
12.5.2	Connection modes . . . . .	217
12.5.3	Unit existence . . . . .	218
12.5.4	Connection of a file to a unit . . . . .	218
12.5.5	Preconnection . . . . .	219

12.5.6	OPEN statement . . . . .	219
12.5.7	CLOSE statement . . . . .	223
12.6	Data transfer statements . . . . .	224
12.6.1	Form of input and output statements . . . . .	224
12.6.2	Control information list . . . . .	225
12.6.3	Data transfer input/output list . . . . .	229
12.6.4	Execution of a data transfer input/output statement . . . . .	231
12.6.5	Termination of data transfer statements . . . . .	242
12.7	Waiting on pending data transfer . . . . .	242
12.7.1	Wait operation . . . . .	242
12.7.2	WAIT statement . . . . .	243
12.8	File positioning statements . . . . .	243
12.8.1	Syntax . . . . .	243
12.8.2	BACKSPACE statement . . . . .	244
12.8.3	ENDFILE statement . . . . .	244
12.8.4	REWIND statement . . . . .	245
12.9	FLUSH statement . . . . .	245
12.10	File inquiry statement . . . . .	246
12.10.1	Forms of the INQUIRE statement . . . . .	246
12.10.2	Inquiry specifiers . . . . .	246
12.10.3	Inquire by output list . . . . .	252
12.11	Error, end-of-record, and end-of-file conditions . . . . .	253
12.11.1	Occurrence of input/output conditions . . . . .	253
12.11.2	Error conditions and the ERR= specifier . . . . .	253
12.11.3	End-of-file condition and the END= specifier . . . . .	253
12.11.4	End-of-record condition and the EOR= specifier . . . . .	254
12.11.5	IOSTAT= specifier . . . . .	254
12.11.6	IOMSG= specifier . . . . .	255
12.12	Restrictions on input/output statements . . . . .	255
13	Input/output editing . . . . .	256
13.1	Format specifications . . . . .	256
13.2	Explicit format specification methods . . . . .	256
13.2.1	FORMAT statement . . . . .	256
13.2.2	Character format specification . . . . .	256
13.3	Form of a format item list . . . . .	257
13.3.1	Syntax . . . . .	257
13.3.2	Edit descriptors . . . . .	257
13.3.3	Fields . . . . .	259
13.4	Interaction between input/output list and format . . . . .	259
13.5	Positioning by format control . . . . .	260
13.6	Decimal symbol . . . . .	261
13.7	Data edit descriptors . . . . .	261
13.7.1	Purpose of data edit descriptors . . . . .	261
13.7.2	Numeric editing . . . . .	261
13.7.3	Logical editing . . . . .	269
13.7.4	Character editing . . . . .	269
13.7.5	Generalized editing . . . . .	270
13.7.6	User-defined derived-type editing . . . . .	271
13.8	Control edit descriptors . . . . .	271
13.8.1	Position edit descriptors . . . . .	271
13.8.2	Slash editing . . . . .	272
13.8.3	Colon editing . . . . .	272
13.8.4	SS, SP, and S editing . . . . .	273
13.8.5	P editing . . . . .	273
13.8.6	BN and BZ editing . . . . .	273



13.8.7	RU, RD, RZ, RN, RC, and RP editing . . . . .	273
13.8.8	DC and DP editing . . . . .	274
13.9	Character string edit descriptors . . . . .	274
13.10	List-directed formatting . . . . .	274
13.10.1	Purpose of list-directed formatting . . . . .	274
13.10.2	Values and value separators . . . . .	274
13.10.3	List-directed input . . . . .	275
13.10.4	List-directed output . . . . .	277
13.11	Namelist formatting . . . . .	278
13.11.1	Purpose of namelist formatting . . . . .	278
13.11.2	Name-value subsequences . . . . .	278
13.11.3	Namelist input . . . . .	279
13.11.4	Namelist output . . . . .	282
14	Program units . . . . .	283
14.1	Main program . . . . .	283
14.2	Modules . . . . .	283
14.2.1	Module syntax and semantics . . . . .	283
14.2.2	The USE statement and use association . . . . .	284
14.2.3	Submodules . . . . .	287
14.3	Block data program units . . . . .	287
15	Procedures . . . . .	289
15.1	Concepts . . . . .	289
15.2	Procedure classifications . . . . .	289
15.2.1	Procedure classification by reference . . . . .	289
15.2.2	Procedure classification by means of definition . . . . .	289
15.3	Characteristics . . . . .	290
15.3.1	Characteristics of procedures . . . . .	290
15.3.2	Characteristics of dummy arguments . . . . .	290
15.3.3	Characteristics of function results . . . . .	290
15.4	Procedure interface . . . . .	291
15.4.1	Interface and abstract interface . . . . .	291
15.4.2	Implicit and explicit interfaces . . . . .	291
15.4.3	Specification of the procedure interface . . . . .	292
15.5	Procedure reference . . . . .	300
15.5.1	Syntax of a procedure reference . . . . .	300
15.5.2	Actual arguments, dummy arguments, and argument association . . . . .	303
15.5.3	Function reference . . . . .	314
15.5.4	Subroutine reference . . . . .	314
15.5.5	Resolving named procedure references . . . . .	314
15.5.6	Resolving type-bound procedure references . . . . .	316
15.6	Procedure definition . . . . .	317
15.6.1	Intrinsic procedure definition . . . . .	317
15.6.2	Procedures defined by subprograms . . . . .	317
15.6.3	Definition and invocation of procedures by means other than Fortran . . . . .	322
15.6.4	Statement function . . . . .	323
15.7	Pure procedures . . . . .	323
15.8	Elemental procedures . . . . .	325
15.8.1	Elemental procedure declaration and interface . . . . .	325
15.8.2	Elemental function actual arguments and results . . . . .	326
15.8.3	Elemental subroutine actual arguments . . . . .	326
16	Intrinsic procedures and modules . . . . .	327
16.1	Classes of intrinsic procedures . . . . .	327
16.2	Arguments to intrinsic procedures . . . . .	327

16.2.1	General rules . . . . .	327
16.2.2	The shape of array arguments . . . . .	328
16.2.3	Mask arguments . . . . .	328
16.2.4	DIM arguments and reduction functions . . . . .	328
16.3	Bit model . . . . .	328
16.3.1	General . . . . .	328
16.3.2	Bit sequence comparisons . . . . .	329
16.3.3	Bit sequences as arguments to INT and REAL . . . . .	329
16.4	Numeric models . . . . .	329
16.5	Atomic subroutines . . . . .	330
16.6	Collective subroutines . . . . .	331
16.7	Standard generic intrinsic procedures . . . . .	332
16.8	Specific names for standard intrinsic functions . . . . .	338
16.9	Specifications of the standard intrinsic procedures . . . . .	339
16.9.1	General . . . . .	339
16.10	Standard intrinsic modules . . . . .	426
16.10.1	General . . . . .	426
16.10.2	The ISO_FORTRAN_ENV intrinsic module . . . . .	426
17	Exceptions and IEEE arithmetic . . . . .	433
17.1	Overview of IEEE arithmetic support . . . . .	433
17.2	Derived types, constants, and operators defined in the modules . . . . .	434
17.3	The exceptions . . . . .	434
17.4	The rounding modes . . . . .	436
17.5	Underflow mode . . . . .	437
17.6	Halting . . . . .	437
17.7	The floating-point modes and status . . . . .	438
17.8	Exceptional values . . . . .	438
17.9	IEEE arithmetic . . . . .	438
17.10	Summary of the procedures . . . . .	439
17.11	Specifications of the procedures . . . . .	441
17.11.1	General . . . . .	441
17.12	Examples . . . . .	466
18	Interoperability with C . . . . .	468
18.1	General . . . . .	468
18.2	The ISO_C_BINDING intrinsic module . . . . .	468
18.2.1	Summary of contents . . . . .	468
18.2.2	Named constants and derived types in the module . . . . .	468
18.2.3	Procedures in the module . . . . .	469
18.3	Interoperability between Fortran and C entities . . . . .	474
18.3.1	Interoperability of intrinsic types . . . . .	474
18.3.2	Interoperability with C pointer types . . . . .	475
18.3.3	Interoperability of derived types and C structure types . . . . .	475
18.3.4	Interoperability of scalar variables . . . . .	476
18.3.5	Interoperability of array variables . . . . .	477
18.3.6	Interoperability of procedures and procedure interfaces . . . . .	477
18.4	C descriptors . . . . .	480
18.5	The source file ISO_Fortran_binding.h . . . . .	480
18.5.1	Summary of contents . . . . .	480
18.5.2	The CFI_dim_t structure type . . . . .	480
18.5.3	The CFI_cdesc_t structure type . . . . .	481
18.5.4	Macros and typedefs in ISO_Fortran_binding.h . . . . .	482
18.5.5	Functions declared in ISO_Fortran_binding.h . . . . .	484
18.6	Restrictions on C descriptors . . . . .	492
18.7	Restrictions on formal parameters . . . . .	492

iTeh STANDARD PREVIEW

(standards.iteh.ai)

[ISO/IEC 1539-1:2018](https://standards.iteh.ai/catalog/standards/sist/5c376c5-5a69-4be4-a143-84361b77d375/iso-iec-1539-1-2018)

[https://standards.iteh.ai/catalog/standards/sist/5c376c5-5a69-4be4-a143-](https://standards.iteh.ai/catalog/standards/sist/5c376c5-5a69-4be4-a143-84361b77d375/iso-iec-1539-1-2018)

[84361b77d375/iso-iec-1539-1-2018](https://standards.iteh.ai/catalog/standards/sist/5c376c5-5a69-4be4-a143-84361b77d375/iso-iec-1539-1-2018)

18.8	Restrictions on lifetimes . . . . .	492
18.9	Interoperation with C global variables . . . . .	493
18.9.1	General . . . . .	493
18.9.2	Binding labels for common blocks and variables . . . . .	494
18.10	Interoperation with C functions . . . . .	494
18.10.1	Definition and reference of interoperable procedures . . . . .	494
18.10.2	Binding labels for procedures . . . . .	495
18.10.3	Exceptions and IEEE arithmetic procedures . . . . .	496
18.10.4	Asynchronous communication . . . . .	496
19	Scope, association, and definition . . . . .	497
19.1	Scopes, identifiers, and entities . . . . .	497
19.2	Global identifiers . . . . .	497
19.3	Local identifiers . . . . .	498
19.3.1	Classes of local identifiers . . . . .	498
19.3.2	Local identifiers that are the same as common block names . . . . .	499
19.3.3	Function results . . . . .	499
19.3.4	Components, type parameters, and bindings . . . . .	499
19.3.5	Argument keywords . . . . .	499
19.4	Statement and construct entities . . . . .	500
19.5	Association . . . . .	501
19.5.1	Name association . . . . .	501
19.5.2	Pointer association . . . . .	505
19.5.3	Storage association . . . . .	508
19.5.4	Inheritance association . . . . .	510
19.5.5	Establishing associations . . . . .	510
19.6	Definition and undefinition of variables . . . . .	511
19.6.1	Definition of objects and subobjects . . . . .	511
19.6.2	Variables that are always defined . . . . .	511
19.6.3	Variables that are initially defined . . . . .	511
19.6.4	Variables that are initially undefined . . . . .	512
19.6.5	Events that cause variables to become defined . . . . .	512
19.6.6	Events that cause variables to become undefined . . . . .	514
19.6.7	Variable definition context . . . . .	516
19.6.8	Pointer association context . . . . .	516
Annex A	(informative) Processor dependencies . . . . .	518
Annex B	(informative) Deleted and obsolescent features . . . . .	524
Annex C	(informative) Extended notes . . . . .	528
Index	. . . . .	600

## Foreword

- 1 ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.
- 2 The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).
- 3 Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).
- 4 Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.
- 5 For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).
- 6 This document was prepared by Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 22, *Programming languages, their environments and system software interfaces*.
- 7 This fourth edition cancels and replaces the third edition (ISO 1539-1:2010), which has been technically revised. It also incorporates the Technical Corrigenda ISO/IEC 1539-1:2010/Cor. 1:2012, ISO/IEC 1539-1:2010/Cor. 2:2013, ISO/IEC 1539-1:2010/Cor. 3:2014, and ISO/IEC 1539-1:2010/Cor. 4:2016. The main changes compared to the previous edition are as follows:
  - The Technical Specifications ISO/IEC TS 29113:2012 and ISO/IEC TS 18508:2015 have been incorporated.
  - Support for IEEE floating-point arithmetic has been updated to ISO/IEC/IEEE 60559:2011.
- 8 A list of all parts in the ISO 1539 series can be found on the ISO website.
- 9 Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

- 1 This document comprises the specification of the base Fortran language, informally known as Fortran 2018. With the limitations noted in 4.3.3, the syntax and semantics of Fortran 2008 are contained entirely within Fortran 2018. Therefore, any standard-conforming Fortran 2008 program not affected by such limitations is a standard-conforming Fortran 2018 program. New features of Fortran 2018 can be compatibly incorporated into such Fortran 2008 programs, with any exceptions indicated in the text of this document.
- 2 Fortran 2018 contains several extensions to Fortran 2008; these are listed below.
  - Data declaration:
 

Constant properties of an object declared in its *entity-decl* can be used in its *initialization*. The **EQUIVALENCE** and **COMMON** statements and the **block data program unit** have been redundant since Fortran 90 and are now specified to be **obsolescent**. Diagnosis of the appearance of a **PROTECTED TARGET** variable accessed by **use association** as a *data-target* in a structure constructor is required.
  - Data usage and computation:
 

The **declared type** of the value supplied for a **polymorphic allocatable component** in a **structure constructor** is no longer required to be the same as the **declared type** of the **component**. **FORALL** is now specified to be **obsolescent**. The type and kind of an implied DO variable in an **array constructor** or **DATA statement** can be specified within the constructor or statement. The **SELECT RANK** construct provides structured access to the elements of an **assumed-rank array**. Completing execution of a **BLOCK** construct can cause the **association status** of a **pointer** with the **PROTECTED** attribute to become undefined. The standard intrinsic operations **<**, **<=**, **>**, and **>=** (also known as **.LT.**, **.LE.**, **.GT.**, and **.GE.**) on IEEE numbers provide **compareSignaling{relation}** operations; the **=** and **/=** operations (also known as **.EQ.** and **.NE.**) provide **compareQuiet{relation}** operations. Finalization of an allocatable subobject during intrinsic assignment has been clarified. The *char-length* in an executable statement is no longer required to be a specification expression.
  - Input/output:
 

The **SIZE= specifier** can be used with advancing input. It is no longer prohibited to open a file on more than one unit. The value assigned by the **RECL= specifier** in an **INQUIRE statement** has been standardized. The values assigned by the **POS=** and **SIZE=** specifiers in an **INQUIRE statement** for a unit that has pending asynchronous operations have been standardized. The **G0.d** edit descriptor can be used for list items of type **Integer**, **Logical**, and **Character**. The **D**, **E**, **EN**, and **ES** edit descriptors can have a field width of zero, analogous to the **F** edit descriptor. The exponent width *e* in a **data edit descriptor** can be zero, analogous to a field width of zero. Floating-point formatted input accepts hexadecimal-significand numbers that conform to ISO/IEC/IEEE 60559:2011. The **EX** edit descriptor provides hexadecimal-significand formatted output conforming to ISO/IEC/IEEE 60559:2011. An error condition occurs if unacceptable characters are presented for logical or numeric editing during execution of a formatted input statement.
  - Execution control:
 

The **arithmetic IF statement** has been deleted. Labeled **DO loops** have been redundant since Fortran 90 and are now specified to be **obsolescent**. The **nonblock DO construct** has been deleted. The locality of a variable used in a **DO CONCURRENT construct** can be explicitly specified. The stop code in a **STOP** or **ERROR STOP** statement can be nonconstant. Output of the stop code and exception summary from the **STOP** and **ERROR STOP** statements can be controlled.
  - Intrinsic procedures and modules:
 

In a reference to the intrinsic function **CMPLX** with an actual argument of type complex, no keyword is needed for a **KIND** argument. In references to the intrinsic functions **ALL**, **ANY**, **FINDLOC**, **IALL**, **IANY**, **IPARITY**, **MAXLOC**, **MAXVAL**, **MINLOC**, **MINVAL**, **NORM2**, **PARITY**, **PRODUCT**, **SUM**, and **THIS\_IMAGE**, the **actual argument** for **DIM** can be a present optional **dummy argument**. The new intrinsic function **COSHAPE** returns the coshape of a **coarray**. The new intrinsic function **OUT\_OF\_RANGE** tests whether a numeric value can be safely converted to a different type or kind. The new intrinsic subroutine **RANDOM\_INIT** establishes the initial state of the pseudorandom number generator used by **RANDOM\_NUMBER**. The new intrinsic function **REDUCE** performs user-specified array reductions. A processor is required to report use of a **nonstandard intrinsic** procedure, use of a **nonstandard intrinsic** module, and use of a nonstandard procedure from a **standard intrinsic** module. Integer and logical arguments to intrinsic proced-

ures and intrinsic module procedures that were previously required to be of default kind no longer have that requirement, except for `RANDOM_SEED`. Specific names for intrinsic functions are now deemed *obsolescent*. All standard procedures in the intrinsic module `ISO_C_BINDING`, other than `C_F_POINTER`, are now *pure*. The arguments to the intrinsic function `SIGN` can be of different kind. Nonpolymorphic pointer arguments to the intrinsic functions `EXTENDS_TYPE_OF` and `SAME_TYPE_AS` need not have defined pointer association status. The effects of invoking the intrinsic procedures `COMMAND_ARGUMENT_COUNT`, `GET_COMMAND`, and `GET_COMMAND_ARGUMENT`, on *images* other than *image* one, are no longer processor dependent. Access to error messages from the intrinsic subroutines `GET_COMMAND`, `GET_COMMAND_ARGUMENT`, and `GET_ENVIRONMENT_VARIABLE` is provided by an optional `ERRMSG` argument. The result of `NORM2` for a zero-sized array argument has been clarified.

- Program units and procedures:
 

The `IMPORT` statement can appear in a contained subprogram or `BLOCK` construct, and can restrict access via host association; diagnosis of violation of the `IMPORT` restrictions is required. The `GENERIC` statement can be used to declare generic interfaces. The number of procedure arguments is used in *generic resolution*. In a module, the *default accessibility* of entities accessed from another module can be controlled separately from the default accessibility of entities declared in the using module. An `IMPLICIT NONE` statement can require explicit declaration of the `EXTERNAL` attribute throughout a *scoping unit* and its contained *scoping units*. A defined operation need not specify `INTENT (IN)` for a dummy argument with the `VALUE` attribute. A defined assignment need not specify `INTENT (IN)` for the second dummy argument if it has the `VALUE` attribute. Procedures that are not declared with an asterisk *type-param-value*, including `ELEMENTAL` procedures, can be invoked recursively by default; the `RECURSIVE` keyword is advisory only. The `NON_RECURSIVE` keyword specifies that a procedure is not recursive. The `ERROR STOP` statement can appear in a *pure subprogram*. A dummy argument of a *pure function* is permitted in a variable definition context, if it has the `VALUE` attribute. A *coarray dummy argument* can be referenced or defined by another *image*.
- Features previously described by ISO/IEC TS 29113:2012:
 

A dummy data object can assume its rank from its effective argument. A dummy data object can assume the type from its effective argument, without having the ability to perform type selection. An interoperable procedure can have dummy arguments that are assumed-type and/or assumed-rank. An interoperable procedure can have dummy data objects that are allocatable, assumed-shape, optional, or pointers. The character length of a dummy data object of an interoperable procedure can be assumed. The argument to `C_LOC` can be a noninteroperable array. The `FPTR` argument to `C_F_POINTER` can be a noninteroperable array pointer. The argument to `C_FUNLOC` can be a noninteroperable procedure. The `FPTR` argument to `C_F_PROCPTR` can be a noninteroperable procedure pointer. There is a new named constant `C_PTRDIFF_T` to provide interoperability with the C type `ptrdiff_t`.

Additionally to ISO/IEC TS 29113:2012, a scalar *actual argument* can be associated with an assumed-type assumed-size dummy argument, an assumed-rank dummy data object that is not associated with an assumed-size array can be used as the argument to the function `C_SIZEOF` from the intrinsic module `ISO_C_BINDING`, and the `type` argument to `CFI_establish` can have a positive value corresponding to an interoperable C type.
- Changes to the intrinsic modules `IEEE_ARITHMETIC`, `IEEE_EXCEPTIONS`, and `IEEE_FEATURES` for conformance with ISO/IEC/IEEE 60559:2011:
 

There is a new, optional, rounding mode `IEEE_AWAY`. The new type `IEEE_MODES_TYPE` encapsulates all floating-point modes. Features associated with subnormal numbers can be accessed with functions and types named ...`SUBNORMAL`... (the old ...`DENORMAL`... names remain). The new function `IEEE_FMA` performs fused multiply-add operations. The function `IEEE_INT` performs rounded conversions to integer type. The new functions `IEEE_MAX_NUM`, `IEEE_MAX_NUM_MAG`, `IEEE_MIN_NUM`, and `IEEE_MIN_NUM_MAG` calculate maximum and minimum numeric values. The new functions `IEEE_NEXT_DOWN` and `IEEE_NEXT_UP` return the adjacent machine numbers. The new functions `IEEE_QUIET_EQ`, `IEEE_QUIET_GE`, `IEEE_QUIET_GT`, `IEEE_QUIET_LE`, `IEEE_QUIET_LT`, and `IEEE_QUIET_NE` perform quiet comparisons. The new functions `IEEE_SIGNALING_EQ`, `IEEE_SIGNALING_GE`, `IEEE_SIGNALING_GT`, `IEEE_SIGNALING_LE`, `IEEE_SIGNALING_LT`, and `IEEE_SIGNALING_NE` perform signaling comparisons. The decimal rounding mode can be inquired and set independently of the binary rounding mode, using the `RADIX` argument to `IEEE_GET_ROUNDING_MODE` and `IEEE_SET_ROUNDING_MODE`. The new function `IEEE_`

**REAL** performs rounded conversions to real type. The function **IEEE\_REM** now requires its arguments to have the same radix. The function **IEEE\_RINT** now has a **ROUND** argument to perform specific rounding. The new function **IEEE\_SIGNBIT** tests the sign bit of an IEEE number.

- Features previously described by ISO/IEC TS 18508:2015:  
The **CRITICAL** statement has optional **ERRMSG=** and **STAT=** specifiers. The intrinsic subroutines **ATOMIC\_DEFINE** and **ATOMIC\_REF** have an optional **STAT** argument. The new intrinsic subroutines **ATOMIC\_ADD**, **ATOMIC\_AND**, **ATOMIC\_CAS**, **ATOMIC\_FETCH\_ADD**, **ATOMIC\_FETCH\_AND**, **ATOMIC\_FETCH\_OR**, **ATOMIC\_FETCH\_XOR**, **ATOMIC\_OR**, and **ATOMIC\_XOR** perform atomic operations. The new intrinsic functions **FAILED\_IMAGES** and **STOPPED\_IMAGES** return indices of images known to have **failed** or **stopped** respectively. The new intrinsic function **IMAGE\_STATUS** returns the image execution status of an image. The intrinsic subroutine **MOVE\_ALLOC** has optional **ERRMSG** and **STAT** arguments. The intrinsic functions **IMAGE\_INDEX** and **NUM\_IMAGES** have additional forms with a **TEAM** or **TEAM\_NUMBER** argument. The intrinsic function **THIS\_IMAGE** has an optional **TEAM** argument. The **EVENT POST** and **EVENT WAIT** statements, the intrinsic subroutine **EVENT\_QUERY**, and the type **EVENT\_TYPE** provide an event facility for one-sided segment ordering. The **CHANGE TEAM** construct, derived type **TEAM\_TYPE**, **FORM TEAM** and **SYNC TEAM** statements, intrinsic functions **GET\_TEAM** and **TEAM\_NUMBER**, and the **TEAM=** and **TEAM\_NUMBER=** specifiers on image selectors, provide a team facility for a subset of the program's images to act in concert as if it were the set of all images. This team facility allows an allocatable **coarray** to be allocated or deallocated on a subset of images. The new intrinsic subroutines **CO\_BROADCAST**, **CO\_MAX**, **CO\_MIN**, **CO\_REDUCE**, and **CO\_SUM** perform collective reduction operations on the images of the **current team**. The concept of **failed images**, the **FAIL IMAGE** statement, the **STAT=** specifier on image selectors, and the named constant **STAT\_FAILED\_IMAGE** from the intrinsic module **ISO\_FORTRAN\_ENV** provide support for fault-tolerant parallel execution.
- Changes to features previously described by ISO/IEC TS 18508:2015:  
The **CHANGE TEAM** and **SYNC TEAM** statements, and the **TEAM=** specifier on image selectors, permit the team to be specified by an expression. The intrinsic functions **FAILED\_IMAGES** and **STOPPED\_IMAGES** have no restriction on the kind of their result. The name of the function argument to the intrinsic function **CO\_REDUCE** is **OPERATION** instead of **OPERATOR**; this argument is not required to be commutative. The named constant **STAT\_UNLOCKED\_FAILED\_IMAGE** from the intrinsic module **ISO\_FORTRAN\_ENV** indicates that a lock variable was locked by an image that failed. The **team number** for the **initial team** can be used in image selectors, and in the intrinsic functions **NUM\_IMAGES** and **IMAGE\_INDEX**. A **team variable** that appears in a **CHANGE TEAM** statement can no longer be defined or become undefined during execution of the **CHANGE TEAM** construct. All images of the **current team** are no longer required to execute the same **CHANGE TEAM** statement. A variable of type **TEAM\_TYPE** from the intrinsic module **ISO\_FORTRAN\_ENV** is not permitted to be a **coarray**. A variable of type **TEAM\_TYPE** from the intrinsic module **ISO\_FORTRAN\_ENV** can have a pointer component, and a **team variable** becomes undefined if assigned a value from another **image**. The intrinsic function **UCOBOUND** produces a value for the final upper **cobound** that is always relative to the **current team**. An **EXIT** statement can be used to complete execution of a **CHANGE TEAM** or **CRITICAL** construct.

3 This document is organized in 19 clauses, dealing with 8 conceptual areas. These 8 areas, and the clauses in which they are treated, are:

High/low level concepts	Clauses 4, 5, 6
Data concepts	Clauses 7, 8, 9
Computations	Clauses 10, 16, 17
Execution control	Clause 11
Input/output	Clauses 12, 13
Program units	Clauses 14, 15
Interoperability with C	Clause 18
Scoping and association rules	Clause 19

4 It also contains the following nonnormative material: