
**Uporovno varjenje - Slovar - 1. del: Točkovno, bradavično in kolutno varjenje
(ISO/FDIS 17677-1:2020)**

Resistance welding - Vocabulary - Part 1: Spot, projection and seam welding (ISO/FDIS 17677-1:2020)

Widerstandsschweißen - Begriffe - Teil 1: Punkt-, Buckel- und Rollennahtschweißen (ISO/FDIS 17677-1:2020)

Soudage par résistance - Vocabulaire - Partie 1: Soudage par points, par bossages et à la molette (ISO/FDIS 17677-1:2020)

Ta slovenski standard je istoveten z: prEN ISO 17677-1

SIST EN ISO 17677-1:2021

<https://standards.iteh.ai/catalog/standards/sist/9721631-7cc5-48c2-911b-b543c7c33374/sist-en-iso-17677-1-2021>

ICS:

01.040.25	Izdelavna tehnika (Slovarji)	Manufacturing engineering (Vocabularies)
25.160.10	Varilni postopki in varjenje	Welding processes

oSIST prEN ISO 17677-1:2020

en,fr,de

FINAL
DRAFT

INTERNATIONAL
STANDARD

ISO/FDIS
17677-1

ISO/TC 44/SC 6

Secretariat: DIN

Voting begins on:
2020-11-04

Voting terminates on:
2021-01-27

Resistance welding — Vocabulary —

Part 1: Spot, projection and seam welding

Soudage par résistance — Vocabulaire —

Partie 1: Soudage par points, par bossages et à la molette

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

SIST EN ISO 17677-1:2021

<https://standards.iteh.ai/catalog/standards/sist/a9721631-7ee5-48e2-91fb-bb43e7e35574/sist-en-iso-17677-1-2021>

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

ISO/CEN PARALLEL PROCESSING



Reference number
ISO/FDIS 17677-1:2020(E)

© ISO 2020

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

SIST EN ISO 17677-1:2021

<https://standards.iteh.ai/catalog/standards/sist/a9721631-7ee5-48e2-91fb-bb43e7e35574/sist-en-iso-17677-1-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 Welding and testing procedures	1
3.2 Hardware and tools	3
3.3 Welding process and parameters	4
3.4 Measurements and values	9
Bibliography	27

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN ISO 17677-1:2021](https://standards.iteh.ai/catalog/standards/sist/a9721631-7ee5-48e2-91fb-bb43e7e35574/sist-en-iso-17677-1-2021)

<https://standards.iteh.ai/catalog/standards/sist/a9721631-7ee5-48e2-91fb-bb43e7e35574/sist-en-iso-17677-1-2021>

ISO/FDIS 17677-1:2020(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 44, *Welding and allied processes*, Subcommittee SC 6, *Resistance welding and allied mechanical joining*.

Any feedback, question or request for official interpretation related to any aspect of this document should be directed to the Secretariat of ISO/TC 44/SC 6 via your national standards body. A complete listing of these bodies can be found at www.iso.org/members.html. Official interpretations, where they exist, are available from this page: <https://committee.iso.org/sites/tc44/home/interpretation.html>.

This third edition cancels and replaces the second edition (ISO 17677-1:2019), of which it constitutes a minor revision. The main changes compared to the previous edition are as follows:

- the terms and definitions of ISO 14329 have been implemented;
- editorial changes have been made.

Resistance welding — Vocabulary —

Part 1:

Spot, projection and seam welding

1 Scope

This document establishes a vocabulary of terms and definitions for resistance spot welding, projection welding and seam welding.

NOTE In addition to terms used in English and French, two of the three official ISO languages, this document gives the equivalent terms in German; these are published under the responsibility of the member body for Germany (DIN). However, only the terms and definitions given in the official languages can be considered as ISO terms and definitions.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1 Welding and testing procedures

3.1.1

chisel test

test in which a chisel is driven between the sheets near to adjacent welds until either fracture occurs or until the metal near the weld yields or bends

3.1.2

cross tension test

tensile test of a resistance welded specimen to determine the mechanical properties and failure mode of the weld

3.1.3

cross-wire welding

projection welding ([3.1.11](#)) of crossed wires or rods

3.1.4

direct welding

resistance welding secondary circuit variant in which welding current and *electrode force* ([3.3.5](#)) are applied to the workpieces by directly opposed *electrodes* ([3.2.1](#)) and only one weld is made by one welding operation

Note 1 to entry: See [Figure 12](#) for typical arrangements.

ISO/FDIS 17677-1:2020(E)

3.1.5**indirect welding**

resistance welding secondary circuit variant in which the welding current flows through the workpieces in locations away from, as well as at, the welds

Note 1 to entry: See [Figure 13](#) for typical arrangements.

3.1.6**multiple impulse welding**

welding with more than one impulse

Note 1 to entry: See [Figures 4](#) to [7](#) for related time and *electrode force* ([3.3.5](#)) diagrams.

3.1.7**multiple spot welding**

spot welding in which two or more welds are made simultaneously in one welding operation

Note 1 to entry: Examples are *parallel spot welding* ([3.1.8](#)) and *series spot welding* ([3.1.14](#)).

3.1.8**parallel spot welding**

resistance welding secondary circuit variant in which the secondary current is divided in parallel electrical paths to make two or more welds simultaneously

Note 1 to entry: See [Figure 11 a](#)).

3.1.9**peel test**

destructive test in which a resistance-welded lap joint is tested by applying a peel force which results in stresses mainly in the thickness direction of the weld

3.1.10**pillow test**

destructive test in which internal pressure is applied in order to test for leaks and the strength of a seam weld

3.1.11**projection welding**

resistance welding in which the resulting welds are localized at predetermined points by projections, embossments or intersections, concentrating force and current by their geometry

Note 1 to entry: The projections are raised on, or formed from, one or more of the *faying surfaces* ([3.3.16](#)) and collapse during welding.

3.1.12**resistance spot welding**

resistance welding process producing a weld at the *faying surfaces* ([3.3.16](#)) between overlapping parts by the heat obtained from resistance to the flow of welding current through the workpieces from the *electrodes* ([3.2.1](#)) serving to concentrate the welding current and pressure at the weld area

3.1.13**seam welding**

resistance welding in which force is applied continuously and current is applied continuously or intermittently to produce a linear weld, the workpieces being between two *electrode wheels* ([3.2.5](#)) or an electrode wheel and an electrode bar

3.1.14**series spot welding**

resistance welding secondary circuit variant in which the secondary current is conducted through the workpieces and *electrodes* (3.2.1) in a series electrical path to simultaneously form multiple resistance spot, seam or projection welds

Note 1 to entry: See [Figures 1](#) and [11 b](#)).

3.1.15**roll spot welding**

resistance welding process variant that produces intermittent spot welds using one or more rotating circular electrodes

Note 1 to entry: The rotation of the *electrodes* (3.2.1) may or may not be stopped during the making of a weld.

3.1.16**shunt weld**

first weld on a series of spot welds, which acts as a shunt

3.1.17**tensile shear test**

test in which a lap-welded specimen is subjected to a tensile force with the aim of determining the mechanical properties of the specimen

3.1.18**stitch welding**

spot welding in which successive welds overlap

3.2 Hardware and tools**3.2.1****electrode****resistance welding electrode**

component of the electrical circuit that supplies electrical power and applies *electrode force* (3.3.5) to the workpiece

EXAMPLE Rotating wheel, rotating roll, bar, cylinder, plate, clamp, chuck, variations thereof.

3.2.1.1**angled electrode****bent electrode**

electrode for spot or *stitch welding* (3.1.18) whose *electrode working face* (3.2.6) is not normal to the mounting axis

3.2.1.2**contact electrode**

resistance welding electrode (3.2.1) designed to conduct secondary current through a workpiece without making a weld

3.2.1.3**offset electrode****eccentric electrode**

electrode for spot or *stitch welding* (3.1.18) whose *electrode working face* (3.2.6) is not concentric with the axis of the *electrode adaptor* (3.2.2)

3.2.2**electrode adaptor****shank**

device used to attach an *electrode* (3.2.1) to an *electrode holder* (3.2.4)

ISO/FDIS 17677-1:2020(E)

3.2.3

electrode cap

replaceable *electrode* (3.2.1) tip used in *resistance spot welding* (3.1.12)

3.2.4

electrode holder

device holding a welding *electrode* (3.2.1)

3.2.5

electrode wheel**seam welding wheel**

rotating *resistance welding electrode* (3.2.1) of ring or disc shape

3.2.6

electrode working face

<resistance spot welding and projection welding> end of a *resistance welding electrode* (3.2.1) in contact with the workpiece

3.2.7

welding head

device comprising the force generation and guiding system, carrying an *electrode holder* (3.2.4), platen or *electrode wheel* (3.2.5)

3.3 Welding process and parameters

3.3.1

chill time**quench time**

period of time between the end of the weld current and the start of post-heat current during which no current flows and the weld is cooled by the *electrodes* (3.2.1)

Note 1 to entry: See [Figure 5](#).

3.3.2

cool time**pause time**

time interval between successive heat times in *multiple impulse welding* (3.1.6) or *seam welding* (3.1.13)

Note 1 to entry: See [Figures 4](#) and [7](#).

3.3.3

current delay time

time interval between reaching set force and initiation of current flow

Note 1 to entry: See [Figure 3](#).

3.3.4

current-off time

period of time between the cessation of current in one *welding cycle* (3.3.43) and the beginning of current in the next one

3.3.5

electrode force

force applied by the electrodes to the workpieces

Note 1 to entry: See *welding force* (3.3.44).

3.3.6

welding electrode force

electrode force applied during *weld time* (3.3.40)

3.3.7**forging electrode force
forge force**

electrode force applied in the forge force time

3.3.8**dynamic electrode force**

electrode force applied during the actual *welding cycle* ([3.3.43](#))

3.3.9**static electrode force**

electrode force with no current flowing and no movement in the welding machine

3.3.10**theoretical electrode force**

force, neglecting friction and inertia, available at the electrodes of a resistance welding machine by virtue of the initial force and the theoretical mechanical properties of the system

3.3.11**electrode force programme**

predetermined sequence of changes of force during welding

3.3.12**electrode force and current programme**

predetermined sequence of changes of force and current during the *welding cycle* ([3.3.43](#))

3.3.13**electrode movement during welding**

physical displacement of *electrodes* ([3.2.1](#)) due to thermal expansion, shrinkage and indentation during welding

3.3.14**electrode skidding**

lateral movement of the *electrodes* ([3.2.1](#)) relative to the surface of the workpieces during the welding process

3.3.15**electrode stroke**

physical movement of *electrodes* ([3.2.1](#)) in the electrode axis during the *welding cycle* ([3.3.43](#))

3.3.16**faying surface**

mating surface of a workpiece in contact with another workpiece to which it is to be joined

3.3.17**force application time**

total time of the application of force by the *electrodes* ([3.2.1](#)) to the workpiece in a *welding cycle* ([3.3.43](#))

Note 1 to entry: See [Figures 3](#) to [7](#).

3.3.18**force fall time**

time between the start of force decrease to zero force

Note 1 to entry: See [Figures 3](#) to [7](#).

3.3.19**force maintenance time**

time in the *welding cycle* ([3.3.43](#)) during which a force is maintained at a predetermined level, excluding the *force rise time* ([3.3.20](#)) and *force fall time* ([3.3.18](#))

Note 1 to entry: See [Figures 3](#) to [7](#).