

SLOVENSKI STANDARD SIST EN 17672:2023

01-januar-2023

Trajnostnost gradbenih objektov - Okoljske deklaracije za proizvode - Horizontalna pravila za komunikacijo med podjetji in potrošniki

Sustainability of construction works - Environmental product declarations - Horizontal rules for business-to-consumer communication

Nachhaltigkeit von Bauwerken - Umweltproduktdeklarationen - Horizontale Regeln für die Kommunikation von Unternehmen an Verbrauchern

Contribution des ouvrages de construction au développement durable - Déclarations environnementales sur les produits - Règles horizontales régissant la communication de l'entreprise au consommateur

Ta slovenski standard je istoveten z: EN 17672:2022

ICS:

13.020.20 Okoljska ekonomija. Environmental economics.

Trajnostnost Sustainability

91.040.01 Stavbe na splošno Buildings in general

SIST EN 17672:2023 en,fr,de

SIST EN 17672:2023

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 17672:2023

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN 17672

November 2022

ICS 91.010.99; 91.040.01

English Version

Sustainability of construction works - Environmental product declarations - Horizontal rules for business-to-consumer communication

Contribution des ouvrages de construction au développement durable - Déclarations environnementales sur les produits - Règles horizontales régissant la communication de l'entreprise au consommateur

Nachhaltigkeit von Bauwerken -Umweltproduktdeklarationen - Horizontale Regeln für die Kommunikation von Unternehmen an Verbrauchern

This European Standard was approved by CEN on 12 September 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

COII	tents	Page
_	pean foreword	
Intro	duction	5
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	Symbols and abbreviations	9
5	General principles	9
5.1	Approach	
5.2	Information gaps	
5.2.1 5.2.2	General	
5.2.2 5.2.3	Missing indicatorsInformation not applicable to the building context	
5.2.3 5.3	Comparability	
5.4	Types of B2C communication and requirements	
5.5	Benchmarking options	12
6	Definition of the product group	
6.1	Product group definition and declaration	12 12
6.2	Name and code	12
6.3	Description of the product group	
6.4	Functional unit SIST EN 17672:2023	
6.5	Technical performance	77-9ef8 13
6.6	Exclusions 72.02a86a0a96/sist_on_17672.2023	13
7	Definition of the functional equivalence	14
В	Life cycle stages to be included	14
9	Assessment of the representativeness of the scenarios	14
10	Calculation of the environmental impact per functional unit	15
11	Selection of indicators	
12	Normalization	
12.1	General	17
12.2	Benchmarking systems	
12.3	B2C communication without comparative assertion	17
13	Weighting	17
13.1	General	
13.2	Recommended approach to benchmarking	
13.3	Basic and alternative approach to benchmarking	
13.4	B2C communication without comparative assertion	18
14	Score	18
15	Benchmarking	18
16	Performance classes	20
16.1	General	20

16.2	Relative difference compared to the benchmark	21
16.3	Statistical information	21
16.4	Worst and/or best practices	22
17	Communication	23
18	Transparency	25
19	B2C communication/benchmarking system administrator	25
Anne	x A (informative) Example of definition of product groups (SfB system)	26
Riblingraphy		28

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 17672:2023

European foreword

This document (EN 17672:2022) has been prepared by Technical Committee CEN/TC 350 "Sustainability of construction works", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2023, and conflicting national standards shall be withdrawn at the latest by May 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

This document supports the use of Product Category Rules (EN 15804:2012+A2:2019) for construction products. Together they are used as the means of producing Environmental Product Declarations for Business to Consumer communication.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Introduction

This document provides horizontal rules for business-to-consumer communication including benchmarking systems using environmental product declarations (EPDs) according to EN 15804. The objective is the provision of clear and intelligible information to consumers to promote informed comparisons on the environmental impacts of construction products, assembled systems and construction elements based on the Product Environmental Footprint approach adapted to the specificities of EN 15804.

The following elements define the approach of this document:

- Aggregation of results: in addition to the detailed communication rules in EN 15804 and EN 15942, this document allows the option of aggregating results from modules A1-C4 into a total sum of impacts or respective LCA indicators for communication of cradle to grave EPD for Business to Consumer purposes.
- Benchmarks: This document develops the rules for benchmarking and rules for the definition of functional equivalence based on default scenarios to be used in defining the respective Functional Unit and taking into account findings from the Product Environmental Footprint (PEF) pilot phase. It provides guidance to allow product Technical Committees to develop their own functional equivalence(s) and means by which to classify performance according to indicator results for the purpose of Business to Consumer (B2C) communication, where relevant.

iTeh STANDARD PREVIEW (standards.iteh.ai)

1 Scope

This document provides horizontal rules for business-to-consumer communication including benchmarking systems that aim to inform consumers about the life cycle environmental performance of construction products, assembled systems and construction elements. The communication is based on the results of the life cycle of the product, system or element, as incorporated to the construction asset, see EN 15804:2012+A2:2019. B2C communication includes information on benefits and loads beyond the system boundary.

This document is aimed at organizations providing business-to-consumer communication and benchmarking systems and provides guidance on how to develop business-to-consumer communication and common rules for benchmarking methodologies using EPD, see EN 15804, and see EN 15942 for the communication format.

Business-to-consumer communication and benchmarking methodology described in this document is based on a functional unit and cradle-to-grave assessments. B2C communication with no benchmarking is also described in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15804:2012+A2:2019, Sustainability of construction works - Environmental product declarations - Core rules for the product category of construction products

EN 15978, Sustainability of construction works - Assessment of environmental performance of buildings - Calculation method

EN ISO 14025, Environmental labels and declarations - Type III environmental declarations - Principles and procedures (ISO 14025)

EN ISO 14026:2018, Environmental labels and declarations - Principles, requirements and guidelines for communication of footprint information (ISO 14026:2017)

EN ISO 14044:2006¹, Environmental management - Life cycle assessment - Requirements and guidelines - Amendment 1 (ISO 14044:2006/Amd 1:2017)

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 15804 and EN 15978 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org

¹ As impacted by EN ISO 14044:2006/A1:2018.

3.1

assembled system

component or a set of components incorporated in the construction works

[SOURCE: EN 15643:2021, 3.4, modified: "part of works" has been removed]

3.2

benchmark

reference point against which comparisons can be made

[SOURCE: ISO 21678:2020, 3.2]

3.3

benchmarking

process of collecting, analysing and relating performance data of comparable construction products, assembled systems and construction elements

Note 1 to entry: Benchmarking is typically used for evaluating and comparing performance between or within objects of consideration.

[SOURCE: ISO 21678:2020, 3.1, modified: "buildings or other types of construction works" has been replaced by "construction products, assembled systems and construction elements"]

3.4

benchmarking system

established classification system based on clearly defined goals, processes and procedures

3.5

business-to-business communication TEN 17672-202

describing or involving the passage of information between different businesses, rather than between businesses and the general public and consumers

[SOURCE: EN 15942:2011, 3.2]

3.6

business-to-consumer communication

describing or involving the passage of information between businesses and the general public and consumer

3.7

business-to-consumer communication without comparative assertion

business-to-consumer communication delivering information that cannot be used for comparison purposes because it does not fit the minimum requirements for it

3.8

comparative assertion

environmental claim regarding the superiority or equivalence of one product versus a competing product

[SOURCE: EN ISO 14025:2010, 3.19, modified: "that performs the same function" has been removed at the end of the definition]

3.9

construction element

part of a building or construction works

EXAMPLE: Foundations, floor, roof, wall, services.

3.10

consumer

individual member of the general public purchasing or using goods, property or services for private purposes

[SOURCE: EN ISO 14025:2010, 3.16]

3.11

c-PCR

complementary product category rules

product group specific or horizontal PCR, which provide additional compliant and non-contradictory requirements to EN 15804

Note 1 to entry: c-PCR are meant to be used together with EN 15804.

[SOURCE: EN 15804:2012+A2:2019, 3.5]

3.12

functional equivalent

quantified functional requirements and/or technical requirements for a building or an assembled system (part of works) for use as a reference unit

[SOURCE: EN 15804:2001+A2:2019, 3.12] SIST EN 17672:2023

3.13

modules A1 to C4 score

score comprising the aggregation of values for modules A1 to C4

3.14

module D score

score comprising the aggregation of values for module D

3.15

normalization

calculating the magnitude of category indicator results relative to reference information

[SOURCE: EN ISO 14044:2006¹, 4.4.3.2.1]

3.16

performance

ability to fulfil required functions under intended use conditions

[SOURCE: ISO 6707-1:2020, 3.7.1.1]

3.17

product group

set of construction products, assembled systems or construction elements created for classification in terms of functionality

3.18

score

aggregation of the relevant LCIA indicators using a normalization and weighting approach

3.19

weighting

converting and possibly aggregating indicator results across impact categories using numerical factors based on value-choices

[SOURCE: EN ISO 14044:2006¹, 4.4.3.1, bullet c) modified: "data prior to weighting should remain available" has been removed]

4 Symbols and abbreviations

The following abbreviations are used in the document:

B2B	Business-to-business
B2C	Business-to-consumer
c-PCR	Complementary Product Category Rules
EPD	Environmental Product Declaration
LCA	Life Cycle Assessment
LCIA	Life Cycle Impact Assessment
PEF	Product Environmental Footprint

5 General principles

5.1 Approach //standards.iteh.ai/catalog/standards/sist/85e6a506-44c5-4277-9ef8-

Construction products, assembled systems and construction elements can be compared according to the contribution they make to the environmental performance of the building as long as they are functionally equivalent and according to the principles on comparability described in EN 15804:2012+A2:2019, 5.3.

B2C communication and benchmarking methodology shall be derived from the calculation and results developed for the EPD according to EN 15804.

5.2 Information gaps

5.2.1 General

Information gaps in the data provided by EPD can limit their use in B2C communication. Further information is provided below.

5.2.2 Missing indicators

When the benchmarking approach requires the results of indicators not available in the EPD for a product, this product, assembled system or construction element cannot be included in the benchmarking system.

5.2.3 Information not applicable to the building context

When information available in the scenarios used in the EPD is missing or is not applicable to the building context under assessment (any modules except for modules A1-A3), calculation of the indicators for alternative scenarios is allowed based on scenarios and conditions that are appropriate for the building

as the object of assessment and the functional unit and technical performance defined for the product group, see Clause 8 and Clause 10. Alternative scenarios and the results used shall be available together with the original EPD information.

5.3 Comparability

Benchmarking systems shall fulfil all following conditions, in accordance to the principles described in EN 15804:2012+A2:2019, 5.3, to allow the comparison of construction products, assembled systems or construction elements:

- address modules A1 to C4 and module D;
- be consistent with the same functional unit and functional equivalent;

EXAMPLE Fire class D or better.

- the environmental performance and technical performance of any assembled systems, components, or products excluded are the same;
- the amounts of any construction material excluded are the same and consistent with the same functional unit and functional equivalent;
- excluded processes, modules or life cycle stages, and their respective impact indicator values, are the same;

EXAMPLE Modules B, addressed during the benchmarking process and identified as equal independently of the product selected.

- the influence of the product systems on the operational aspects and impacts of the building construction works are taken into account; The building construction works are taken into account;
- the elementary flows related to material inherent properties, such as biogenic carbon content, the potential to carbonate or the net calorific value of a material, are considered completely and consistently, as described in EN 15804:2012+A2:2019.

In case any of the previous conditions are not fulfilled, benchmarking and B2C communication with comparative assertion are not allowed.

5.4 Types of B2C communication and requirements

B2C communication can be carried out:

- without comparative assertion (no benchmarking);
- according to a benchmarking system.

The requirements for the development of B2C communication differ depending on the type of system as described in Table 1.