
**Intelligent transport systems —
Geographic Data Files (GDF) GDF5.1 —**

Part 2:

**Map data used in automated driving
systems, Cooperative ITS, and multi-
modal transport**

*Systèmes de transport intelligents — Fichiers de données
géographiques (GDF) GDF5.1 —*

*Partie 2: Partie 2 : Données cartographiques utilisées dans les
systèmes de conduite automatisée, les ITS coopératifs et le transport
multimodal*

PROOF / ÉPREUVE



iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/2312e3cc-7e5c-42c7-a971-a0fccc8d2e56/iso-prf-20524-2>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	xi
Introduction	xii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms, symbols and notation elements	2
4.1 Abbreviated terms	2
4.2 Symbols and notation elements	3
5 Overall conceptual data model	3
5.1 Conceptual data models in GDF	3
5.2 General data model of GDF	4
5.2.1 Feature model	4
5.2.2 Belt concept	6
5.2.3 Graph topology	7
5.2.4 Levels in GDF	13
5.2.5 Height modelling and time modelling	15
5.3 The Attribute model	16
5.4 The Relationship model	18
5.5 Linear referencing	19
5.6 The Feature representation scheme	19
5.7 Time modelling	20
5.8 Data management: organization of Feature data into Layers and Sections	21
6 Feature Catalogue	24
6.1 Generic specifications	24
6.1.1 Features and Feature Themes	24
6.1.2 Feature Class Codes	25
6.1.3 Simple and Complex Features	25
6.1.4 Feature hierarchy	25
6.1.5 Data model for the Feature Catalogue	25
6.1.6 Shareable Feature	26
6.2 Abstract Belt Feature	30
6.2.1 General	30
6.2.2 RoadBelt	33
6.2.3 RoadBeltElement	34
6.2.4 IntersectionBelt	36
6.2.5 RoundaboutBelt	38
6.2.6 LaneBeltElement	38
6.2.7 LaneBeltJoint	41
6.2.8 PotentialEvadingArea	42
6.2.9 BeltRepresentativeLine (BRL)	43
6.2.10 IntersectionConnectionPoint (ICP)	45
6.2.11 LaneConnectionPoint (LCP)	45
6.2.12 BeltOptionalPoint (BOP)	45
6.2.13 BeltPartitionLine	46
6.3 Road Furniture Feature	47
6.3.1 General overview	47
6.3.2 Road Structural Component (RSC)	47
6.3.3 Road Marking-2	48
6.3.4 Safety Fixture	50
6.4 Public Transport Feature	51
6.4.1 General overview	51
6.4.2 Public Transport Feature	53

6.4.3	Public Transport Point	54
6.4.4	Public Transport Point Sequence	54
6.4.5	Public Transport Point Sequence Part	55
6.4.6	Public Transport Point Set	55
6.4.7	Public Transport Point Set Part	56
6.4.8	Public Transport Representative Point	56
6.4.9	Public Transport Zone	56
7	Attribute Catalogue	56
7.1	Generic specifications	56
7.1.1	Attribute Types	56
7.1.2	Attribute Values	57
7.1.3	Attribute Type Name	57
7.1.4	Simple Attributes, Composite Attributes and Sub-Attributes	57
7.1.5	Names in combination with a Language Code	58
7.1.6	Default Attribute Values	58
7.1.7	Default Attribute units for measures	58
7.1.8	Attribute Type Codes	58
7.1.9	User Defined Attributes	58
7.1.10	Attribute mapping to Feature Themes and Relationships	59
7.1.11	The data model for Attributes	64
7.2	Attributes	70
7.2.1	Alignment Portion Type	70
7.2.2	Applied Direction	71
7.2.3	Applied Feature Type	71
7.2.4	Applied Side Line	71
7.2.5	Approximated Curve	71
7.2.6	Belt Overlapping	72
7.2.7	Belt Representative Line Segment Characteristic	72
7.2.8	Road Belt Element Segment Characteristic	72
7.2.9	Circular Curve Measure	73
7.2.10	Clothoid Curve Measure	73
7.2.11	Connection Type	73
7.2.12	Context Of Point	73
7.2.13	Context Of Point Set	74
7.2.14	Context Of Point Sequence	74
7.2.15	Cross-section	74
7.2.16	Design Reference	74
7.2.17	End Elevation Measure	75
7.2.18	Existence Position	75
7.2.19	Flexure Angle	75
7.2.20	Flexure Point	75
7.2.21	Gradient	76
7.2.22	Heading Angle	76
7.2.23	Height Block Characteristics	76
7.2.24	Height Block Information	77
7.2.25	Hierarchical Info	77
7.2.26	Identifier Number	77
7.2.27	Include Bicycle Lane	77
7.2.28	Intersection Category	78
7.2.29	Intersection Type	78
7.2.30	Lane Block ID	78
7.2.31	Lane Block Info	78
7.2.32	Lane Transfer Characteristic	79
7.2.33	Lane Transfer Characteristic Type	79
7.2.34	Lane Number	80
7.2.35	Lane Number Of Referencing	80
7.2.36	Lane Belt Element Segment Characteristic	80
7.2.37	Lane Width Change	81

7.2.38	Line Code	81
7.2.39	Line Name	82
7.2.40	Line Segment Information	82
7.2.41	Linear Portion Measure	82
7.2.42	Marking Type	82
7.2.43	Maximum Tolerance	83
7.2.44	Minimum Tolerance	83
7.2.45	Number Of Lanes in Lane Section	83
7.2.46	Number Of Lane Section Block Info	83
7.2.47	Number Of Slope Measure	84
7.2.48	PEA Limitation	84
7.2.49	Public Transport Operator	84
7.2.50	Road Alignment	84
7.2.51	Road-facing Side	85
7.2.52	Road Marking Common Attribute	85
7.2.53	Road Marking Individual Attribute	85
7.2.54	Road Marking Individual Characteristics	86
7.2.55	Road Structural Component Common Attribute	86
7.2.56	Road Structural Component Individual Attribute	86
7.2.57	Road Structural Component Individual Characteristics	86
7.2.58	Safety Fixture Common Attribute	87
7.2.59	Safety Fixture Individual Attribute	87
7.2.60	Safety Fixture Individual Characteristics	87
7.2.61	Segment Direction	87
7.2.62	Slope Measure	88
7.2.63	Sub Feature Class Code (Road Furniture)	88
7.2.64	Start Elevation Measure	88
7.2.65	Traffic Restriction	88
7.2.66	Traffic Restriction Item	89
7.2.67	Traffic Restriction Type Code	89
7.2.68	Traffic Restriction Value	89
7.2.69	Transport Mode	89
7.2.70	Traverse Point Location	90
7.2.71	Transverse Slope	90
7.2.72	Type Of BeltRepresentativeLine	91
7.2.73	Type Of Public Transport Point	91
7.2.74	Type Of Public Transport Point Sequence	92
7.2.75	Type Of Public Transport Point Set	92
7.2.76	Without Road shoulder	93
7.2.77	Zone Description	93
7.2.78	Zone Name	93
8	Relationship Catalogue	93
8.1	Generic specifications	93
8.1.1	Feature and their Relationships	93
8.1.2	Relationship Types	108
8.1.3	Relationship Type Codes	108
8.1.4	Arity of a Relationship	109
8.1.5	Roles and partners of a Relationship	109
8.1.6	Homogeneous Relationships and their constraints	109
8.2	Relationship Types	110
8.2.1	Belt Representative Line Associated With Intersection Connection Point	110
8.2.2	Belt Representative Line Associated With Lane Connection Point	111
8.2.3	Belt Representative Line Characteristic	111
8.2.4	Road Belt Element Associated With Intersection Belt	112
8.2.5	Road Belt Element Ownership Of Belt Representative Line	112
8.2.6	Road Belt Element Segment Characteristic	113
8.2.7	Intersection Belt Ownership Of Belt Representative Line	114
8.2.8	Lane Belt Element Associated With Lane Belt Joint	114

8.2.9	Lane Belt Element Ownership Of Belt Representative Line	115
8.2.10	Lane Belt Element Segment Characteristic	115
8.2.11	Lane Belt Joint Associated With Intersection Belt	116
8.2.12	Lane Section	116
8.2.13	Multi Public Transport Point Assignment	117
8.2.14	PEA Ownership Of Belt Representative Line	118
8.2.15	Public Transport Point In Correspondence With Road Element	118
8.2.16	Road Belt Associated With Intersection Belt	119
8.2.17	Road Belt Ownership Of Belt Representative Line	119
8.2.18	Road Furniture Along Road Belt Element	120
8.2.19	Road Furniture Along Belt Representative Line	121
8.2.20	Road Furniture Along Intersection Belt	121
8.2.21	Road Furniture Along Lane Belt Element	122
8.2.22	Road Marking Along Road Belt Element	123
8.2.23	Road Marking Along Belt Representative Line	124
8.2.24	Road Marking Along Intersection Belt	125
8.2.25	Road Marking Along Lane Belt Element	125
8.2.26	Segmented Edge Of PEA Belt	126
8.2.27	Shareable Coverage Area Linked To Shareable Point	127
8.2.28	Shareable Coverage Area Linked To Shareable Point Sequence	127
8.2.29	Shareable Coverage Area Linked To Shareable Point Set	128
8.2.30	Shareable Representative Point Linked To Shareable Point Sequence	128
8.2.31	Shareable Representative Point Linked To Shareable Point Set	129
8.2.32	Structure Along Road Belt Element	129
8.2.33	Structure Along Belt Representative Line	130
9	Feature representation rules	131
9.1	General	131
9.2	Generic specifications	131
9.2.1	Overview	131
9.2.2	Feature Categories	131
9.2.3	Types of topology	132
9.2.4	Levels of representation	132
9.2.5	Layers on level 0	134
9.2.6	Rules for level 0 representation	134
9.3	Abstract Belt Feature	134
9.3.1	Introduction	134
9.3.2	Level 2 representation	134
9.3.3	Level 1 representation	134
9.3.4	Level 0 representation	137
9.4	Road Furniture	137
9.4.1	Level 2 representation	137
9.4.2	Level 1 representation	137
9.4.3	Level 0 representation	137
9.5	Shareable Feature	137
9.5.1	Level 2 representation	137
9.5.2	Level 1 representation	138
9.5.3	Level 0 representation	138
9.6	Public Transport Feature	138
9.6.1	Level 2 representation	138
9.6.2	Level 1 representation	138
9.6.3	Level 0 representation	138
10	Metadata Catalogue	138
11	Logical Data Structures	138
11.1	Introduction	138
11.1.1	Data description language: ESN	138
11.1.2	Sets, elements and ranges	138
11.1.3	Summary of the syntax notation	138

11.1.4	Useful consequences of the syntax notation	139
11.1.5	Diagrammatic overview of the overall structure	139
11.2	Logical GDF Album	140
11.3	Datasets	141
11.4	Layers	141
11.5	Sections	141
11.5.1	Overview	141
11.5.2	SECTION	141
11.5.3	Section Metadata	141
11.5.4	Section Data	141
11.6	Time Domain Syntax	157
11.7	Update Information	157
11.7.1	Overview	157
11.7.2	UPDATE INFORMATION	157
11.7.3	GEO TOPO UPDATE INFORMATION	157
11.7.4	OBJECT UPDATE INFORMATION	157
11.7.5	Basic Data Types used by Update Information	157
11.8	Common Data Types	158
11.8.1	Overview	158
11.8.2	Pre-defined code lists and value lists	158
11.8.3	Geodeticals	158
11.8.4	Units & measures	158
11.8.5	Coordinates	158
11.8.6	Geographics	158
11.8.7	Identifier types	158
11.8.8	Basic types	164
12	Media Record Specifications	164
12.1	General specifications	164
12.1.1	Introduction	164
12.1.2	Partitioning	164
12.1.3	Logical Record	164
12.1.4	Media Record	164
12.1.5	Continuation Record	164
12.1.6	Null Record	164
12.1.7	Fields of variable and fixed length	164
12.1.8	Repeating Fields	164
12.1.9	Repeating Field Groups	165
12.1.10	Nesting Of Repeating Fields	165
12.1.11	Packing	165
12.1.12	Data Types	165
12.1.13	Character sets	165
12.1.14	Justification	165
12.1.15	Order of Records	165
12.1.16	Order of subrecords	165
12.1.17	Links between data records	166
12.2	Field specifications	173
12.2.1	Field Name	173
12.2.2	Record Control Fields	173
12.2.3	Common fields	177
12.2.4	Fields in Global Records	180
12.2.5	Fields in Data Records	180
12.2.6	Fields in Update Information Records	182
12.2.7	Fields Catalogue	183
12.3	Additional Constraints for Topological Features	197
12.3.1	Order of multiple Coordinate tuples in Coordinate Records	197
12.3.2	Order of Edges in Line Features, Belt Features, Area Features and Faces	198
12.3.3	Order of Features in Relationship Records	198
12.3.4	Order of Features in Relationship Records	198

12.4	Additional Constraints for Non-Explicit Topological Features: Order of Coordinate triplets in Feature Records	198
12.5	Mandatory Records	198
12.6	Record Format Specifications: Global Records	198
12.6.1	Album Header Record [ALHDREC]	198
12.6.2	Dataset Header Record [DSHDREC]	198
12.6.3	Field Definition Record [FIELDDEFREC]	198
12.6.4	Record Definition Record [RECDEFREC]	198
12.6.5	Feature Definition Record [FEATDEFREC]	199
12.6.6	Attribute Definition Record [ATDEFREC]	199
12.6.7	Attribute Value Definition Record [ATTVALREC]	199
12.6.8	Default Attribute Record [DATTVALREC]	199
12.6.9	Relationship Definition Record [RELDEFREC]	199
12.6.10	Geopolitical Structure Definition Record [GPLSTRDREC]	199
12.6.11	Geopolitical Structure Component Definition Record [GPLCOMDREC]	199
12.6.12	Spatial Domain Record [SPADOREC]	199
12.6.13	Directory Record [DIREC]	199
12.6.14	Abbreviation Record [ABBRREC]	199
12.6.15	Network Specification Record [NWSPECSREC]	199
12.6.16	Source Record [SRCEREC]	199
12.6.17	Geodetical Parameter Records	201
12.6.18	Layer Header Record [LAYHREC]	201
12.6.19	Section Header Record [SECHREC]	201
12.6.20	Comment Record [COMMENTREC]	201
12.6.21	Volume Termination Record [VOLTTERMREC]	201
12.7	Record Format Specifications: Data Records	201
12.7.1	2D Coordinate Record [XYREC]	201
12.7.2	3D Coordinate Record [XYZREC]	202
12.7.3	Node Record [NODEREC]	202
12.7.4	Edge Record [EDGEREC]	202
12.7.5	Face Record [FACEREC]	202
12.7.6	Point Feature Record (Explicit Point Topology sub-record) [POFEREC.01]	202
12.7.7	Point Feature Record (Non-explicit Point Topology sub-record) [POFEREC.03]	202
12.7.8	Line Feature Record (Explicit Line Topology sub-record) [LIFEREC.01]	202
12.7.9	Line Feature Record (Non-Explicit Line Topology sub-record) [LIFEREC.03]	202
12.7.10	Belt Feature Record (Full Rendering Belt Topology sub-record) [BEFEREC.01]	202
12.7.11	Belt Feature (Connectivity Rendering Belt Topology sub-record) [BEFEREC.02]	203
12.7.12	Belt Feature (Non-explicit Belt Topology sub-record) [BEFEREC.03]	205
13	XML schema specifications	207
13.1	Introduction	207
13.1.1	Schema design principles	208
13.2	Data content	208
13.3	GDF Part2 XML schema	208
13.4	Schema GDF_Main_Part2.xsd	208
13.4.1	Header	208
13.4.2	GDF Main Part2	208
13.4.3	Full Topology Belt Feature part2	210
13.4.4	Connectivity Topology Belt Feature part2	211
13.4.5	Non-explicit Topology Belt Feature part2	212
13.4.6	Explicit Point Feature part2	213
13.4.7	Non-explicit Point Feature part2	214
13.4.8	Explicit Line Feature part2	214
13.4.9	Non-explicit Line Feature part2	215
13.4.10	Full Topology Area Feature part2	216
13.4.11	Connectivity Topology Area Feature part2	216

13.4.12	Non-explicit Topology Area Feature part2	216
13.4.13	Explicit Topology Complex Feature part2	217
13.4.14	Non-explicit Topology Complex Feature part2	218
13.4.15	Attribute part2	219
13.4.16	Relationship part2	219
13.5	Schema GDF_data_dict_Part2.xsd	220
13.5.1	Header	220
13.5.2	Attribute Type code part2	220
13.5.3	Belt element pointer	220
13.5.4	Belt element type	220
13.5.5	Belt Feature ID	220
13.5.6	Defined Attribute Type code D part2	221
13.5.7	Defined Attribute Type code D Name part2	221
13.5.8	Defined Attribute Type code D Value part2	222
13.5.9	Defined Attribute Type code Data Type Code part2	223
13.5.10	Defined Attribute Type code Definition part2	224
13.5.11	Defined Attribute Type code Definition Reference part2	225
13.5.12	Defined Attribute Code List Part2	226
13.5.13	Defined Feature Category Name part2	234
13.5.14	Defined Feature Category Value part2	234
13.5.15	Defined Feature Code part2	234
13.5.16	Defined Feature Code Name part2	234
13.5.17	Defined Feature Code Value part2	235
13.5.18	Feature Category part2	235
13.5.19	Feature Code part2	235
13.5.20	Record Type part2	236
13.5.21	Record Type Name part2	236
13.5.22	Record Type Value part2	236
13.5.23	Record Type part2 (simple)	236
13.5.24	Record Subtype part2 (simple)	236
13.5.25	Relationship Code part2	236
13.5.26	Relationship Code D part2	236
13.5.27	Relationship Code Name part2	237
13.5.28	Relationship Code Value part2	237
13.5.29	Relationship Code Roles Definition part2	238
13.5.30	Relationship Code Roles Definition part2 Declination	238
13.5.31	Relationship Feature part2	239
13.5.32	Relationship Role Code Lists part2	239
13.6	Schema GDF_userDefined_Part2.xsd	254
13.6.1	Header	254
13.6.2	Attribute Descriptor part2	254
13.6.3	Attribute Content part2	255
13.6.4	User-defined Attribute Type code part2	255
13.6.5	User-defined Attribute Type code Name part2	255
13.6.6	User-defined Attribute Type code Value part2	255
13.6.7	User-defined Feature Codes part2	255
13.6.8	User-defined Feature Code Name part2	255
13.6.9	User-defined Feature Code Value part2	255
13.6.10	User-defined Relationship Code part2	255
13.6.11	User-defined Relationship Code Name part2	256
13.6.12	User-defined Relationship Code Value part2	256
Annex A (normative) Semantic codes for GDF5.1 Part 2		257
Annex B (normative) Syntax for Time Domains of GDF5.1 Part 2		263
Annex C (normative) Sectioning GDF Datasets		287
Annex D (normative) Definition and description of the subtypes of Road Furniture		290

Annex E (normative) Definition and description of the subtypes of Public Transport Point Features	307
Annex F (normative) XML schema specification file for GDF5.1 Part1 and Part2	317
Annex G (informative) Examples of XML representation of GDF5.1 Part 2 (this document) in Japan	544
Annex H (informative) UML notation	580
Annex I (informative) Examples of BeltProperty concepts	586
Bibliography	589

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/2312e3cc-7e5c-42c7-a971-a0fccc8d2e56/iso-prf-20524-2>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*.

This first edition cancels and replaces ISO 14825:2011, which has been technically revised.

The main changes compared to the previous edition are as follows:

- this document is newly dedicated to Shareable Features, Cooperative ITS and Public Transport.

A list of all parts in the ISO 20524 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

GDF5.0 (ISO 14825) defines the map database exchange format for ITS. Its primary application is in car navigation systems and it assumes the provision of the map database by a single provider. However, ITS applications have been expanding to Cooperative ITS and automated driving systems through the recent progress of technology. In addition, there is demand for capabilities such as the accommodation of map databases from multiple providers and cooperation with externally connecting databases, such as Transmodel (EN 12896-1 and EN 12896-2).

Given this environment, ISO 14296 was published in February 2016 as an extension of map database specifications for applications of Cooperative ITS. However, GDF5.0 (ISO 14825) does not define some elements used in this document and automated driving systems require additional elements based on their unique application requirements. Furthermore, because GDF5.0 (ISO 14825) does not define a method to connect with external databases, the formulation of GDF5.1 (the ISO 20524 series) has become indispensable.

On revising GDF, the changes of conventional GDF are applied in GDF5.1 Part 1 (ISO 20524-1). The addition of a concept, a data model and specifications to satisfy new requirements applies to GDF5.1 Part 2 (this document). The new GDF document (the ISO 20524 series) is accordingly composed of two separate volumes: Part 1(ISO 20524-1) and Part 2 (this document).

ITeH STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/2312e3cc-7e5c-42c7-a971-a0fccc8d2e56/iso-prf-20524-2>

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/2312e3cc-7e5c-42c7-a971-a0fccc8d2e56/iso-prf-20524-2>