First edition 2020-07

Guidelines for addressing climate change in standards

Lignes directrices pour la prise en compte des changements climatiques dans les normes

Collection of the standards of the stand

PROOF/ÉPREUVE



Reference number ISO GUIDE 84:2020(E)

HIPS: 1842 Act of Standards it and a standards of the sta



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org

Website: www.iso.org Published in Switzerland

| Co | Contents | | | | | |
|------|---|--|----------|--|--|--|
| Fore | eword | | v | | | |
| Intr | oductio | n | vi | | | |
| 1 | Scop | e | 1 | | | |
| 2 | Normative references | | | | | |
| 3 | | | | | | |
| J | Terms, definitions and abbreviated terms 3.1 Terms and definitions | | | | | |
| | | 3.1.6 | | | | |
| | 3.2 | | | | | |
| 4 | Understanding and responding to climate change | | | | | |
| | 4.1 4.2 | What is climate change?Climate change mitigation (CCM) and adaptation to climate change (ACC) | 8g | | | |
| | | 4.2.1 General | | | | |
| | | 4.2.2 Climate change mitigation (CCM) | 9 | | | |
| | | 4.2.3 Adaptation to climate change (ACC) | 10 | | | |
| | | 4.2.4 Interrelation between chimate change intugation and adaptation | 10 | | | |
| 5 | Addr | ressing climate change in standards | 10 | | | |
| | 5.1 | | 11 | | | |
| | 0.2 | 5.2.1 General 5.2.2 Interactivity 5.2.3 Clarity 5.2.4 Involvement of interested parties 5.2.5 Transparency 5.2.6 Fairness and equity 5.2.7 Performance-driven approach | 11 | | | |
| | | 5.2.2 Interactivity | 11 | | | |
| | | 5.2.3 Clarity 5.2.4 Involvement of interested parties 5.2.4 | 11 | | | |
| | | 5.2.5 Transparency | 1 11 | | | |
| | | 5.2.6 Fairness and equity | 12 | | | |
| | | 5.2.7 Performance-driven approach | 12 | | | |
| | | 5.2.8 Future orientation | 12 | | | |
| 6 | 5.2.8 Future orientation Planning the strategy 6.1 General | | | | | |
| | 6.1 6.2 | General Issues to think about before establishing a committee | 12 | | | |
| | 6.2 6.3 6.4 | Strategic business plan | | | | |
| | | Review and revision of standards | | | | |
| 7 | Planning the content | | | | | |
| , | 7.1 7.2 | Responsibilities | | | | |
| | | Understanding approaches to responding to climate change | | | | |
| | | 7.2.1 General 7.2.2 Systems approach | | | | |
| | | 7.2.2 Systems approach | | | | |
| | | 7.2.4 Risk-based approach | | | | |
| | | 7.2.5 Precautionary approach | | | | |
| | 7.3 | Identifying climate change issues | | | | |
| | | 7.3.1 General 7.3.2 Identifying relevant climate change issues | | | | |
| | | 7.3.3 Identifying significant climate change issues | | | | |
| 8 | Addressing climate change issues | | | | | |
| | 8.1 8.2 8.3 | General | 22 | | | |
| | | Consider interrelations between adaptation and mitigation | | | | |
| | | Addressing climate change mitigation when dealing with specific sources | | | | |
| | | 8.3.2 GHG emissions from the direct or indirect combustion of fuels and energy | | | | |
| | | efficiency | | | | |
| | | 0.5.5 and chilosions from the use of fluor mateu fluustral gases | 43 | | | |

ISO GUIDE 84:2020(E)

| Biblio | Bibliography | | | | | |
|-----------------------------|----------------|----------------|---|----------|--|--|
| | suppo | orting in | formation | | | |
| | | | e) Climate change adaptation and mitigation: Examples and | | | |
| Annex | C (info | ormative | Planetary boundary conditions | 51 | | |
| Annex B (informative change | | | native) Background information on approaches for responding to climate | | | |
| | | | e) Using systems thinking to set boundaries for climate change adaptati | on41 | | |
| | | 8.8.4 | Role of verification in monitoring and evaluation | 40 | | |
| | | 8.8.3 | Organizational inventories GHG project monitoring Per unit of product "footprints" | 39 | | |
| | | 8.8.2 | GHG project monitoring | 39 | | |
| | | 8.8.1 | Organizational inventories (Control of the Control | 38 | | |
| | 8.8 | Other a | spects for consideration | 38 | | |
| | 8.7 | Adapta | tion and mitigation in management greaten standards | 26 | | |
| | | 8.6.5 | Process standards Product standards | 34 | | |
| | | 8.6.4 | Process standards | 34 | | |
| | | 8.6.3 | Incorporating climate change adaptation measures into standards | 37 31 | | |
| | | 8.6.1 | Considerations and approaches for adaptation | 5U 21 | | |
| | 8.6 | Addres 8.6.1 | sing climate change adaptation aspects in product and process standards General | | | |
| | 0.6 | 8.5.4 | Mitigation projects | | | |
| | | 8.5.3 | Green debt instruments | | | |
| | | 8.5.2 | Policy incentives | | | |
| | | 8.5.1 | General | | | |
| | 8.5 | | ing the transition to a low carbon economy | | | |
| | | 8.4.5 | Carbon capture, use, and storage | | | |
| | | 8.4.4 | GHG reduction through resource management | | | |
| | | 8.4.3 | GHG reduction through fuel switching | | | |
| | | 8.4.2 | GHG reduction through renewable energy | | | |
| | | 8.4.1 | GHG reduction through energy management and energy efficiency | | | |
| | 8.4 | | ion approaches | | | |
| | | 8.3.11 | GHG emissions from maritime shipping | | | |
| | | 8.3.10 | GHG emissions from the aviation sector | | | |
| | | 8.3.9 | GHG emissions from road transportation fuels | 20 26 | | |
| | | 8.3.8 | GHG emissions from waste managementGHG emissions from biomass and natural processes | 20 26 | | |
| | | 8.3.6 8.3.7 | GHG emissions from livestock operations | | | |
| | | 8.3.5 | GHG emissions from agriculture | | | |
| | | 8.3.4 | GHG emissions from the process industries | | | |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by the ISO Technical Management Board Task Force on Climate Change Coordination.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

PROOF/ÉPREUVE

Introduction

This document is intended for developers of ISO standards and other deliverables to encourage the inclusion of provisions in standards to address climate change impacts, risks and opportunities, and aims to:

- enable standards committees to determine if the standard under consideration should take into account aspects, issues, impacts, risks and/or opportunities associated with climate change;
- provide standards developers with a systematic approach to address climate change impacts, risks and opportunities in a coherent and consistent manner, with regard to both new and revised standards, and in a manner related to the objective and scope of the standard being developed;
- promote consistency and compatibility to the extent practical among standards that directly or indirectly address climate change and their wider uptake in support of sustainability.

NOTE Standards developers are encouraged to consider the committee specific policies in the ISO/IEC Directives, Part 1, for the development of sector-specific environmental management standards and sector-specific environmental management system standards.

Figure 1 provides a schematic overview of this document as a process for addressing climate change in standards.




Figure 1 — Schematic overview of this document

The international community has expressed a commitment to strengthen the global response to the threat of climate change, in the context of sustainable development, including:

- a) holding the increase in the global average temperature to below 2 °C above pre-industrial levels and pursuing efforts to limit the temperature increase to 1,5 °C above pre-industrial levels, recognizing that this would significantly reduce the negative climate change impacts;
- b) increasing the ability to adapt to the adverse impacts of climate change and foster climate resilience and low greenhouse gas emissions development, in a manner that does not threaten food production.

Climate change affects many regions of the world and includes significant climate change impacts, risks and opportunities arising from changing weather patterns, rising sea levels and more extreme weather events. Rapidly expanding urban areas are recognized to be particularly vulnerable. Climate extremes affecting urban systems, such as power supplies, can lead to cascading failures in other utilities and services compromising the health and well-being of the population. The potential consequences of such climate-related impacts, risks and opportunities include the disruption of different environmental, social and economic systems within national economies, affecting communities and organizations, as well as individuals, with the poorest and most vulnerable people expected to be affected the most. Action is needed, involving both climate change adaptation and mitigation, in order to limit the effects of climate change impacts, risks and opportunities, while also contributing to the reduction of the world's average surface temperature. Against this challenging outlook, the scope, need and opportunity for action on climate change is extensive.

Climate change is acknowledged as a foremost challenge with regards to the goal of sustainable development, which encompasses any state of the global system in which the needs of the present are met without compromising the ability of future generations to meet their own needs.

Standards that take into consideration climate change adaptation and/or mitigation can contribute to the achievement of sustainability, either directly (where they specifically address sustainability issues such as climate change) or indirectly (where they relate to testing, products, procedures, services, terminology, management systems or assessment). It is recognized that both climate change mitigation (CCM) and adaptation to climate change (ACC) are important for all processes related to a technology, activity or product (TAP). Although there are very important interactions, the two disciplines are distinct and are addressed individually within this document.

Standards developers are encouraged to consider climate change issues in their work at all stages in the standards development process. If climate change issues have not been considered, this can be a valid reason to start the revision of a standard. In addition, the significance or relevance of specific issues can have changed since the previous edition of a standard was drafted or reviewed. Whenever a new standard is drafted or an existing standard is revised, all standards developers (including project leaders, convenors, committee chairs, committee managers and secretaries) are encouraged to actively promote the application of this document, and to involve experts knowledgeable in the subject.

When standards developers address climate change in different existing or new standards, the result can be an increased awareness of climate change issues among the user community across various market sectors. Through the application of this document, users of such standards will be better able to address climate change mitigation and/or adaptation in ways that many would not have expected or considered. And with entirely new standards, users will realize that there are new opportunities for the market to respond to these issues in ways not previously considered or contemplated.

© ISO 2020 – All rights reserved **PROOF/ÉPREUVE** vii

Inter: 1822 A Red and a test and a standard standards of the standards of

1

Guidelines for addressing climate change in standards

1 Scope

This document provides guidance to standards developers on how to take account of climate change in the planning, drafting, revision and updating of ISO standards and other deliverables.

It outlines a framework and general principles that standards developers can use to develop their own approach to addressing climate change on a subject-specific basis.

It aims to enable standards developers to include adaptation to climate change (ACC) and climate change mitigation (CCM) considerations in their standardization work. Considerations related to ACC are intended to contribute to increasing preparedness and disaster reduction as well as impacting the resilience of organizations and their TAPs. Considerations related to CCM consist primarily of approaches that seek to avoid, reduce or limit the release of GHG emissions and/or increase GHG removals.

Normative references

There are no normative references in this document.

Terms, definitions and abbreviated terms in the definitions. Terms and definitions

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

3.1.1

climate

statistical description of weather in terms of the mean and variability of relevant quantities over a period of time ranging from months to thousands or millions of years

Note 1 to entry: The classical period for averaging these variables is 30 years, as defined by the World Meteorological Organization.

Note 2 to entry: The relevant quantities are most often near-surface variables such as temperature, precipitation and wind.

[SOURCE: ISO 14090:2019, 3.4]

3.1.2

climate change

change in *climate* (3.1.1) that persists for an extended period, typically decades or longer

Note 1 to entry: Change in climate can be identified (e.g. by using statistical tests) by changes in the mean and/ or the variability of its properties.

PROOF/ÉPREUVE © ISO 2020 - All rights reserved

ISO GUIDE 84:2020(E)

Note 2 to entry: Climate change might be due to natural processes, internal to the climate system, or external forcings such as modulations of the solar cycles, volcanic eruptions, and persistent *anthropogenic* (3.1.24) changes in the composition of the atmosphere or in *land use* (3.1.25).

[SOURCE: ISO 14090:2019, 3.5, modified — The abbreviated term "CC" has been added and Note 1 to entry has been modified.]

3.1.3

adaptation to climate change climate change adaptation adaptation

ACC

process (3.1.30) of adjustment to actual or expected climate (3.1.1) and its effects

Note 1 to entry: In human systems, adaptation seeks to moderate or avoid harm or exploit beneficial opportunities.

Note 2 to entry: In some natural systems, human intervention can facilitate adjustment to expected climate and its effects.

[SOURCE: ISO 14090:2019, 3.1, modified — The preferred term "adaptation" and the abbreviated term "ACC" have been added.]

3.1.4

climate change mitigation mitigation CCM

CCM
human intervention to reduce GHG emissions (3.1.12) or enhance GHG removals (3.1.13)

[SOURCE: ISO 14080:2018, 3.1.2.1, modified The preferred term "mitigation" and the abbreviated term "CCM" have been added, and the words "to reduce the sources or enhance the sinks of greenhouse gases (GHGs)" have been replaced with "to reduce GHG emissions or enhance GHG removals" in the definition.]

3.1.5

climate change impact

effect on natural or human systems as a result of exposure (3.1.9) to climate change (3.1.2)

Note 1 to entry: Impacts can be adverse or beneficial.

[SOURCE: ISO 14090:2019, 3.8, modified — The preferred term and definition have been contextualized to directly refer to climate change: the term "impact" has been replaced with "climate change impact", the words "as a result of exposure to climate change" have been added to the definition and the original Note 1 to entry has been replaced.]

3.1.6

3.1.6.1

climate change risk

risk (3.1.6.2) of negative climate change impacts (3.1.5) that reflects the interaction among vulnerability (3.1.7), exposure (3.1.9) and hazard (3.1.10)

Note 1 to entry: A risk assessment can include the consideration of vulnerabilities, exposure and *climate change* (3.1.2) hazards, or the consideration of *likelihoods* (3.1.35) and *consequences* (3.1.34).

[SOURCE: ISO 14080:2018, 3.1.3.3, modified — The preferred term has been changed from "climate risk" to "climate change risk", the words "potential of negative impacts of climate change" have been replaced with "risk of negative climate change impacts", and the original Note 1 to entry has been replaced.]

3

3.1.6.2

risk

effect of uncertainty on objectives

Note 1 to entry: An effect is a deviation from the expected. It can be positive, negative or both, and can address, create or result in opportunities and threats.

Note 2 to entry: Objectives can have different aspects and categories, and can be applied at different levels.

Note 3 to entry: Risk is usually expressed in terms of *risk sources* (3.1.32), potential *events* (3.1.33), their *consequences* (3.1.34) and their *likelihood* (3.1.35).

[SOURCE: ISO 31000:2018, 3.1]

3.1.7

vulnerability

propensity or predisposition to be adversely affected by *climate* (3.1.1) variability or *change* (3.1.2)

Note 1 to entry: Vulnerability encompasses a variety of concepts and elements including *sensitivity* (3.1.8) or susceptibility to harm and lack of capacity to cope and adapt.

[SOURCE: ISO 14090:2019, 3.15, modified —The definition has been contextualized to directly refer to climate variability or change: the words "by climate variability or change" have been added to the definition.]

3.1.8

sensitivity

degree to which a system or species is affected, either adversely or beneficially, by *climate* (3.1.1) variability or *change* (3.1.2)

[SOURCE: ISO 14080:2018, 3.1.3.7, modified — The note to entry has been removed.]

3.1.9

exposure

presence of people, livelihoods, species or ecosystems, environmental functions, services, resources, infrastructure, or economic, social, or cultural assets in places and settings that could be adversely affected by *climate* (3.1.1) variability or *change* (3.1.2)

Note 1 to entry: Exposure can change over time, for example as a result of land use (3.1.25) change.

[SOURCE: ISO 14090:2019, 3.6, modified — The definition has been contextualized to directly refer to effect of climate change and climate variability: the term "affected" has been replaced by "adversely affected by climate variability or change" in the definition.]

3.1.10

hazard

potential source of injury or damage to the health of people, or damage to property or the environment

Note 1 to entry: The potential for harm can be in terms of loss of life, injury or other health impacts, as well as damage and loss to property, infrastructure, livelihoods, service provision, ecosystems and environmental resources.

Note 2 to entry: In this document, the term usually refers to climate-related physical *events* (3.1.33) or trends or their physical impacts.

Note 3 to entry: Hazard comprises slow-onset developments (e.g. rising temperatures over the long term) as well as rapidly developing climatic extremes (e.g. a heatwave or a landslide) or increased variability.

[SOURCE: ISO 14090:2019, 3.7, modified — The word "harm" has been replaced by "injury or damage to the health of people, or damage to property or the environment" in the definition.]

3.1.11

greenhouse gas

GHG

gaseous constituent of the atmosphere, both natural and anthropogenic (3.1.22), that absorbs and emits radiation at specific wavelengths within the spectrum of infrared radiation emitted by the Earth's surface, the atmosphere, and clouds

[SOURCE: ISO 14064-1:2018, 3.1.1, modified — The Notes to entry have been removed.]

3.1.12

greenhouse gas emission **GHG** emission

release of a *GHG* (3.1.11) into the atmosphere

[SOURCE: ISO 14064-1:2018, 3.1.5]

3.1.13

greenhouse gas removal

GHG removal

withdrawal of a GHG (3.1.11) from the atmosphere

[SOURCE: ISO 14064-1:2018, 3.1.6, modified — The words "by GHG sinks" have been removed from the definition.]

3.1.14

carbon capture and storage
carbon dioxide capture and storage
CCS

process (3.1.30) consisting of the separation of CO₂ from industrial and energy-related sources,
transportation and injection into a gooderical formation possibling in long town including in long town including the separation of the separation and injection into a gooderical formation possibling in long town including the separation of the separation of the separation and injection into a gooderical formation possibling in long town including the separation of the separa transportation and injection into a geological formation resulting in long-term isolation from the atmosphere

Note 1 to entry: CCS is often referred to as Carbon Capture and Storage. This terminology is not encouraged because it is inaccurate: the objective is the capture of carbon dioxide and not the capture of carbon. Tree plantation is another form of carbon capture that does not describe precisely the physical process of removing CO₂ from industrial emission sources.

Note 2 to entry: The term "sequestration" is also used alternatively to "storage". The term "storage" is preferred since "sequestration" is more generic and can also refer to biological processes (absorption of carbon by living organisms).

Note 3 to entry: Long-term means the minimum period necessary for geological storage of CO₂ to be considered an effective and environmentally safe *climate change mitigation* (3.1.4) option.

[SOURCE: ISO 27917:2017, 3.1.1, modified — The additional preferred term "carbon capture and storage" has been added, and Notes 4 and 5 to entry have been removed]

3.1.15

carbon capture and utilization

carbon dioxide capture and utilization

CCU

process (3.1.30) of separating (capturing) CO₂ from an industrial or manufacturing process or from air, and converting it for use as material feedstock within another product system (3.1.29)

Note 1 to entry: CCU is sometimes referred to as CO₂ transformation, CO₂ conversion, CO₂ recycling or CO₂ upcycling.

Note 2 to entry: Currently, the CO₂ that is captured is typically converted for use in creating fuels, chemicals, or material feedstock or used directly for enhancing plant growth in horticulture.

3.1.16

greenhouse gas inventory

GHG inventory

list of *GHG sources* (3.1.36) and *GHG sinks* (3.1.37), and their quantified *GHG emissions* (3.1.12) and *GHG removals* (3.1.13)

[SOURCE: ISO 14064-1:2018, 3.2.6]

3.1.17

greenhouse gas programme

GHG programme

voluntary or mandatory international, national, or subnational system or scheme that registers, accounts or manages GHG emissions (3.1.12), GHG removals (3.1.13), GHG emission reductions (3.1.19) or GHG removal enhancements (3.1.20) outside the organization (3.1.31) or GHG project (3.1.18)

[SOURCE: ISO 14064-1:2018, 3.2.8]

3.1.18

greenhouse gas project

GHG project

activity or activities that alter the conditions of a *GHG baseline* (3.1.38) and which cause *GHG emission reductions* (3.1.19) or *GHG removal enhancements* (3.1.20)

[SOURCE: ISO 14064-1:2018, 3.2.7, modified — Note to entry has been removed.]

3.1.19

greenhouse gas emission reduction

GHG emission reduction

quantified decrease in GHG emissions (3.1.12) between a baseline scenario (3.1.39) and the GHG project (3.1.18)

ISOURCE: ISO 14064-2:2019.3.1.71

3.1.20

greenhouse gas removal enhancement

GHG removal enhancement

quantified increase in GHG removals (3.1.13) between a baseline scenario (3.1.39) and the GHG project (3.1.18)

[SOURCE: ISO 14064-2:2019, 3.1.8]

3.1.21

life cycle

consecutive and interlinked stages related to a *product* (3.1.28), from raw material acquisition or generation from natural resources to end-of-life treatment.

[SOURCE: ISO 14067:2018, 3.1.4.2, modified — Notes to entry have been removed.]

3.1.22

carbon footprint of a product

CFP

sum of GHG emissions (3.1.12) and GHG removals (3.1.13) in a product system (3.1.29), expressed as CO2 equivalents (3.1.41) and based on a life cycle assessment (3.1.40) using the single impact category of climate change (3.1.2)

[SOURCE: ISO 14067:2018, 3.1.1.1, modified — Notes to entry have been removed,]