

# ETSI TS 123 288 V17.12.0 (2024-07)



**5G;**  
**Architecture enhancements for 5G System (5GS)**  
**to support network data analytics services**  
**(3GPP TS 23.288 version 17.12.0 Release 17)**

[ETSI TS 123 288 V17.12.0 \(2024-07\)](https://standards.iteh.ai/catalog/standards/etsi/62393cf1-3223-4948-b46b-e7f2111122c/etsi-ts-123-288-v17-12-0-2024-07)

<https://standards.iteh.ai/catalog/standards/etsi/62393cf1-3223-4948-b46b-e7f2111122c/etsi-ts-123-288-v17-12-0-2024-07>



---

**Reference**

RTS/TSGS-0223288vhc0

---

**Keywords**

5G

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

---

The present document can be downloaded from the  
ETSI [Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#).

Users should be aware that the present document may be revised or have its status changed,  
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to  
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our  
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

---

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.  
All rights reserved.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

## Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2024-07)

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	8
1 Scope .....	9
2 References .....	9
3 Definitions and abbreviations.....	10
3.1 Definitions .....	10
3.2 Abbreviations .....	10
4 Reference Architecture for Data Analytics .....	10
4.1 General .....	10
4.2 Non-roaming architecture.....	11
4.2.0 General.....	11
4.2.1 Analytics Data Repository Function .....	13
4.3 Roaming architecture .....	14
5 Network Data Analytics Functional Description .....	14
5.1 General .....	14
5.2 NWDAF Discovery and Selection .....	15
5A Data Collection Coordination and Delivery Functional Description .....	17
5A.1 General .....	17
5A.2 Data Collection Coordination.....	17
5A.3 Data Delivery .....	18
5A.3.0 General.....	18
5A.3.1 Data Delivery via the DCCF or NWDAF.....	19
5A.3.2 Data Delivery via a Messaging Framework.....	20
5A.4 Data Formatting and Processing.....	21
5A.5 Historical Data Handling.....	23
5B Analytics Data Repository Functional Description.....	24
5B.1 General .....	24
6 Procedures to Support Network Data Analytics.....	24
6.0 General .....	24
6.1 Procedures for analytics exposure .....	25
6.1.1 Analytics Subscribe/Unsubscribe .....	25
6.1.1.1 Analytics subscribe/unsubscribe by NWDAF service consumer.....	25
6.1.1.2 Analytics subscribe/unsubscribe by AFs via NEF .....	25
6.1.2 Analytics Request .....	27
6.1.2.1 Analytics request by NWDAF service consumer.....	27
6.1.2.2 Analytics request by AFs via NEF.....	27
6.1.3 Contents of Analytics Exposure.....	28
6.1.4 Analytics Exposure using DCCF .....	31
6.1.4.1 General .....	31
6.1.4.2 Analytics Exposure via DCCF .....	31
6.1.4.3 Historical Analytics Exposure via DCCF .....	33
6.1.4.4 Analytics Exposure via Messaging Framework.....	35
6.1.4.5 Historical Analytics Exposure via Messaging Framework .....	37
6.1A Analytics aggregation from multiple NWDAFs.....	39
6.1A.1 General.....	39
6.1A.2 Analytics Aggregation .....	40
6.1A.3 Procedure for analytics aggregation.....	40
6.1A.3.1 Procedure for analytics aggregation with Provision of Area of Interest.....	40
6.1A.3.2 Procedure for Analytics Aggregation without Provision of Area of Interest .....	42

6.1B	Transfer of analytics context and analytics subscription .....	44
6.1B.1	General .....	44
6.1B.2	Analytics Transfer Procedures .....	45
6.1B.2.1	Analytics context transfer initiated by target NWDAF selected by the NWDAF service consumer ....	45
6.1B.2.2	Analytics Subscription Transfer initiated by source NWDAF .....	46
6.1B.2.3	Prepared analytics subscription transfer .....	49
6.1B.3	Analytics Context Transfer .....	51
6.1B.4	Contents of Analytics Context .....	52
6.1C	NWDAF Registration/Deregistration in UDM .....	53
6.1C.1	General .....	53
6.1C.2	NWDAF Registration in UDM .....	54
6.1C.3	NWDAF De-registration from UDM .....	54
6.2	Procedures for Data Collection .....	55
6.2.1	General .....	55
6.2.2	Data Collection from NFs .....	56
6.2.2.1	General .....	56
6.2.2.2	Procedure for Data Collection from NFs .....	60
6.2.2.3	Procedure for Data Collection from AF via NEF .....	61
6.2.2.4	Procedure for Data Collection from NRF .....	63
6.2.2.5	Usage of Exposure framework by the NWDAF for Data Collection .....	63
6.2.3	Data Collection from OAM .....	64
6.2.3.1	General .....	64
6.2.3.2	Procedure for data collection from OAM .....	64
6.2.4	Correlation between network data and service data .....	65
6.2.5	Time coordination across multiple NWDAF instances .....	66
6.2.5.1	General .....	66
6.2.5.2	Procedure for time coordination across multiple NWDAFs .....	67
6.2.6	Enhanced Procedures for Data Collection .....	68
6.2.6.0	General .....	68
6.2.6.1	Bulked Data Collection .....	68
6.2.6.1.0	General .....	68
6.2.6.1.1	Services for Bulked Data Collection .....	69
6.2.6.2	Procedure for Data Collection from NWDAF .....	70
6.2.6.3	Data Collection using DCCF .....	73
6.2.6.3.1	General .....	73
6.2.6.3.2	Data Collection via DCCF .....	73
6.2.6.3.3	Historical Data Collection via DCCF .....	76
6.2.6.3.4	Data Collection via Messaging Framework .....	78
6.2.6.3.5	Historical Data Collection via Messaging Framework .....	80
6.2.6.3.6	Data collection profile registration .....	83
6.2.7	Data Collection with Event Muting Mechanism .....	84
6.2.7.1	General .....	84
6.2.7.2	Procedure for Data Collection with Event Muting Mechanism .....	84
6.2.8	Data Collection from the UE Application .....	86
6.2.8.1	General .....	86
6.2.8.2	Procedure for data collection from the UE Application .....	87
6.2.8.2.1	Connection establishment between UE Application and AF .....	87
6.2.8.2.2	AF registration and discovery .....	88
6.2.8.2.3	Data Collection Procedure from UE .....	88
6.2.8.2.4	Correlation between UE data collection and the NWDAF data request .....	89
6.2.8.2.4a	Void .....	92
6.2.9	User consent for analytics .....	92
6.2A	Procedure for ML Model Provisioning .....	93
6.2A.0	General .....	93
6.2A.1	ML Model Subscribe/Unsubscribe .....	94
6.2A.2	Contents of ML Model Provisioning .....	94
6.2A.3	ML Model request .....	95
6.2B	Analytics Data Repository procedures .....	96
6.2B.1	General .....	96
6.2B.2	Historical Data and Analytics storage .....	96
6.2B.3	Historical Data and Analytics Storage via Notifications .....	97
6.2B.4	Data removal from an ADRF .....	99

6.3	Slice load level related network data analytics.....	99
6.3.1	General.....	99
6.3.2	Void.....	100
6.3.2A	Input data.....	100
6.3.3	Void.....	101
6.3.3A	Output analytics.....	101
6.3.4	Procedures.....	104
6.4	Observed Service Experience related network data analytics.....	105
6.4.1	General.....	105
6.4.2	Input Data.....	107
6.4.3	Output Analytics.....	109
6.4.4	Procedures to request Service Experience for an Application.....	112
6.4.5	Procedures to request Service Experience for a Network Slice.....	114
6.4.6	Procedures to request Service Experience for a UE.....	114
6.5	NF load analytics.....	115
6.5.1	General.....	115
6.5.2	Input data.....	116
6.5.3	Output analytics.....	118
6.5.4	Procedures.....	119
6.6	Network Performance Analytics.....	121
6.6.1	General.....	121
6.6.2	Input Data.....	122
6.6.3	Output Analytics.....	122
6.6.4	Procedures.....	124
6.7	UE related analytics.....	125
6.7.1	General.....	125
6.7.2	UE mobility analytics.....	125
6.7.2.1	General.....	125
6.7.2.2	Input Data.....	126
6.7.2.3	Output Analytics.....	127
6.7.2.4	Procedures.....	127
6.7.3	UE Communication Analytics.....	129
6.7.3.1	General.....	129
6.7.3.2	Input Data.....	130
6.7.3.3	Output Analytics.....	131
6.7.3.4	Procedures.....	132
6.7.4	Expected UE behavioural parameters related network data analytics.....	134
6.7.4.1	General.....	134
6.7.4.2	Input Data.....	134
6.7.4.3	Output Analytics.....	135
6.7.4.4	Procedures.....	135
6.7.4.4.1	NWDAF-assisted expected UE behavioural analytics.....	135
6.7.5	Abnormal behaviour related network data analytics.....	136
6.7.5.1	General.....	136
6.7.5.2	Input Data.....	137
6.7.5.3	Output Analytics.....	138
6.7.5.4	Procedure.....	140
6.8	User Data Congestion Analytics.....	141
6.8.1	General.....	141
6.8.2	Input data.....	142
6.8.3	Output analytics.....	143
6.8.4	Procedures.....	145
6.8.4.1	Procedure for one-time or continuous reporting of analytics for user data congestion in a geographic area.....	145
6.8.4.2	Procedure for one-time or continuous reporting of analytics for user data congestion for a specific UE.....	147
6.9	QoS Sustainability Analytics.....	150
6.9.1	General.....	150
6.9.2	Input data.....	151
6.9.3	Output analytics.....	151
6.9.4	Procedures.....	152
6.10	Dispersion Analytics.....	152

6.10.1	General.....	152
6.10.2	Input Data .....	154
6.10.3	Output Analytics.....	158
6.10.3.0	General.....	158
6.10.3.1	Data Volume Dispersion Analytics.....	158
6.10.3.2	Transactions Dispersion Analytics.....	162
6.10.4	Dispersion Analytic Procedure .....	166
6.11	WLAN performance analytics.....	168
6.11.1	General.....	168
6.11.2	Input Data .....	169
6.11.3	Output Analytics.....	170
6.11.4	Procedures.....	171
6.12	Session Management Congestion Control Experience Analytics.....	172
6.12.1	General.....	172
6.12.2	Input Data .....	172
6.12.3	Output Analytics.....	173
6.12.4	Procedures.....	173
6.13	Redundant Transmission Experience related analytics .....	174
6.13.1	General.....	174
6.13.2	Input Data .....	175
6.13.3	Output Analytics.....	175
6.13.4	Procedures.....	176
6.13.4.1	Analytics Procedure .....	176
6.14	DN Performance Analytics.....	178
6.14.1	General.....	178
6.14.2	Input Data .....	179
6.14.3	Output Analytics.....	180
6.14.4	Procedures to request DN Performance Analytics for an Application.....	182
6.15	Void.....	183
7	Nnwdaf Services Description.....	183
7.1	General .....	183
7.2	Nnwdaf_AnalyticsSubscription Service.....	185
7.2.1	General.....	185
7.2.2	Nnwdaf_AnalyticsSubscription_Subscribe service operation .....	185
7.2.3	Nnwdaf_AnalyticsSubscription_Unsubscribe service operation .....	186
7.2.4	Nnwdaf_AnalyticsSubscription_Notify service operation.....	186
7.2.5	Nnwdaf_AnalyticsSubscription_Transfer service operation .....	187
7.3	Nnwdaf_AnalyticsInfo service.....	188
7.3.1	General.....	188
7.3.2	Nnwdaf_AnalyticsInfo_Request service operation.....	188
7.3.3	Nnwdaf_AnalyticsInfo_ContextTransfer service operation .....	188
7.4	Nnwdaf_DataManagement Service.....	189
7.4.1	General.....	189
7.4.2	Nnwdaf_DataManagement_Subscribe service operation .....	189
7.4.3	Nnwdaf_DataManagement_Unsubscribe service operation .....	189
7.4.4	Nnwdaf_DataManagement_Notify service operation.....	190
7.4.5	Nnwdaf_DataManagement_Fetch service operation .....	190
7.5	Nnwdaf_MLModelProvision services.....	190
7.5.1	General.....	190
7.5.2	Nnwdaf_MLModelProvision_Subscribe service operation .....	191
7.5.3	Nnwdaf_MLModelProvision_Unsubscribe service operation.....	191
7.5.4	Nnwdaf_MLModelProvision_Notify service operation .....	191
7.6	Nnwdaf_MLModelInfo service.....	191
7.6.1	General.....	191
7.6.2	Nnwdaf_MLModelInfo_Request service operation .....	192
8	DCCF Services.....	192
8.1	General .....	192
8.2	Ndccf_DataManagement service.....	192
8.2.1	General.....	192
8.2.2	Ndccf_DataManagement_Subscribe service operation .....	192

8.2.3	Ndccf_DataManagement_Unsubscribe service operation .....	193
8.2.4	Ndccf_DataManagement_Notify service operation.....	194
8.2.5	Ndccf_DataManagement_Fetch service operation .....	194
8.3	Ndccf_ContextManagement service.....	194
8.3.1	General.....	194
8.3.2	Ndccf_ContextManagement_Register service operation.....	194
8.3.3	Ndccf_ContextManagement_Update service operation.....	195
8.3.4	Ndccf_ContextManagement_Deregister service operation .....	195
9	MFAF Services .....	195
9.1	General .....	195
9.2	Nmfaf_3daDataManagement service .....	196
9.2.1	General.....	196
9.2.2	Nmfaf_3daDataManagement_Configure service operation.....	196
9.2.3	Nmfaf_3daDataManagement_Deconfigure service operation.....	196
9.3	Nmfaf_3caDataManagement service .....	197
9.3.1	General.....	197
9.3.2	Nmfaf_3caDataManagement_Notify service operation.....	197
9.3.3	Nmfaf_3caDataManagement_Fetch service operation .....	197
10	ADRF Services.....	198
10.1	General .....	198
10.2	Nadrf_DataManagement service .....	198
10.2.1	General.....	198
10.2.2	Nadrf_DataManagement_StorageRequest service operation.....	198
10.2.3	Nadrf_DataManagement_StorageSubscriptionRequest service operation.....	199
10.2.4	Nadrf_DataManagement_StorageSubscriptionRemoval service operation .....	199
10.2.5	Nadrf_DataManagement_RetrievalRequest service operation .....	199
10.2.6	Nadrf_DataManagement_RetrievalSubscribe service operation .....	200
10.2.7	Nadrf_DataManagement_RetrievalUnsubscribe service operation .....	200
10.2.8	Nadrf_DataManagement_RetrievalNotify service operation.....	200
10.2.9	Nadrf_DataManagement_Delete .....	201
<b>Annex A (informative):</b>	<b>Change history .....</b>	<b>202</b>
History .....		210

ETSI TS 123 288 V17.12.0 (2024-07)

<https://standards.iteh.ai/catalog/standards/etsi/62393cf1-3223-4948-b46b-e7f2111122c/etsi-ts-123-288-v17-12-0-2024-07>

---

# Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[ETSI TS 123 288 V17.12.0 \(2024-07\)](#)

<https://standards.iteh.ai/catalog/standards/etsi/62393cf1-3223-4948-b46b-e7f2111122c/etsi-ts-123-288-v17-12-0-2024-07>

---

# 1 Scope

The present document defines the Stage 2 architecture enhancements for 5G System (5GS) to support network data analytics services in 5G Core network.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 23.501: "System Architecture for the 5G System; Stage 2".
- [3] 3GPP TS 23.502: "Procedures for the 5G System; Stage 2".
- [4] 3GPP TS 23.503: "Policy and Charging Control Framework for the 5G System; Stage 2".
- [5] Void.
- [6] 3GPP TS 28.532: "Management and orchestration; Generic management services".
- [7] 3GPP TS 28.550: "Management and orchestration; Performance Assurance".
- [8] 3GPP TS 28.552: "Management and orchestration; 5G performance measurements".
- [9] 3GPP TS 28.545: "Management and orchestration; Fault Supervision (FS)".
- [10] 3GPP TS 28.554: "Management and orchestration; 5G end to end Key Performance Indicators (KPI)".
- [11] ITU-T Recommendation P.1203.3: "Parametric bitstream-based quality assessment of progressive download and adaptive audiovisual streaming services over reliable transport - Quality integration module".
- [12] 3GPP TS 38.215: "NR; Physical layer measurements".
- [13] Void.
- [14] 3GPP TS 38.331: "NR; Radio Resource Control (RRC) protocol specification".
- [15] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification".
- [16] 3GPP TS 38.413: "NG-RAN; NG Application Protocol (NGAP)".
- [17] 3GPP TS 29.244: "Interface between the Control Plane and the User Plane Nodes".
- [18] 3GPP TS 29.510: "5G System; Network function repository services; Stage 3".
- [19] 3GPP TS 28.533: "Management and orchestration; Architecture framework".
- [20] 3GPP TS 37.320: "Radio measurement collection for Minimization of Drive Tests (MDT); Overall description; stage 2".

- [21] 3GPP TS 28.201: "Charging management; Network slice performance and analytics charging in the 5G System (5GS); stage 2".
- [22] 3GPP TS 28.541: "Management and orchestration; 5G Network Resource Model (NRM); Stage 2 and stage 3".
- [23] 3GPP TS 24.501: "Non-Access-Stratum (NAS) protocol for 5G System (5GS); Stage 3".
- [24] 3GPP TS 28.310: "Management and orchestration; Energy efficiency of 5G".
- [25] 3GPP TS 29.518: "5G System; Access and Mobility Management Services; Stage 3".
- [26] 3GPP TS 29.503: "Unified Data Management Services; Stage 3".
- [27] 3GPP TS 26.114: "IP Multimedia Subsystem (IMS); Multimedia Telephony; Media handling and interaction".
- [28] 3GPP TS 26.247: "Transparent end-to-end Packet-switched Streaming Service (PSS); Progressive Download and Dynamic Adaptive Streaming over HTTP (3GP-DASH)".
- [29] 3GPP TS 26.118: "Virtual Reality (VR) profiles for streaming applications".
- [30] 3GPP TS 26.346: "Multimedia Broadcast/Multicast Service (MBMS); Protocols and codecs".
- [31] 3GPP TS 26.512: "5G Media Streaming (5GMS); Protocols".
- [32] 3GPP TS 26.531: "Data Collection and Reporting; General Description and Architecture".

---

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in TR 21.905 [1], TS 23.501 [2] and TS 23.503 [4]. A term defined in the present document takes precedence over the definition of the same term, if any, in TR 21.905 [1].

### 3.2 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1], TS 23.501 [2] and TS 23.503 [4] apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

---

## 4 Reference Architecture for Data Analytics

### 4.1 General

The NWDAF (Network Data Analytics Function) is part of the architecture specified in TS 23.501 [2] and uses the mechanisms and interfaces specified for 5GC in TS 23.501 [2] and OAM services (see clause 6.2.3.1).

The NWDAF interacts with different entities for different purposes:

- Data collection based on subscription to events provided by AMF, SMF, PCF, UDM, NSACF, AF (directly or via NEF) and OAM;
- [Optionally] Analytics and Data collection using the DCCF (Data Collection Coordination Function);
- Retrieval of information from data repositories (e.g. UDR via UDM for subscriber-related information);

- [Optionally] Storage and retrieval of information from ADRF (Analytics Data Repository Function);
- [Optionally] Analytics and Data collection from MFAF (Messaging Framework Adaptor Function);
- Retrieval of information about NFs (e.g. from NRF for NF-related information);
- On demand provision of analytics to consumers, as specified in clause 6.
- Provision of bulked data related to Analytics ID(s).

A single instance or multiple instances of NWDAF may be deployed in a PLMN. If multiple NWDAF instances are deployed, the architecture supports deploying the NWDAF as a central NF, as a collection of distributed NFs, or as a combination of both. If multiple NWDAF instances are deployed, an NWDAF can act as an aggregate point (i.e. Aggregator NWDAF) and collect analytics information from other NWDAFs, which may have different Serving Areas, to produce the aggregated analytics (per Analytics ID), possibly with Analytics generated by itself.


NOTE 1: When multiple NWDAFs exist, not all of them need to be able to provide the same type of analytics results, i.e. some of them can be specialized in providing certain types of analytics. An Analytics ID information element is used to identify the type of supported analytics that NWDAF can generate.

NOTE 2: NWDAF instance(s) can be collocated with a 5GS NF.

## 4.2 Non-roaming architecture

### 4.2.0 General

As depicted in Figure 4.2.0-1, the 5G System architecture allows NWDAF to collect data from any 5GC NF. The NWDAF belongs to the same PLMN as the 5GC NF that provides the data.




**Figure 4.2.0-1: Data Collection architecture from any 5GC NF**

The Nnf interface is defined for the NWDAF to request subscription to data delivery for a particular context, to cancel subscription to data delivery and to request a specific report of data for a particular context.

The 5G System architecture allows NWDAF to retrieve the management data from OAM by invoking OAM services.

The 5G System architecture allows NWDAF to collect data from any 5GC NF or OAM using a DCCF with associated Ndcf services as specified in clause 8.2.


The 5G System architecture allows NWDAF and DCCF to collect data from an NWDAF with associated Nnwdaf\_DataManagement services as specified in clause 7.4. The 5G system architecture allows MFAF to fetch data from an NWDAF with associated Nnwdaf\_DataManagement service as specified in clause 7.4.



**Figure 4.2.0-1a: Data Collection architecture using Data Collection Coordination**

As depicted in Figure 4.2.0-1a, the Ndccf interface is defined for the NWDAF to support subscription request(s) for data delivery from a DCCF, to cancel subscription to data delivery and to request a specific report of data. If the data is not already being collected, the DCCF requests the data from the Data Source using Nnf services. The DCCF may collect the data and deliver it to the NWDAF or the DCCF may rely on a messaging framework to collect data from the NF and deliver it to the NWDAF.

As depicted in Figure 4.2.0-2, the 5G System architecture allows any 5GC NF to request network analytics information from NWDAF containing Analytics logical function (AnLF). The NWDAF belongs to the same PLMN as the 5GC NF that consumes the analytics information.




**Figure 4.2.0-2: Network Data Analytics Exposure architecture**

The Nnwdaf interface is defined for 5GC NFs, to request subscription to network analytics delivery for a particular context, to cancel subscription to network analytics delivery and to request a specific report of network analytics for a particular context.

NOTE 1: The 5G System architecture also allows other consumers such as OAM and CEF (Charging Enablement Function) to request network analytics information from NWDAF.

The 5G System architecture allows any NF to obtain Analytics from an NWDAF using a DCCF function with associated Ndccf services, as specified in clause 8.2.

The 5G System architecture allows NWDAF and DCCF to request historical analytics from an NWDAF with associated Nnwdaf\_AnalyticsSubscription services as specified in clause 7.2. The 5G system architecture allows MFAF to fetch historical analytics from an NWDAF with associated Nnwdaf\_AnalyticsSubscription service as specified in clause 7.2.




**Figure 4.2.0-2a: Network Data Analytics Exposure architecture using Data Collection Coordination**

As depicted in Figure 4.2.0-2a, the Ndccf interface is defined for any NF to support subscription request(s) to network analytics, to cancel subscription for network analytics and to request a specific report of network analytics. If the analytics is not already being collected, the DCCF requests the analytics from the NWDAF using Nnwdaf services. The DCCF may collect the analytics and deliver it to the NF, or the DCCF may rely on a messaging framework to collect analytics and deliver it to the NF.

As depicted in Figure 4.2.0-3, the 5G System architecture allows NWDAF containing Analytics logical function (AnLF) to use trained ML model provisioning services from another NWDAF containing Model Training logical function (MTLF).

NOTE 2: Analytics logical function and Model Training logical function are described in clause 5.1.



**Figure 4.2.0-3: Trained ML Model Provisioning architecture**

The Nnwdaf interface is used by an NWDAF containing AnLF to request and subscribe to trained ML model provisioning services.

NOTE 3: The NWDAF trained ML model provisioning services are described in clause 7.5 and clause 7.6.

NOTE 4: The NWDAF containing AnLF is the only consumer of trained ML model provisioning services in this release of the specification.

## 4.2.1 Analytics Data Repository Function

As depicted in Figure 4.2.1-1, the 5G System architecture allows ADRF to store and retrieve the collected data and analytics. The following options are supported:

- ADRF exposes the Nadrif service for storage and retrieval of data by other 5GC NFs (e.g. NWDAF) which access the data using Nadrif services.
- Based on the NF request or configuration on the DCCF, the DCCF may determine the ADRF and interact directly or indirectly with the ADRF to request or store data. The interaction can be: