

SLOVENSKI STANDARD SIST-TP CEN/CLC/TR 17603-31-09:2021

01-oktober-2021

Vesoljska tehnika - Priročnik o toplotni zasnovi - 9. del: Radiatorji

Space Engineering - Thermal design handbook - Part 9: Radiators

Raumfahrttechnik - Handbuch für thermisches Design - Teil 9: Radiatoren

Ingénierie spatiale - Manuel de conception thermique - Partie 9: Radiateurs

Ta slovenski standard je istoveten z: CEN/CLC/TR 17603-31-09:2021

SIST-TP CEN/CLC/TR 17603-31-09:2021

https://standards.iteh.ai/catalog/standards/sist/62cd5cec-e090-4b0d-b42a-2f912bd442a9/sist-tp-cen-clc-tr-17603-31-09-2021

ICS:

49.140 Vesoljski sistemi in operacije Space systems and operations

SIST-TP CEN/CLC/TR 17603-31-09:2021 en,fr,de

SIST-TP CEN/CLC/TR 17603-31-09:2021

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST-TP CEN/CLC/TR 17603-31-09:2021</u> https://standards.iteh.ai/catalog/standards/sist/62cd5cec-e090-4b0d-b42a-2f912bd442a9/sist-tp-cen-clc-tr-17603-31-09-2021 TECHNICAL REPORT RAPPORT TECHNIQUE TECHNISCHER BERICHT CEN/CLC/TR 17603-31-

August 2021

ICS 49.140

English version

Space Engineering - Thermal design handbook - Part 9: Radiators

Ingénierie spatiale - Manuel de conception thermique -Partie 9: Radiateurs

Raumfahrttechnik - Handbuch für thermisches Design -Teil 9: Radiatoren

This Technical Report was approved by CEN on 21 June 2021. It has been drawn up by the Technical Committee CEN/CLC/JTC 5.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

(standards.iteh.ai)

SIST-TP CEN/CLC/TR 17603-31-09:2021 https://standards.iteh.ai/catalog/standards/sist/62cd5cec-e090-4b0d-b42a-2f912bd442a9/sist-tp-cen-clc-tr-17603-31-09-2021





CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Table of contents

Europ	ean For	eword	7
1 Sco	pe		8
2 Refe	erences		9
3 Terr	ns, defir	nitions and symbols	10
3.1	Terms	and definitions	10
3.2	Symbol	ls	10
4 Diffu	use surf	aces	12
4.1	Genera	al	12
4.2	Infinites	simal to finite surfaces N.D.A.R.D. P.R.E.V.IE.W	13
	4.2.1	Planar to planar (standards.iteh.ai)	13
	4.2.2	Planar to spherical	19
	4.2.3	Cylindrical to spherical/CLC/TR 17603-31-09:2021	20
	4.2.4	https://standards.iteh.ai/catalog/standards/sist/62cd5cec-e090-4b0d-b42a- Conical to spherical/sist-tp-cen-cic-tr-17603-31-09-2021	21
	4.2.5	Spherical to spherical	
	4.2.6	Ellipsoidal to spherical	25
	4.2.7	Planar to conical	28
4.3	Finite to	o finite surface	31
	4.3.1	Planar to planar. Two-dimensional configurations	31
	4.3.2	Planar to planar. Three-dimensional configurations	35
	4.3.3	Planar to cylindrical. Two-dimensional configurations	46
	4.3.4	Planar to cylindrical. three-dimensional configurations	48
	4.3.5	Planar to conical	54
	4.3.6	Spherical to planar	56
	4.3.7	Cylindrical to cylindrical. two-dimensional configurations	62
	4.3.8	Cylindrical to cylindrical. axisymmetrical configurations	64
	4.3.9	Spherical to cylindrical	69
	4.3.10	Conical to conical	72
	4.3.11	Conical to spherical	72
	4.3.12	Spherical to spherical	77

4.4	Additio	nal sources of data	80
5 Spec	cular su	rfaces	103
5.1	Genera	l	103
5.2	Two pla	anar specular surfaces	105
	5.2.1	Two-dimensional configurations	105
	5.2.2	Parallel, directly opposed rectangles of same width and length	109
	5.2.3	Rectangles of same width and length with one common edge	115
5.3	Planar	specular and planar diffuse surface	118
	5.3.1	Two dimensional cavities. Cylinders of quadrangular cross section	118
5.4	Non-pla	anar specular surfaces	123
	5.4.1	Concentric cylinder or concentric spheres	123
Biblio	graphy.		125
Figure	:S		
•		metric notation for view factors between diffuse surface	13
Ū		es of F_{12} as a function of x and y. From Hamilton & Morgan (1952) [15	
•		es of F_{12} as a function of x and y. From Hamilton & Morgan (1952) [15	-
		s. H for different values of dH Infinitesimal surface to very thin coaxial	
	annı	ulus with finite radius. Calculated by the compiler	18
Figure 4		es of F_{13} vs. λ for different values of H . The analytical expression (case only valid in the shadowed region. Calculated by the compiler	
Figure 4	4-6: Valu	es of F_{12} as a function of H and λ . Calculated by the compiler	20
Figure 4		es of F_{12} as a function of H and λ , for δ = 10°. Calculated by the piler	21
Figure 4	4-8: Valu com	es of F_{12} as a function of H and λ , for δ = 30°. Calculated by the piler	22
Figure [,]		es of F_{12} as a function of H and λ , for δ = 50°. Calculated by the piler	22
Figure 4		ues of F_{12} as a function of H and λ , for δ = 80°. Calculated by the piler.	23
Figure 4		as a function of <i>H</i> in the case of an infinitesimal sphere viewing a finiterere. Calculated by the compiler.	
Figure 4		as a function of angle λ for different values of the dimensionless nnce H . Calculated by the compiler.	25
Figure 4	4-13: <i>F</i> ₁₂	as a function of λ and H , for $A = 0.5$. Calculated by the compiler	26
Figure 4	4-14: <i>F</i> ₁₂	as a function of λ and H , for $A = 1,5$. Calculated by the compiler	27
Figure 4	4-15: <i>F</i> ₁₂	as a function of λ and H , for $A = 2$. Calculated by the compiler	27
Figure 4		ues of F_{12} vs. M for different values of L . Configuration 1, β = 10°. ulated by the compiler.	29

SIST-TP CEN/CLC/TR 17603-31-09:2021

Figure 4-17: Values of F_{12} vs. M for different values of L . Configuration 1, β = 20°. Calculated by the compiler	29
Figure 4-18: Values of F_{12} vs. M for different values of L . Configuration 2, β = 10°. Calculated by the compiler	30
Figure 4-19: Values of F_{12} vs. M for different values of L . Configuration 2, β = 20°. Calculated by the compiler	30
Figure 4-20: Values of F_{12} as a function of X and Y , for $Z = 0$. Calculated by the compiler.	33
Figure 4-21: Values of F_{12} as a function of X and Y , for Z = 0,5. Calculated by the compiler.	33
Figure 4-22: Values of F_{12} as a function of X and Y , for $Z = 1$. Calculated by the compiler.	34
Figure 4-23: Values of F_{12} as a function of X and Y , for $Z = 2$. Calculated by the compiler.	34
Figure 4-24: Values of F_{12} as a function of X and Y , for $Z = 5$. Calculated by the compiler.	35
Figure 4-25: Values of F_{12} as a function of X and Y. Calculated by the compiler	36
Figure 4-26: F_{12} as a function of L and N for Φ = 30°. Table from Feingold (1966) [11], figure from Hamilton & Morgan (1952) [15]	39
Figure 4-27: F_{12} as a function of L and N for $\Phi = 60^\circ$. Table from Feingold (1966) [11], figure from Hamilton & Morgan (1952) [15]	39
Figure 4-28: F_{12} as a function of L and N for Φ = 90°. Table from Feingold (1966) [11], figure from Hamilton & Morgan (1952) [15] $_{31^{++}09\cdot2021}$	40
Figure 4-29: F_{12} as a function of 4 and N for $\phi = 120^{\circ}$. Table from Feingold (1966) [11], figure from Hamilton & Morgan (1952) [15] $03-31-09-2021$	40
Figure 4-30: F_{12} as a function of L and N for Φ = 150°. Table from Feingold (1966) [11], figure from Hamilton & Morgan (1952) [15]	41
Figure 4-31: Values of F_{12} as a function of L for different regular polygons. n is the number of sides of the polygon. From Feingold (1966) [11]	43
Figure 4-32: View factors between different faces of a honeycomb cell as a function of the cell length, <i>L</i> . From Feingold (1966) [11]	44
Figure 4-33: Values of F_{12} as a function of R_1 and R_2 in the case of two parallel coaxial discs. Calculated by the compiler.	46
Figure 4-34: Values of F_{12} and F_{13} as a function of the parameter K . From Jakob (1957) [19]	48
Figure 4-35: F_{12} as a function of T and R . Calculated by the compiler	49
Figure 4-36: F_{12} as a function of T and R . Calculated by the compiler	50
Figure 4-37: F_{12} as a function of T and R . Calculated by the compiler	50
Figure 4-38: F_{12} as a function of Z , for different values of the dimensionless radius R . Calculated by the compiler	52
Figure 4-39: F_{12} as a function of R_2 for different values of the sector central angel α . Calculated by the compiler	57
Figure 4-40: F_{12} as a function of Z for different values of R_2 . Calculated by the compiler	58

Figure 4-41	: F_{12} from a sphere to both sides of a coaxial intersecting disc, vs. H , for different values of R . Calculated by the compiler	59
Figure 4-42	2: F12 from a sphere to the upper side of a coaxial intersecting disc, vs. H (-1 $\leq H \leq$ 1), for different values of R . Calculated by the compiler	59
Figure 4-43	S: Values of F_{12} as a function of Z and R . Calculated by the compiler	60
•	F12 as a function of <i>x</i> in the case of two infinitely long parallel cylinders of the same diameter. Calculated by the compiler	64
Figure 4-45	i: Plot of F_{12} vs. L for different values of R . From Hamilton & Morgan (1952) [15]	66
Figure 4-46	E: Plot of F_{22} , vs. R for different values of L . From Hamilton & Morgan (1952)	67
Figure 4-47	$Z: F_{12}$ as a function of R for different values of Z . Calculated by the compiler	70
Figure 4-48	Solution of H and L_2 for L_1 = 1. Calculated by the compiler.	71
Figure 4-49	Yellues of F_{12} as a function of S and D , for δ = 15°. From Campbell & McConnell (1968) [4]	73
Figure 4-50	Yellues of F_{12} as a function of S and D, for δ = 30°. From Campbell & McConnell (1968) [4]	74
Figure 4-51	: Values of F_{12} as a function of S and D , for δ = 45°. From Campbell & McConnell (1968) [4] I. A.N.D.A.R.D. P.R.F.V.IF.W.	75
Figure 4-52	Lagrangian Values of F_{12} as a function of S and D , for $\delta = 60^{\circ}$. From Campbell & McConnell (1968) [4]	76
Figure 4-53	: Values of F ₁₂ as a function of S and R From Jones (1965) [21]	79
Figure 4-54	https://standards.iteh.ai/catalog/standards/sist/62cd5cec-e090-4b0d-b42a- : Values of F ₁₂ as a function of S and θ From Campbell & McConnell (1968) [4]	80
	Values of F_{12} as a function of R and H . Calculated by the compiler	.106
Figure 5-2:	Values of F^{s}_{11}/ρ_{2}^{s} as a function of R and H . Calculated by the compiler	.106
	Values of F^{s}_{12} as a function of R for different values of ϕ . Calculated by the compiler.	.108
Figure 5-4:	Values of F^{s}_{11}/ρ_{2}^{s} as a function of R for different values of ϕ . Calculated by the compiler.	
Figure 5-5:	Values of F_{12} as a function of R and X for $Z = 1$. Calculated by the compiler.	.110
Figure 5-6:	Values of F_{11}^{s}/ρ_{2}^{s} as a function of R and X for Z = 1. Calculated by the compiler.	.111
Figure 5-7:	Values of F^{s}_{12} as a function of R and X for Z = 5. Calculated by the compiler.	.111
Figure 5-8:	Values of F_{11}/ρ_2^s as a function of R and X for Z = 5. Calculated by the compiler.	.112
Figure 5-9:	Values of F^{s}_{12} as a function of R and X for Z = 10. Calculated by the compiler.	.112
): Values of F^{s}_{11}/ρ_{2}^{s} as a function of R and X for Z = 10. Calculated by the compiler.	.113

SIST-TP CEN/CLC/TR 17603-31-09:2021

Figure 5-11: Values of F^{s}_{12} as a function of R and X for Z = 15. Calculated by the compiler.	113
Figure 5-12: Values of F^{s}_{11}/ρ_{2}^{s} as a function of R and X for Z = 15. Calculated by the compiler.	114
Figure 5-13: Values of F_{12} as a function of R and X for $Z = 20$. Calculated by the compiler.	114
Figure 5-14: Values of F_{11}/ρ_2^s as a function of R and X for Z = 20. Calculated by the compiler.	115
Figure 5-15: Values of F_{12}^s vs. aspect ratio, L , for different values of R . ϕ = 30°. Calculated by the compiler.	116
Figure 5-16: Values of F_{11}^s/ρ_2^s vs. aspect ratio, L , for different values of R . ϕ = 30°. Calculated by the compiler.	117
Figure 5-17: Values of F^{s}_{12} vs. aspect ratio, L , for different values of R . ϕ = 45°. Calculated by the compiler.	117
Figure 5-18: Values of F^s_{12} and $F^s_{11}/\rho_2{}^s$ vs. aspect ratio, L , for the limiting values of ϕ . Calculated by the compiler.	118
Figure 5-19: Values of F^s_{11} vs. ϕ for different values of the specular reflectance, ρ^s . Calculated by the compiler.	120
Figure 5-20: Values of F_{12}^s vs. ϕ for different values of the specular reflectance, ρ^s . Calculated by the compiler VIII. A.R.I	121
Figure 5-21: Values of F^s_{31} vs. ϕ for different values of the specular reflectance, ρ^s . Calculated by the compiler	121
Figure 5-22: Values of F ₃₂ s vs. φfor different values of the specular reflectance, ρs. Calculated by the compilerate standards/sist/62cd5cec-e090-4b0d-b42a	122
Figure 5-23: Values of F^s_{33} vs. ϕ for different values of the specular reflectance, ρ^s . Calculated by the compiler.	122
Figure 5-24: Values of F^s_{34} vs. ϕ for different values of the specular reflectance, ρ^s . Calculated by the compiler	123

European Foreword

This document (CEN/CLC/TR 17603-31-09:2021) has been prepared by Technical Committee CEN/CLC/JTC 5 "Space", the secretariat of which is held by DIN.

It is highlighted that this technical report does not contain any requirement but only collection of data or descriptions and guidelines about how to organize and perform the work in support of EN 16603-31.

This Technical report (TR 17603-31-09:2021) originates from ECSS-E-HB-31-01 Part 1A.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document has been developed to cover specifically space systems and has therefore precedence over any TR covering the same scope but with a wider domain of applicability (e.g.: aerospace).

<u>SIST-TP CEN/CLC/TR 17603-31-09:2021</u> https://standards.iteh.ai/catalog/standards/sist/62cd5cec-e090-4b0d-b42a-2f912bd442a9/sist-tp-cen-clc-tr-17603-31-09-2021

1 Scope

In this Part 9 of the spacecraft thermal control and design data handbooks, view factors of diffuse and specular thermal surfaces are discussed.

For diffuse surfaces, calculations are given for radiation emission and absorption between different configurations of planar, cylindrical, conical, spherical and ellipsoidal surfaces for finite and infinite surfaces.

For specular surfaces the affect of reflectance on calculations for view factors is included in the calculations. View factors for specular and diffuse surfaces are also included.

The Thermal design handbook is published in 16 Parts		
TR 17603-31-01	Thermal design handbook – Part 1: View factors	
TR 17603-31-02	Thermal design handbook – Part 2: Holes, Grooves and Cavities	
TR 17603-31-03	Thermal design handbook - Part 3: Spacecraft Surface Temperature	
TR 17603-31-04 https://stand	ards itch ai/catalog/standards/sist/62c45cc4; c090-4h0d; h42ct Thermal design handbook = Part 4: Conductive Fleat Transfer f912bd442a9/sist-up-cen-clc-tr-17603-31-09-2021	
TR 17603-31-05	Thermal design handbook – Part 5: Structural Materials: Metallic and Composite	
TR 17603-31-06	Thermal design handbook – Part 6: Thermal Control Surfaces	
TR 17603-31-07	Thermal design handbook – Part 7: Insulations	
TR 17603-31-08	Thermal design handbook – Part 8: Heat Pipes	
TR 17603-31-09	Thermal design handbook – Part 9: Radiators	
TR 17603-31-10	Thermal design handbook – Part 10: Phase – Change Capacitors	
TR 17603-31-11	Thermal design handbook – Part 11: Electrical Heating	
TR 17603-31-12	Thermal design handbook – Part 12: Louvers	
TR 17603-31-13	Thermal design handbook – Part 13: Fluid Loops	
TR 17603-31-14	Thermal design handbook – Part 14: Cryogenic Cooling	
TR 17603-31-15	Thermal design handbook – Part 15: Existing Satellites	
TR 17603-31-16	Thermal design handbook – Part 16: Thermal Protection System	

2 References

EN Reference	Reference in text	Title
EN 16601-00-01	ECSS-S-ST-00-01	ECSS System - Glossary of terms
TR 17603-31-03	ECSS-E-HB-31-01 Part 3	Thermal design handbook – Part 3: Spacecraft Surface Temperature

All other references made to publications in this Part are listed, alphabetically, in the **Bibliography**.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST-TP CEN/CLC/TR 17603-31-09;2021</u> https://standards.iteh.ai/catalog/standards/sist/62cd5cec-e090-4b0d-b42a-2f912bd442a9/sist-tp-cen-clc-tr-17603-31-09-2021

Terms, definitions and symbols

3.1 Terms and definitions

For the purpose of this Standard, the terms and definitions given in ECSS-S-ST-00-01 apply.

3.2 Symbols

Ai surface area of the i-th surface, [m²]

Bi energy flux leaving surface, i. often called radiosity,

iTeh STANDARD PREVIEW

Fij view factor from diffuse surface, Ai to diffuse surface, (standa, ds.iteh.ai)

 $F(i_1,i_2,...i_n)(i_1,i_2,...i_n)$ EN/Cyiew factor from the ensemble of diffuse surfaces, A_{i1} , https://standards.iteh.ai/catalog/st A_{i2}]ar A_{i3} s to the lensemble of diffuse surfaces, A_{j1} , 2f912bd442a9/sist-tp A_{i2} p.c A_{j1} tr-17603-31-09-2021

 $\mathbf{F_{ii}}^{s}$ view factor from specular surface A_i to specular

surface A_i

 $\mathbf{H_i}$ energy flux incident on surface i, $[\text{W.m}^{-2}]$

K_{i2} term which appears in the expression for the view

factor between elements of parallel plates, $K_{i2} = A_i F_{ii'}$

 $\mathbf{K}_{mn}(\mathbf{i},\mathbf{j},\mathbf{k},\mathbf{p},\mathbf{q},...)$ fraction of the radiative energy leaving A_m which

reaches A_n after i perfectly specular reflections from

surface A_i , j from surface A_j , k from surface A_k ,...

S distance between two differential elements, [m]

T temperature, [K]

 β_i angle from normal to surface i, [angular degrees]

ε hemispherical emittance of a (diffuse-gray) surface

 ρ^d hemispherical diffuse reflectance of a (diffuse-gray)

surface

 ρ^s specular reflectance of a (gray) surface, it is assumed

to be independent of incident angle

Stefan-Boltzmann constant, $S = 5,6697 \times 10^{-8} \text{ W.m}^{-2}.\text{K}^{-4}$

Other symbols, mainly used to define the geometry of the configurations, are introduced when required.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST-TP CEN/CLC/TR 17603-31-09:2021</u> https://standards.iteh.ai/catalog/standards/sist/62cd5cec-e090-4b0d-b42a-2f912bd442a9/sist-tp-cen-clc-tr-17603-31-09-2021

Diffuse surfaces

4.1 General

The view factor, F_{12} , between the diffuse surface A_1 and A_2 , is the fraction of the energy leaving the isothermal surface A_1 that arrives at A_2 .

If the receiver surface is infinitesimal, the view factor is infinitesimal for both infinitesimal and finite emitting surfaces, and is given by the expression

$$dF_{12} = \frac{\cos \beta_1 \cos \beta_2}{\pi S^2} dA_2$$
 [4-1]
iTeh STANDARD PREVIEW

when both surfaces are infinitesimas and by dards.iteh.ai)

https://standards.iteh.ai/catalo
$$dA_1$$
ndarcos β_1 2cos β_2 e090-4b0d-b42a-2f912bd dE_{12}/s_{15} t-tp-cerl cic-tr-17603-31-0d A_1 21 [4-2]

when A_1 is finite.

If the receiver surface is finite, the view factor is finite for both infinitesimal and finite emitting surfaces, and is given by the expression

$$F_{12} = \int_{A_2} \frac{\cos \beta_1 \cos \beta_2}{\pi S^2} dA_2$$
 [4-3]

when A_1 is infinitesimal, and by

$$F_{12} = \frac{1}{A_1} \int_{A_1} \int_{A_2} \frac{\cos \beta_1 \cos \beta_2}{\pi S^2} dA_2 dA_1$$
 [4-4]

when A_1 is finite.




Figure 4-1: Geometric notation for view factors between diffuse surface.

Regardless of which surfaces are considered, their view factors satisfy the following reciprocity relation:

 $A_1F_{12} = A_2F_{21}$

If we consider the diffuse surfaces A_1 , A_2 and A_3 , the view factor between the surfaces A_1 and $A_2 + A_3$ is $F_{1(2,3)} = F_{12} + F_{13}$,

when the receiver surface is formed by two surfaces, and

iTeh ST
$$A_{(2,3)}$$
 $\rightarrow A_2 F_{21} + A_3 F_{31}$ VIEW [4-5] (standards.iteh.ai)

when the emitting surface is formed by two surfaces. Notice that the notation $F_{1(2,3)}$ and $F_{(2,3)1}$ will be used in the following data sheets: iteh ai catalog/standards/sist/62cd5cec-e090-4b0d-b42a-2f912bd442a9/sist-tp-cen-clc-tr-17603-31-09-2021

When an enclosure of N surfaces $A_1, A_2, ..., A_n$ is considered, their view factors satisfy the relation

$$\sum_{i=1}^{N} F_{ij} = 1 ag{4-6}$$

for any surface A_i . This relationship results from the fact that the overall heat transfer in the enclosure should be zero.

4.2 Infinitesimal to finite surfaces

4.2.1 Planar to planar

4.2.1.1 Two-dimensional configurations

A plane point source dA_1 and any surface A_2 generated by an infinitely long line moving parallel to itself and to the plane dA_1 .