INTERNATIONAL STANDARD

ISO 22095

First edition 2020-10

Chain of custody — General terminology and models

Chaîne de contrôle — Terminologie générale et modèles

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 22095:2020

https://standards.iteh.ai/catalog/standards/iso/34b88eb9-49a3-40a7-a59e-28edfe859580/iso-22095-2020



iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 22095:2020

https://standards.iteh.ai/catalog/standards/iso/34b88eb9-49a3-40a7-a59e-28edfe859580/iso-22095-2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents			Page
Fore	eword		iv
Intr	oductio	n	v
1	Scope		1
2	Normative references		1
3	Terms and definitions		
Ü	3.1 Terms related to chain of custody design		
	3.2	Terms related to supply chain	
	3.3	Terms related to chain of custody models	
	3.4	Terms related to roles and responsibilities	
	3.5	Terms related to conformity assessment	
	3.6	Terms related to traceability	
4	Chain of custody design		
	4.1	General	
	4.2	Roles and responsibilities	
	4.3	Properties of chain of custody models	
5	Chain of custody models		
	5.1	Principles and requirements	
	5.2 5.3	Appropriate use of chain of custody models	
	5.3	Chain of custody models without mixing	11 11
		5.3.2 Segregated model	
	5.4	Chain of custody models with mixing	
		5.4.1 Controlled blending model	
		5.4.2 Mass balance model	15
	5.5	Book and claim model	17
6		eral requirements for organizations active in a chain of custody	
	6.1 6.2	General requirements for implementation	18 22095-2020 ₁₀
	6.3	Top management responsibility	
	6.4	Competence	
	6.5	Evaluating performance and dealing with non-conformities	
	6.6	Documented information	
		6.6.1 General	
		6.6.2 Control of documented information	
	6.7	Assurance	
	6.8 6.9	Conversion factor	
	6.10	Inventory balancingComplaints procedure	
	6.11	Outsourcing	
	6.12	Communication	
Ann	ex A (in	formative) Traceability and chain of custody	24
Ann	ex B (in	formative) Practical examples for using chain of custody models	25
Ann	ex C (no	rmative) Mass balance implementation	30
Bibl	liograph	ıy	32

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Project Committee ISO/PC 308, *Chain of custody — General terminology and models*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

https://standards.iteh.ai/catalog/standards/iso/34b88eb9-49a3-40a7-a59e-28edfe859580/iso-22095-2020

Introduction

Understanding the origin of input materials, product components, product outputs and the conditions under which they are produced is becoming increasingly important. Manufacturers want to demonstrate compliance with requirements regarding health and safety, as well as environmental, social and quality-related aspects, while consumers or other end users need to be able to trust the claims made for these products. The main drivers are government policies, consumer and business demand. Companies directly active in a chain of custody (e.g. manufacturers, traders, logistic and transport service providers, retailers) as well as those investing in such companies (e.g. financial institutions, governments) need transparency to understand and manage risks, to secure quality and to facilitate the implementation of a reliable chain of custody system.

Chain of custody systems have become an indispensable element of many different applications, such as certification schemes for food safety, sustainable agriculture, forestry, aquaculture or fisheries, social compliance, manufacturing, construction and mineral mining. They enable information associated with a product and/or production characteristics to be shared among various organizations active in the chain of custody such as material and ingredient suppliers, processors, contractors, transportation companies, (private or regulatory) scheme owners, financial institutions, companies active in refurbishing and recycling, governmental organizations, end customers, and consumers or other end users.

Although these many systems differ in scope and use terminology relevant to the sector and product-specific needs, and might also diverge on semantics and presentation, they deal with the same challenges and are based on the same range of chain of custody models. The proliferation of systems and definitions causes unnecessary confusion, complexity and inconsistency. It also reduces the degree of trustworthiness of information (e.g. related claims) and increases costs for organizations active in the chain of custody. These complexities and resulting costs can be a barrier to market access, especially for smaller companies and developing countries.

The aim of this document is to provide

- unambiguous definitions of the different chain of custody models, and
- the corresponding requirements, which are independent of sectors, materials, products, and issues https://standards/iso/34b88eb9-49a3-40a7-a59e-28edfe859580/iso-22095-2020

These requirements are applicable to any organization operating at any step in the supply chain. Chain of custody models are also referred to as "chain of custody methods" or "chain of custody concepts". In this document, the term "chain of custody models" is used to describe the approach taken to control inputs and outputs and associated information in a particular chain of custody system. This multisector globally applicable International Standard serves as a reference point for existing and future commodity or sector specific chain of custody standards.

As each chain of custody model represents a different level of physical presence of the specified characteristic in the output, this document provides general guidance on the application of the defined chain of custody models, including initial guidance on the circumstances under which each chain of custody model might be appropriate.

This document does not specify or recommend a management system. Users can refer to this document, clearly stating which models of chain of custody described in this document are used as a basis in their chain of custody systems.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 22095:2020

https://standards.iteh.ai/catalog/standards/iso/34b88eb9-49a3-40a7-a59e-28edfe859580/iso-22095-2020

Chain of custody — General terminology and models

1 Scope

This document defines a framework for chain of custody by providing:

- a consistent generic approach to the design, implementation and management of chains of custody;
- harmonized terminology;
- general requirements for different chain of custody models;
- general guidance on the application of the defined chain of custody models, including initial guidance on the circumstances under which each chain of custody model might be appropriate.

This document is applicable to all materials and products. It does not apply to services as final outputs.

This document can be used by any organization operating at any step in a supply chain, as well as by standard setting organizations as a reference point for specific chain of custody standards.

This document can enhance the transparency of specific claims regarding materials or products and thereby support the reliability of these claims. It is not intended to be used on its own to make or verify such claims.

This document is not, on its own, able to support claims about an organization's materials or products. This is misleading, especially to consumers and other end customers, as the existence of a chain of custody system alone does not specify the characteristics or the conditions under which materials or products are produced. This document includes requirements and guidance regarding this issue.

2 Normative references

ISO 22095:2020

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

3.1 Terms related to chain of custody design

3.1.1

chain of custody

process by which *inputs* (3.2.2) and *outputs* (3.2.3) and associated information are transferred, monitored and controlled as they move through each step in the relevant *supply chain* (3.2.1)

3.1.2

chain of custody system

set of measures designed to implement a *chain of custody* (3.1.1), including documentation of these measures

Note 1 to entry: The purpose of a chain of custody system is to provide credibility that the given material or product has a set of *specified characteristics* (3.2.5).

Note 2 to entry: The information linked to materials or products is transferred, monitored and controlled throughout the entire *supply chain* (3.2.1) or parts of it.

3.1.3

chain of custody model

approach taken to control *inputs* (3.2.2) and *outputs* (3.2.3) and associated information in a particular *chain of custody system* (3.1.2)

Note 1 to entry: A chain of custody model is typically designed to preserve a set of *specified characteristics* (3.2.5).

Note 2 to entry: The chain of custody models are defined in 3.3 and summarized in Table 1.

3.2 Terms related to supply chain

3.2.1

supply chain

series of processes or activities involved in the production and distribution of a material or product through which it passes from the *source* (3.2.8)

Note 1 to entry: A supply chain is typically composed of a series of different organizations.

3.2.2

input

material or product that enters an organization or part of an organization

Note 1 to entry: Input may be used at any stage of the *supply chain* (3.2.1).

Note 2 to entry: Input may also include reused and recycled materials or products. -28edfe859580/iso-22095-2020

Note 3 to entry: Input will have associated information.

[SOURCE: ISO 14044:2006+A1:2017, 3.21, modified — The wording and Note 1 to entry have been modified. Notes 2 and 3 to entry have been added.]

3.2.3

output

material or product that leaves an organization or part of an organization

Note 1 to entry: Output can be created at any stage of the *supply chain* (3.2.1).

Note 2 to entry: Output might include other products resulting from production processes.

Note 3 to entry: Output will have associated information.

[SOURCE: ISO 14044:2006+A1:2017, 3.25, modified — The wording and Note 1 to entry has been modified. Notes 2 and 3 to entry have been added.]

3.2.4

characteristic

distinguishing feature

[SOURCE: ISO 9000:2015, 3.10.1, modified — Notes 1 to 3 to entry have been deleted.]

3.2.5

specified characteristic

set of *product characteristics* (3.2.6) and/or *production characteristics* (3.2.7) that the chain of custody is designed to maintain

3.2.6

product characteristic

distinguishing feature of a material or product

Note 1 to entry: A product characteristic can be qualitative or quantitative.

3.2.7

production characteristic

distinguishing feature of one or more production processes in the *supply chain* (3.2.1)

Note 1 to entry: Production characteristics sometimes create *product characteristics* (3.2.6). Examples include the grinding of wood, the chemical treatment of wood for pulp production and food cooked at a low temperature. Examples of production characteristics that do not normally create a product characteristic include production according to a particular specification, such as the sustainable production of the material; the absence of child labour; particular human rights standards or the identity of the primary processor.

Note 2 to entry: Production characteristics can include the type of transportation and storage.

3.2.8

source

specific originator at a location of a material or product with a specified characteristic (3.2.5)

Note 1 to entry: The originator is typically a specific supplier but can also be a specific manufacturer or specific processor adding a particular characteristic.

3.2.9

site

location with geographical boundaries at which defined activities under the control of an organization are carried out

Note 1 to entry: Sites may be in one geographical area but need not be contiguous. For example, a road can separate two geographical areas that are operated as a single site.

Note 2 to entry: Activities can include material extraction, production, manufacturing, recycling, storage, trade and/or transportation.

3.2.10

process

set of interrelated or interacting activities that use *inputs* (3.2.2) to deliver an intended *output* (3.2.3)

Note 1 to entry: A process can include services.

[SOURCE: ISO 9000:2015, 3.4.1, modified — The word "result" has been replaced by "output". Notes 1 to 6 to entry have been deleted.]

3.3 Terms related to chain of custody models

3.3.1

identity preserved model

chain of custody model (3.1.3) in which the materials or products originate from a single source (3.2.8) and their specified characteristics (3.2.5) are maintained throughout the supply chain (3.2.1)

3.3.2

segregated model

chain of custody model (3.1.3) in which specified characteristics (3.2.5) of a material or product are maintained from the initial input (3.2.2) to the final output (3.2.3)

Note 1 to entry: Addition of material with different characteristics and/or grade to the input is not allowed.

Note 2 to entry: Commonly, material from more than one source contributes to a chain of custody under the segregated model.

3.3.3

controlled blending model

chain of custody model (3.1.3) in which materials or products with a set of specified characteristics (3.2.5) are mixed according to certain criteria with materials or products without that set of characteristics resulting in a known proportion of the specified characteristics in the final output (3.2.3)

Note 1 to entry: This chain of custody model is also referred to as the "single percentage method".

3.3.4

mass balance model

chain of custody model (3.1.3) in which materials or products with a set of *specified characteristics* (3.2.5) are mixed according to defined criteria with materials or products without that set of characteristics

Note 1 to entry: The proportion of the *input* (3.2.2) with specified characteristics might only match the initial proportions on average and will typically vary across different *outputs* (3.2.3).

3.3.5

book and claim model

chain of custody model (3.1.3) in which the administrative record flow is not necessarily connected to the physical flow of material or product throughout the *supply chain* (3.2.1)

Note 1 to entry: This chain of custody model is also referred to as "certificate trading model" or "credit trading".

Note 2 to entry: This is often used where the certified/specified material cannot, or only with difficulty, be kept separate from the non-certified/specified material, such as green credits in an electricity supply.

3.4 Terms related to roles and responsibilities

3.4.1

organization

entity or group of people and facilities with an arrangement of responsibilities, authorities and relationships and identifiable objectives

Note 1 to entry: An organization may encompass multiple (production /geographical) sites.

[SOURCE: ISO 26000:2010, 2.12]

3.4.2

top management

person or group of people who directs and controls an organization at the highest level

[SOURCE: ISO 9000:2015, 3.1.1, modified — Notes 1 to 3 to entry have been deleted.]

2 4. 3

requirements setter

person or organization that specifies the requirements for a particular chain of custody

3.5 Terms related to conformity assessment

3.5.1

conformity

fulfillment of a specified requirement

[SOURCE: ISO 9000:2015, 3.6.11, modified — The definition has been modified.]

3.5.2

conformity assessment

demonstration that specified requirements are fulfilled

Note 1 to entry: Conformity assessment can be performed as *first-party activity* (3.5.3), *second-party activity* (3.5.4) or *third-party activity* (3.5.5).

[SOURCE: ISO/IEC 17000:2020, 4.1, modified — Notes 1 to 4 to entry have been deleted. A new Note 1 to entry has been added.]

3.5.3

first-party conformity assessment activity

conformity assessment (3.5.2) activity that is performed by the person or organization that provides or that is the object of conformity assessment

[SOURCE: ISO/IEC 17000:2020, 4.3, modified — Notes 1 and 2 to entry have been deleted.]

3.5.4

second-party conformity assessment activity

conformity assessment (3.5.2) activity that is performed by a person or organization that has a user interest in the object of conformity assessment

[SOURCE: ISO/IEC 17000:2020, 4.4, modified — Notes 1 and 2 to entry have been deleted.]

3.5.5

third-party conformity assessment activity

conformity assessment (3.5.2) activity that is performed by a person or organization that is independent of the provider of the object and has no user interest in the object

[SOURCE: ISO/IEC 17000:2020, 4.5, modified — Note 1 to entry has been deleted.]

3.5.6

audit

process (3.2.10) for obtaining relevant information about an object of *conformity assessment* (3.5.2) and evaluating it objectively to determine the extent to which specified requirements are fulfilled

[SOURCE: ISO/IEC 17000:2020, 6.4, modified — Notes 1 to 3 to entry have been deleted.]

3.5.7

inspection

examination of an object of *conformity assessment* (3.5.2) and determination of its conformity with detailed requirements or, on the basis of professional judgement, with general requirements

[SOURCE: ISO/IEC 17000:2020, 6.3, modified — Notes 1 to 3 to entry have been deleted.]

3.5.8

verification

confirmation of truthfulness, through the provision of objective evidence that specified requirements have been fulfilled

Note 1 to entry: The objective evidence needed for a verification can be the result of an *inspection* (3.5.7), *audit* (3.5.6) or other forms of determination such as performing alternative calculations or reviewing documents.

Note 2 to entry: The activities carried out for verification are sometimes called a "qualification process" and can result in *certification* (3.5.9).

ISO 22095:2020(E)

Note 3 to entry: The word "verified" is used to designate the corresponding status.

[SOURCE: ISO 9000:2015, 3.8.12, modified — In Note 2 to entry, the wording has been modified.]

3.5.9

certification

third-party attestation related to an object of *conformity assessment* (3.5.2), with the exception of accreditation

[SOURCE: ISO/IEC 17000:2020, 7.6]

3.5.10

claim

declared information regarding the *specified characteristics* (3.2.5) of a material or product

3.6 Terms related to traceability

3.6.1

traceability

ability to trace the history, application, location or source(s) of a material or product throughout the *supply chain* (3.2.1)

[SOURCE: ISO 9000:2015, 3.6.13, modified — The wording has been modified. Notes 1 and 2 to entry have been deleted.]

3.6.2

traceability system

manual or electronic system that provides the ability to access any or all information relating to the material or product under consideration throughout their life cycle, by means of accessing documented information

Note 1 to entry: "Life cycle" should be understood in the broadest possible sense, to include, for example, raw material extraction, agricultural production, final disposal, and reuse or recycling, as well as all other stages connected with product manufacture and use.

https://standards.iteh.ai/catalog/standards/iso/34b88eb9-49a3-40a7-a59e-28edfe859580/iso-22095-2020

4 Chain of custody design

4.1 General

Although frequently considered as interchangeable, the concepts of traceability and chain of custody are not identical. The difference between these two concepts is described in Annex A.

A chain of custody system encompasses the set of measures supporting responsibility for the custody of materials and products as ownership or control is transferred from one organization to another within the relevant supply chain. A chain of custody usually involves more than one organization.

This document provides a framework and fundamental requirements for a chain of custody system. Depending on, for example, the sector of application, material or product handled, product characteristics and/or specific claim, additional and more specific chain of custody requirements might need to be implemented. When using this document, the organization shall check and evaluate this need.

This document can enhance the transparency of specific claims regarding materials or products by providing common terminology and chain of custody models, and thereby support the reliability of these claims. However, organizations shall not use this document on its own to make or verify such claims. This would be misleading, especially to consumers and other end customers, as the existence of a chain of custody system alone does not specify characteristics or the conditions under which products are produced and therefore cannot support the characteristics or the conditions under which materials or products are produced. Also, any communication associated with materials or products solely concerning conformity to this document shall be avoided, especially towards consumers and other end customers.